

Printing date 08.11.2022 Version number 3.1 Revision: 08.11.2022

# 1 Identification

- · Product identifier
- · Trade name: KREUL Javana Outlining Paint White 20 ml,
  KREUL Javana Outlining Paint Pearly Gold, Silver, Anthracite, Mother-of Pearl-White 20 ml
- · Article number:

815720, 815720SB

813520, 813520SB, 813620, 813620SB, 814420, 814420SB, 814920, 814920SB

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Paint

For artists and hobby user.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: C. KREUL GmbH & Co. KG Carl-Kreul-Straße 2 D-91352 HALLERNDORF

**GERMANY** 

Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511

info@c-kreul.de

Importer Zart Art Pty Ltd 48 Overseas Drive Noble Park North 3174

VIC Australia

Phone: 61 3 9890 1867 / Fax: 61 3 9898 6527

- · Further information obtainable from: Phone: 61 3 9890 1867 / Fax: 61 3 9898 6527
- · Emergency telephone number: Poison Centre, Phone: 13 11 26

# 2 Hazard(s) Identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonised System (GHS).

- · Label elements
- GHS label elements Void
- · Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

# 3 Composition and Information on Ingredients

· Description: Mixture of substances listed below with nonhazardous additions

· Dangerous components:		
CAS: 57-55-6 EINECS: 200-338-0	Propylene glycol	0.5-<2.5%
CAS: 64742-47-8 EINECS: 265-149-8 Index number: 649-422-00-2	Distillates (petroleum), hydrotreated light  Flam. Liq. 3, H226;  Asp. Tox. 1, H304	0-<2.5%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2	titanium dioxide Carc. 2, H351	0-<2.5%
· Additional information: For	the wording of the listed hazard phrases refer to section 16.	•

(Contd. on page 2)

– AU

Printing date 08.11.2022 Version number 3.1 Revision: 08.11.2022

(Contd. of page 1)

# **4 First Aid Measures**

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with water and acidic soap.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

If symptoms persist consult doctor.

Rinse out mouth and then drink plenty of water.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **5 Fire Fighting Measures**

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

# **6 Accidental Release Measures**

- · Personal precautions, protective equipment and emergency procedures Not required.
- **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and Storage

- Handling
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection:

No special measures required.

The product is not flammable.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Protect from frost.

Protect from heat and direct sunlight.

· Storage class: 12

Specific end use(s) See chapter 1.2.

# 8 Exposure controls and personal protection Ingredients with limit values that require monitoring at the workplace: 57-55-6 Propylene glycol WES Long-term value: 474\* 10\*\* mg/m³, 150\* ppm \*vapour&particluates;\*\*particulates only DNELs 57-55-6 Propylene glycol Inhalative chronic - local effect 10 mg/m³ /long-term (general population) 10 mg/m³ /long-term (worker) chronic - systemic effect 50 mg/m³ /long term (general population) (Contd. on page 3)

Printing date 08.11.2022 Version number 3.1 Revision: 08.11.2022

	(Contd. of page 2)
	168 mg/m³ /long-term (worker)
· PNECs	
57-55-6 Propylene glycol	
water	183 mg/l
freshwater	260 mg/l
marine water	26 mg/l
sewage treatment plant (STP)	20,000 mg/l
freshwater sediment	572 mg/kg
marine sediment	57.2 mg/kg
soil	50 mg/kg

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Wash hands before breaks and at the end of work.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

9 Physical and Chemical Properties

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling

Appearance:	
Form:	Fluid
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	6–9
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	e: 100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	~1.1 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.

# 10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Chemical stability

Dynamic:

Kinematic:

Other information

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Not determined.

Not determined.

No further relevant information available

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

(Contd. on page 4)

Printing date 08.11.2022 Version number 3.1 Revision: 08.11.2022

(Contd. of page 3)

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity

· LD/LC50 v	· LD/LC50 values relevant for classification:			
57-55-6 Propylene glycol				
Oral	LD50	22,000 mg/kg (rat) (ECHA)		
Dermal	LD50	>2,000 mg/kg (rabbit) (ECHA)		
13463-67-	13463-67-7 titanium dioxide			
Oral	LD50	>20,000 mg/kg (rat)		
Dermal	LD50	>10,000 mg/kg (rabbit)		
Inhalative	LC50/4h	>6.82 mg/m³ (rat)		

- Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

# 12 Ecological Information

· Toxicity

· Aquatic toxicity:			
57-55-6 Propylene glycol			
LC50/96h	LC50/96h 40,613 mg/l (oncorhynchus mykiss) (ECHA)		
LC50/48h	18,340 mg/l (ceriodaphnia dubia) (ECHA)		
ErC50/72h	19,300 mg/l (sceletonema costatum) (ECHA)		
NOEC/18h	/18h >20,000 mg/l (pseudomonas putida) (ECHA)		
NOEC/7d	/7d 13,020 mg/l (ceriodaphnia dubia) (ECHA)		
NOEC/14d	NOEC/14d <5,300 mg/l (sceletonema costatum) (ECHA)		
13463-67-7	13463-67-7 titanium dioxide		
EC50	>100 mg/l (pseudokirchneriella subcapitata) (OECD 201)		
	>10,000 mg/l (sceletonema costatum) (ISO 10253)		
NOEC	>100,000 mg/l (hyalella azteca) (ASTM 1706)		
LC50	>10,000 mg/l (acartia tonsa) (ISO 14669 (1999) ISO 5667-16 (1998))		
>1,000 mg/l (daphnia magna) (OECD 202)			
	>1,000 mg/l (pimephales promelas) (EPA-540/9-85-006)		
Persistenc	Persistence and degradability		
E7 EE C D	andana alvaal		

### 57-55-6 Propylene glycol

Carbon dioxide production 81.7 % /28d (OECD 301 F)
DOC removal 98.3 % /28d (OECD 301 F)
Oxygen consumption 106.8 % /28d (OECD 301 F)

- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

(Contd. on page 5)

Version number 3.1 Printing date 08.11.2022 Revision: 08.11.2022

(Contd. of page 4)

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

4 Transport information	
· UN-Number · ADG, IMDG, IATA	not regulated
· UN proper shipping name · ADG, IMDG, IATA	not regulated
· Transport hazard class(es)	
· ADG, ADN, IMDG, IATA · Class	not regulated
· Packing group · ADG, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of I IBC Code	Marpol and the  Not applicable.
· UN "Model Regulation":	not regulated

# 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- **Australian Inventory of Industrial Chemicals**

We confirm that they we are have checked the AICS under here https://www.industrialchemicals.gov.au/search-inventory and we can confirm that each ingredient is either listed on the AICS and within the allowable limit or meets restrictions on said ingredient.

All ingredients are listed

Standard for the Uniform Scheduling of Medicines and Poisons

The mixture is not a scheduled poison under the SUSMP.

122-99-6 2-phenoxyethanol S6; <1%

**Australia: Priority Existing Chemicals** 

None of the ingredients is listed.

- GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H351 Suspected of causing cancer

- Contact: Phone: 61 3 9890 1867 / Fax: 61 3 9898 6527
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

VPVB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Carc. 2: Carcinogenicity – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

\* Data compared to the previous version altered.