

Printing date 30.11.2023

Version number 3.2 (replaces version 3.1)

Revision: 30.11.2023

1 Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: KREUL el Greco Acrylic 12 ml, 75 ml, 150 ml
- · Article number:
- 28250, 28251, 28253, 28260, 28270, 28301 28340, 28350 28353, 28360 28363, 28501 28507, 28509, 28511 28513, 28515 28518, 28522 28524, 28527 28529, 28531, 28533, 28550, 28551
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available. Application of the substance / the mixture
- Paint

For artists and hobby user.

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: C. KREUL GmbH & Co. KG Carl-Kreul-Straße 2 D-91352 HALLERNDORF GERMANY Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511 info@c-kreul.de
- Further information obtainable from: Product Safety Department: Treiber, b.treiber@c-kreul.de
 1.4 Emergency telephone number: Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511
- (Monday Thursday 8.00 17.00, Friday 8.00 15.00)

2 Hazards identification

2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the GB CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- Additional information:
- Contains preservatives.
- EUH208 Contains BIT (1,2-benzisothiazol-3(2H)-one), MIT (2-methylisothiazol-3(2H)-one). May produce an allergic reaction.
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· 3.2 Mixtures

- · Description:
- Mixture based on water, colorants, binders and additives.

Mixture of substances listed below with nonhazardous additions.

· Dangerous	components:

· Dangerous components:			
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-XXXX	BIT (1,2-benzisothiazol-3(2H)-one) Acute Tox. 1, H330; $$ Eye Dam. 1, H318; $$ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; $$ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C \ge 0.05 %	0.005-<0.05%	
CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9	MIT (2-methylisothiazol-3(2H)-one) Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 2, H411; ♦ Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	0.00025-<0.0015%	
		(Contd. on page 2)	

Version number 3.2 (replaces version 3.1)

Printing date 30.11.2023

Revision: 30.11.2023

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- After eye contact: Remove contact lenses
- Rinse opened eye for several minutes under running water.
- After swallowing:
- Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:
- Do not allow to enter sewers/ surface or ground water.
- Inform respective authorities in case of seepage into water course or sewage system.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Protect from frost.

8 Exposure controls/personal protection

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.

(Contd. on page 3)

(Contd. of page 1)

- Protect from heat and direct sunlight. Storage class: 12
 - · 7.3 Specific end use(s) No further relevant information available.

Version number 3.2 (replaces version 3.1)

Individual protection measures, such as personal protective equipment

Printing date 30.11.2023

Revision: 30.11.2023

(Contd. of page 2)

General protective and hygienic measures: Do not eat, drink, smoke or sniff while working.				
Wash hands before breaks and at the end of work.				
Avoid contact with the eyes and skin.				
Do not inhale gases / fumes / aerosols.				
Respiratory protection:				
Not necessary if room is well-ventilated.				
Use suitable respiratory protective device only when aeros	ol or mist is formed.			
Hand protection				
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation				
0	aterial can be given for the product/ the preparation/ the chemica			
mixture.	stustion times a notes of diffusion and the deputedation			
Selection of the glove material on consideration of the pene	etration times, rates of diffusion and the degradation			
 Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality an 				
	preparation of several substances, the resistance of the glove			
material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material				
Eye/face protection Not required.				
Physical and chemical properties				
9.1 Information on basic physical and chemical proper	ties			
General Information				
Physical state	Fluid			
Colour:	According to product specification			
Odour:	Characteristic			
Odour threshold:	Not determined.			
Melting point/freezing point:	Undetermined.			
Boiling point or initial boiling point and boiling range	Undetermined.			
Flammability	Not applicable.			
Lower and upper explosion limit				
Lower:	Not determined.			
Upper:	Not determined.			
Flash point:	Not applicable.			
Decomposition temperature:	Not determined.			
pH at 20 °C	9-10			
Viscosity: Kinematic viscosity	Net determined			
Dynamic:	Not determined.			
Solubility	Not determined.			
water:	Fully miscible.			
Partition coefficient n-octanol/water (log value)	Not determined.			
Vapour pressure:	Not determined.			
Density and/or relative density				
Density at 20 °C:	1.2–1.5 g/cm³			
Relative density	Not determined.			
Vapour density	Not determined.			
9.2 Other information				
Appearance:				
Form:	Fluid			
Important information on protection of health and	1			
environment, and on safety.	Desclust is used a differential of			
Ignition temperature:	Product is not selfigniting.			
Explosive properties: Solvent content:	Product does not present an explosion hazard.			
	<3.00 %			
VOC (EC) Change in condition	NJ.UU 70			
Evaporation rate	Not determined.			
Information with regard to physical hazard classes				
Explosives	Void			
Flammable gases	Void			
Aerosols	Void			
Oxidising gases	Void			
Gases under pressure	Void			
	Void			
Flammable liquids	Void			
Flammable liquids Flammable solids				
Flammable solids Self-reactive substances and mixtures	Void			
Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Void			
Flammable solids Self-reactive substances and mixtures				

Version number 3.2 (replaces version 3.1)

Printing date 30.11.2023

Revision: 30.11.2023

	(Contd. of page 3)
Void	
e gases	
Void	
	e gases Void Void Void Void Void Void

10 Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Keep away from oxidizing agents, strong alkaline and acidic materials.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:				
2634-33-5	2634-33-5 BIT (1,2-benzisothiazol-3(2H)-one)				
Oral	LD50	490 mg/kg (rat)			
Dermal	LD50	>2,000 mg/kg (rat)			
Inhalative	LC50/4h	0.05 mg/m³ (ATE)			
2682-20-4	2682-20-4 MIT (2-methylisothiazol-3(2H)-one)				
Oral	LD50	100 mg/kg (ATE)			
Dermal	LD50	300 mg/kg (ATE)			
Inhalative	LC50/4h	0.5 mg/m ³ (ATE)			
· Skin corr	· Skin corrosion/irritation Based on available data, the classification criteria are not met.				
	· Serious eye damage/irritation Based on available data, the classification criteria are not met.				
•		n sensitisation Based on available data, the classification criteria are not met.			
		iicity Based on available data, the classification criteria are not met.			
	 Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. 11.2 Information on other hazards 				
•					
Endocrin	· Endocrine disrupting properties				

None of the ingredients is listed.

12 Ecological information

· 12.1 Toxicity

Γ	· Aquatic toxicity:				
	2634-33-5 BIT (1,2-benzisothiazol-3(2H)-one)				
	LC50/96h	1.6 mg/l (oncorhynchus mykiss)			
	EC50/48h	2.94 mg/l (daphnia magna)			
	EC50/72h	0.11 mg/l (selenastrum capricornutum)			
	EC10/72h	0.04 mg/l (selenastrum capricornutum)			
	ErC50/72h	0.11 mg/l (pseudokirchneriella subcapitata)			
	NOEC/21d	1.2 mg/l (daphnia)			
	NOEC/72h	0.027 mg/l (sceletonema costatum)			
	NOEC/28d	0.21 mg/l (oncorhynchus mykiss)			
	12.2 Persistence and degradability No further relevant information available.				
	• 12.3 Bioaccumulative potential No further relevant information available.				
	12.4 Mobility in soil No further relevant information available.				
	· 12.5 Results of PBT and vPvB assessment				
	• PBT: Not a	pplicable.			
	vPvB: Not applicable.				

· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

(Contd. on page 5) GB

Version number 3.2 (replaces version 3.1)

Printing date 30.11.2023

Revision: 30.11.2023

(Contd. of page 4)

· 12.7 Other adverse effects

· Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· 14.1 UN number or ID number		
· ADR, IMDG, IATA	not regulated	
 14.2 UN proper shipping name ADR, IMDG, IATA 	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
· UN "Model Regulation":	not regulated	

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- Toxic if swallowed. H301
- H302 Harmful if swallowed.
- Toxic in contact with skin. H311
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.
- Department issuing SDS: Product Safety Department

· Contact: B. Treiber, b.treiber@c-kreul.de Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods INDOS International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- ATE: Acute toxicity estimate values Acute Tox. 3: Acute toxicity Category 3

(Contd. on page 6)

Version number 3.2 (replaces version 3.1)

Printing date 30.11.2023

Revision: 30.11.2023

(Contd. of page 5)

GB

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 1: Acute toxicity – Category 1 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 • * Data compared to the previous version altered.