

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.05.2022

Version number 1.0

Revision: 09.05.2022

ĠВ

1 Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier · Trade name: SOLO GOYA Acrylic Medium Structure paste raw sand 250 ml, 1000 ml · Article number: 85605, 85610 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Knife filler/ Surface For artists and hobby user. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: C. KREUL GmbH & Co. KG Carl-Kreul-Straße 2 D-91352 HALLERNDORF DEUTSCHLAND Tel. + 49 (0)9545 / 925 - 0 Fax + 49 (0)9545 / 925 - 511 E-Mail: info@c-kreul.de Further information obtainable from: Product Safety Department: Treiber, b.treiber@c-kreul.de 1.4 Emergency telephone number: Telephone + 49 (0) 9545/925 - 0 Fax + 49 (0) 9545/925 - 511 (Monday - Thursday 8.00 - 17.00, Friday 8.00 - 15.00)

2 Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- Hazard pictograms Void
- · Signal word Void
- Hazard statements Void
- Additional information:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous component

CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-XXXX	titanium dioxide	2.5- <10%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-XXXX	1,2-benzisothiazol-3(2H)-one ♦ Acute Tox. 1, H330; ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	<0.05%
CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9	2-methyl-2H-isothiazol-3-one ♦ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ♦ Skin Corr. 1B, H314; Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 2, H411 (M=1); ♦ Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.0015%

Printing date 09.05.2022

Version number 1.0

Revision: 09.05.2022

(Contd. of page 1)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- After inhalation: Not applicable.
- After skin contact:
- Wash with water and acidic soap.
- If skin irritation continues, consult a doctor.
- Generally the product does not irritate the skin. After eye contact:
- Remove contact lenses.
- Rinse opened eye for several minutes under running water.
- After swallowing:
- If symptoms persist consult doctor.
- Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose of the material collected according to regulations.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly. Information about fire - and explosion protection:
- No special measures required.
- The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Protect from frost.
- Protect from heat and direct sunlight.
- · 7.3 Specific end use(s) See chapter 1.2.

8 Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

13463-67-7 titanium dioxide

WEL Long-term value: 10* 4** mg/m³ *total inhalable **respirable

Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

(Contd. on page 3)

GB

Printing date 09.05.2022

Version number 1.0

Revision: 09.05.2022

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures: Wash hands before breaks and at the end of work.

· Respiratory protection: Not required.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye/face protection** Goggles recommended during refilling

9 Physical and chemical properties

9.1 Information on basic physical and chemical properti	ies
General Information	
Physical state	Fluid
· Colour:	White
· Odour:	Characteristic
· Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	Undetermined.
	Not applicable.
· Lower and upper explosion limit	
Lower:	Not determined.
· Upper:	Not determined.
Flash point:	>100 °C
Decomposition temperature:	Not determined.
pH at 20 °C	6–9
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
Solubility	
· water:	Fully miscible.
	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density and/or relative density	25 11F a
· Density at 20 °C:	1.64 g/cm ³
	0
Relative density	Not determined.
· Vapour density	Not determined.
	Pasty
Important information on protection of health and	
environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
	Void
•	Void
-	Void
	Void
	Void
·	Void
•	Void
	Void
· Pyrophoric liquids	Void
	Void
son nouting substantoos and mixtures	Void
Substances and mixtures which omit flammable cases	Void
 Substances and mixtures, which emit flammable gases 	
 Substances and mixtures, which emit flammable gases in contact with water 	Void
 Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids 	Void Void
 Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids 	Void Void Void
 Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids Organic peroxides 	Void Void Void Void
 Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids Organic peroxides 	Void Void Void

(Contd. of page 2)

Version number 1.0

Revision: 09.05.2022

· Desensitised explosives

Printing date 09.05.2022

Void

(Contd. of page 3)

10 Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values rele	LD/LC50 values relevant for classification:				
13463-67-7 titanium	13463-67-7 titanium dioxide				
Oral LD50	>20,000 mg/kg (rat)				
Dermal LD50	>10,000 mg/kg (rabbit)				
Inhalative LC50/4h	>6.82 mg/m³ (rat)				
2634-33-5 1,2-benzi	sothiazol-3(2H)-one				
Oral LD50	500 mg/kg (ATE)				
Inhalative LC50/4h	0.05 mg/m³ (ATE)				
2682-20-4 2-methyl-	2H-isothiazol-3-one				
Oral LD50	100 mg/kg (ATE)				
Dermal LD50	300 mg/kg (ATE)				
Inhalative LC50/4h	0.5 mg/m³ (ATE)				
	ation Based on available data, the classification criteria are not met. e/irritation Based on available data, the classification criteria are not met.				
	sensitisation Based on available data, the classification criteria are not met.				
	icity Based on available data, the classification criteria are not met.				
· Carcinogenicity Bas	sed on available data, the classification criteria are not met.				
· Reproductive toxicity Based on available data, the classification criteria are not met.					
· STOT-single exposure Based on available data, the classification criteria are not met.					
STOT-repeated exposure Based on available data, the classification criteria are not met.					
 Aspiration hazard Based on available data, the classification criteria are not met. 11.2 Information on other hazards 					
· Endocrine disrupting properties					
None of the ingredients is listed.					

12 Ecological information

· 12.1 Toxicity

>10,000 mg/l (skeletonema costatum) (ISO 10253)NOEC>100,000 mg/l (hyalella azteca) (ASTM 1706)LC50>10,000 mg/l (acartia tonsa) (ISO 14669 (1999) ISO 5667-16 (1998)))>1,000 mg/l (daphnia magna) (OECD 202)>1,000 mg/l (pimephales promelas) (EPA-540/9-85-006)2634-33-5 1,2-benzisothiazol-3(2H)-oneLC50/96h1.6 mg/l (oncorhynchus mykiss)EC50/72h0.11 mg/l (selenastrum capricornutum)EC50/72h0.4 mg/l (selenastrum capricornutum)NOEC/21d1.2 mg/l (daphnia)NOEC/28d0.21 mg/l (oncorhynchus mykiss)* 12.2 Persistence and degradability No further relevant information available.* 12.3 Bioaccumulative potential No further relevant information available.* 12.4 Mobility in soil No further relevant information available.* 12.5 Results of PBT and vPvB assessment* PBT: Not applicable.	EC50	>100 mg/l (pseudokirchneriella subcapitata) (OECD 201)	
LC50 >10,000 mg/l (acartia tonsa) (ISO 14669 (1999) ISO 5667-16 (1998)) >1,000 mg/l (daphnia magna) (OECD 202) >1,000 mg/l (pimephales promelas) (EPA-540/9-85-006) 2634-33-5 1,2-benzisothiazol-3(2H)-one LC50/96h 1.6 mg/l (oncorhynchus mykiss) EC50/72h 3.27 mg/l (daphnia) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) NOEC/21d 1.2 mg/l (daphnia) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 12.2 Persistence and degradability No further relevant information available. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable.		>10,000 mg/l (skeletonema costatum) (ISO 10253)	
>1,000 mg/l (daphnia magna) (OECD 202) >1,000 mg/l (pimephales promelas) (EPA-540/9-85-006) 2634-33-5 1,2-benzisothiazol-3(2H)-one LC50/96h 1.6 mg/l (oncorhynchus mykiss) EC50/48h 3.27 mg/l (daphnia) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) NOEC/21d 1.2 mg/l (daphnia) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 12.2 Persistence and degradability No further relevant information available. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable.	NOEC	>100,000 mg/l (hyalella azteca) (ASTM 1706)	
>1,000 mg/l (pimephales promelas) (EPA-540/9-85-006) 2634-33-5 1,2-benzisothiazol-3(2H)-one LC50/96h 1.6 mg/l (oncorhynchus mykiss) EC50/48h 3.27 mg/l (daphnia) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) NOEC/21d 1.2 mg/l (daphnia) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 12.2 Persistence and degradability No further relevant information available. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable.	LC50	>10,000 mg/l (acartia tonsa) (ISO 14669 (1999) ISO 5667-16 (1998))	
2634-33-5 1,2-benzisothiazol-3(2H)-one LC50/96h 1.6 mg/l (oncorhynchus mykiss) EC50/48h 3.27 mg/l (daphnia) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) NOEC/21d 1.2 mg/l (daphnia) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 12.2 Persistence and degradability No further relevant information available. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable.		>1,000 mg/l (daphnia magna) (OECD 202)	
LC50/96h 1.6 mg/l (oncorhynchus mykiss) EC50/48h 3.27 mg/l (daphnia) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) NOEC/21d 1.2 mg/l (daphnia) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 12.2 Persistence and degradability No further relevant information available. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable.		>1,000 mg/l (pimephales promelas) (EPA-540/9-85-006)	
EC50/48h 3.27 mg/l (daphnia) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) NOEC/21d 1.2 mg/l (daphnia) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 12.2 Persistence and degradability No further relevant information available. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable.	2634-33-5	1,2-benzisothiazol-3(2H)-one	
EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) NOEC/21d 1.2 mg/l (daphnia) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 12.2 Persistence and degradability No further relevant information available. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable.	LC50/96h	1.6 mg/l (oncorhynchus mykiss)	
EC10/72h 0.04 mg/l (selenastrum capricornutum) NOEC/21d 1.2 mg/l (daphnia) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 12.2 Persistence and degradability No further relevant information available. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable.	EC50/48h	3.27 mg/l (daphnia)	
NOEC/21d 1.2 mg/l (daphnia) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 12.2 Persistence and degradability No further relevant information available. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable.	EC50/72h	0.11 mg/l (selenastrum capricornutum)	
NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 12.2 Persistence and degradability No further relevant information available. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable.	EC10/72h	0.04 mg/l (selenastrum capricornutum)	
 12.2 Persistence and degradability No further relevant information available. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. 	NOEC/21d	l 1.2 mg/l (daphnia)	
 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. 	NOEC/28d	l 0.21 mg/l (oncorhynchus mykiss)	
	12.3 Bioac 12.4 Mobi 12.5 Resu	ccumulative potential No further relevant information available. lity in soil No further relevant information available. Its of PBT and vPvB assessment	
	PDI: NOU	applicable.	(Contd. on page

Printing date 09.05.2022

Version number 1.0

Revision: 09.05.2022

- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· 13.1 Waste treatment methods

- Recommendation
- Smaller quantities can be disposed of with household waste.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- · Recommendation:

Packaging may be reused or recycled after cleaning.

Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	not regulated	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
14.4 Packing group		
ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according to IMO		
instruments	Not applicable.	

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

- Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage. H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H351 Suspected of causing cancer.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- · Department issuing SDS: Product Safety Department
- · Contact: B. Treiber, b.treiber@c-kreul.de
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMIG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

(Contd. on page 6)

(Contd. of page 4)

GB

Printing date 09.05.2022

Version number 1.0

Revision: 09.05.2022

	(Contd. of page 5)
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	(*******************
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 1: Acute toxicity – Category 1	
Acute Tox. 2: Acute toxicity – Category 2	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Skin Sens. 1A: Skin sensitisation – Category 1A	
Carc. 2: Carcinogenicity – Category 2	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
	GB -