

Printing date 08.08.2023

Version number 3.2 (replaces version 3.1)

Revision: 08.08.2023

## 1 Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: KREUL Acrylic matt paint 20 ml, 50 ml, 275 ml
- · Article number: 75001, 75020, 75030, 75201 75276, 75501 75576, 75600, 75601
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
  - No further relevant information available. Application of the substance / the mixture
  - Paint
  - For artists and hobby user.
- **1.3 Details of the supplier of the safety data sheet** • **Manufacturer/Supplier:** C. KREUL GmbH & Co. KG Carl-Kreul-Straße 2 D-91352 HALLERNDORF GERMANY Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511 info@c-kreul.de
- Further information obtainable from: Product Safety Department: Treiber, b.treiber@c-kreul.de
  1.4 Emergency telephone number: Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511 (Monday - Thursday 8.00 - 17.00, Friday 8.00 - 15.00)

### 2 Hazards identification

2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- Hazard statements Void
- Additional information:
- Contains preservatives.
- EUH208 Contains BIT (1,2-benzisothiazol-3(2H)-one), C(M)IT/MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC No 220-239-6] (3:1)). May produce an allergic reaction.
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### **3** Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture based on water, colorants, binders and additives.

   Dangerous components:

   CAS: 1332-58-7
   Kaolin substance with a Community workplace exposure limit

   CAS: 57-55-6
   Propylene glycol substance with a Community workplace exposure limit

   CAS: 200-338-0 Reg.nr.: 01-2119456809-23-XXXX
   0-<5%</td>

GB -

Version number 3.2 (replaces version 3.1)

Revision: 08.08.2023

	accordi

Printing date 08.08.2023

		(Contd. of page 1
CAS: 2634-33-5	BIT (1,2-benzisothiazol-3(2H)-one)	0.005-<0.05%
EINECS: 220-120-9	🛞 Acute Tox. 1, H330; 📀 Eye Dam. 1, H318; 🚯 Aquatic Acute 1,	
	H400; Aquatic Chronic 2, H411; 🔶 Acute Tox. 4, H302; Skin Irrit.	
Reg.nr.: 01-2120761540-60-XXXX		
	Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	
CAS: 55965-84-9	C(M)IT/MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-	0.00025-<0.0015%
Index number: 613-167-00-5	isothiazolin-3-one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3-	
	one [EC No 220-239-6] (3:1))	
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330;	
	♦ Skin Corr. 1C, H314; Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ♦ Skin Sens.	
	1A, H317, EUH071	
	Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 %	
	Skin Irrit. 2: H315: 0.06 % ≤ C < 0.6	
	%	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	

Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

- 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Not applicable.
- After skin contact:
- Wash with water and acidic soap.
- If skin irritation continues, consult a doctor.
- After eye contact:
- Remove contact lenses
- Rinse opened eye for several minutes under running water.
- After swallowing:
- If symptoms persist consult doctor.
- Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
   6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose of the material collected according to regulations.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# 7 Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection:
- No special measures required The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 3)

GB

Version number 3.2 (replaces version 3.1)

Printing date 08.08.2023

Revision: 08.08.2023

(Contd. of page 2)

• Information about storage in one common storage facility: Not required. • Further information about storage conditions: Protect from frost. Protect from heat and direct sunlight. • Storage class: 12

• Storage class: 12

· 7.3 Specific end use(s) See chapter 1.2.

### 8 Exposure controls/personal protection

#### · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

#### 1332-58-7 Kaolin

WEL Long-term value: 2 mg/m<sup>3</sup>

#### 57-55-6 Propylene glycol

WEL Long-term value: 474\* 10\*\* mg/m³, 150\* ppm

\*total vapour and particulates \*\*particulates

· Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

#### General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

- Avoid contact with the eyes and skin.
- Do not inhale gases / fumes / aerosols.
- Wash hands before breaks and at the end of work.
- Respiratory protection: Not required.
- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Penetration time of glove material** 

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye/face protection** Not required.

### 9 Physical and chemical properties

General Information	
Physical state	Fluid
Colour:	According to product specification
· Odour:	Characteristic
Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	<ul> <li>100 °C (7732-18-5 water, distilled, conductivity or of simila purity)</li> </ul>
Flammability	Not applicable.
<ul> <li>Lower and upper explosion limit</li> </ul>	
· Lower:	Not determined.
· Upper:	Not determined.
Flash point:	Not applicable.
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.
⁻pH at 20 °C	6–9
· Viscosity:	
· Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
<ul> <li>Partition coefficient n-octanol/water (log value)</li> </ul>	Not determined.
· Vapour pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity or of simila purity)
Density and/or relative density	
Density at 20 °C:	1.2–1.5 g/cm³
Relative density	Not determined.
Vapour density	Not determined.

Version number 3.2 (replaces version 3.1)

Revision: 08.08.2023

		(Contd. of pag
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of hea	alth and	
environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard clas	202	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammab		
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

# 10 Stability and reactivity

Printing date 08.08.2023

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute tox	icity Dase	
· LD/LC50 \	values rel	levant for classification:
2634-33-5	BIT (1,2-	benzisothiazol-3(2H)-one)
Oral	LD50	490 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4h	0.05 mg/m³ (ATE)
55965-84-	• •	MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2- 4-isothiazolin-3-one [EC No 220-239-6] (3:1))
Oral	LD50	64 mg/kg (rat)
Dermal	LD50	87 mg/kg (rab)
Inhalative	LC50/4h	0.05 mg/m³ (ATE)
		tation Based on available data, the classification criteria are not met.
		ge/irritation Based on available data, the classification criteria are not met.
•		n sensitisation Based on available data, the classification criteria are not met.
	•	<b>nicity</b> Based on available data, the classification criteria are not met.
		ased on available data, the classification criteria are not met. c <b>ity</b> Based on available data, the classification criteria are not met.
•		sure Based on available data, the classification criteria are not met.
	• •	<b>Dosure</b> Based on available data, the classification criteria are not met.
•		Based on available data, the classification criteria are not met.
		n other hazards
·Endocrine	e disrupti	ing properties
None of th	e inaredie	ents is listed.

(Contd. on page 5)

GB

Version number 3.2 (replaces version 3.1)

Revision: 08.08.2023

(Contd. of page 4)

Aquatic to	kicity:
2634-33-5 I	BIT (1,2-benzisothiazol-3(2H)-one)
LC50/96h	1.6 mg/l (oncorhynchus mykiss)
EC50/48h	2.94 mg/l (daphnia magna)
EC50/72h	0.11 mg/l (selenastrum capricornutum)
EC10/72h	0.04 mg/l (selenastrum capricornutum)
ErC50/72h	0.11 mg/l (pseudokirchneriella subcapitata)
NOEC/21d	1.2 mg/l (daphnia)
NOEC/72h	0.027 mg/l (sceletonema costatum)
NOEC/28d	0.21 mg/l (oncorhynchus mykiss)
55965-84-9	C(M)IT/MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and methyl-4-isothiazolin-3-one [EC No 220-239-6] (3:1))
LC50/96h	0.22 mg/l (oncorhynchus mykiss) (RAC)
	0.1 mg/l (daphnia magna)
EC50/72h	0.048 mg/l (pseudokirchneriella subcapitata)
NOEC	0.004 mg/l (daphnia magna) (OECD 211)
ErC50	0.0049 mg/l /120h (sceletonema costatum)
NOEC/21d	0.004 mg/l (daphnia)
NOEC/48d	0.00064 mg/l (sceletonema costatum)
NOEC/72h	0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)
NOEC/28d	0.098 mg/l (oncorhynchus mykiss) (OECD 210)
12.3 Bioac 12.4 Mobili 12.5 Resul	tence and degradability No further relevant information available. cumulative potential No further relevant information available. ty in soil No further relevant information available. ts of PBT and vPvB assessment
PBT: Not a	
12.7 Other	applicable. rine disrupting properties The product does not contain substances with endocrine disrupting properties. adverse effects ecological information:
General no	
	v undiluted product or large quantities of it to reach ground water, water course or sewage system.

# 13 Disposal considerations

· 13.1 Waste treatment methods

- Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

not regulated	
not regulated	
not regulated	
not regulated	
Not applicable.	
Not applicable.	
to IMO Not applicable.	
	not regulated not regulated not regulated Not applicable. Not applicable. to IMO

Version number 3.2 (replaces version 3.1)

Revision: 08.08.2023

(Contd. of page 5)

· UN "Model Regulation":

Printing date 08.08.2023

not regulated

## 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- Causes severe skin burns and eye damage. H314
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

### · Department issuing SDS: Product Safety Department

Contact: B. Treiber, b.treiber@c-kreul.de

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity Category 3 Acute Tox. 4: Acute toxicity Category 4

- Acute Tox. 2: Acute toxicity Category 2 Acute Tox. 1: Acute toxicity Category 1 Skin Corr. 1C: Skin corrosion/irritation Category 1C
- Skin Irrit. 2: Skin corrosion/irritation Category 2 Eye Dam. 1: Serious eye damage/eye irritation Category 1
- Skin Sens. 1: Skin sensitisation Category 1 Skin Sens. 1A: Skin sensitisation Category 1A
- Aquatic Acute 1: Hazardous to the aquatic environment acute aquatic hazard Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment long-term aquatic hazard Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment long-term aquatic hazard Category 2

\* Data compared to the previous version altered.

GB