

Printing date 07.03.2023 Version number 3.1 (replaces version 3.0) Revision: 07.03.2023

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name:

KREUL Acrylic Metallic Marker XXL Gold KREUL Acrylic Metallic Marker medium Gold (Safety data sheet for the included ink.)

- · Article number: 46251, 46261
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Paint

For artists and hobby user.

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

C. KREUL GmbH & Co. KG Carl-Kreul-Straße 2 D-91352 HALLERNDORF GERMANY

Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511

info@c-kreul.de

· Further information obtainable from:

Product Safety Department: Treiber, b.treiber@c-kreul.de

· 1.4 Emergency telephone number: + 44 (0) 171 635 91 91

2 Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Eye Irrit. 2

H319 Causes serious eye irritation.

2.2 Label elements

EC Regulation 1907/2006 (UK REACH) differentiates between substances, mixtures and articles. In accordance with the definition of articles in UK REACH, the European Writing Instrument Manufacturer's Association (EWIMA) considers writing instruments, marker pens etc. to be articles. However, no safety data sheets are provided for articles. In contrast, safety data sheets are mandatory for substances and mixtures. For this reason, the information in the safety data sheet provided always refers to the basic ink and not to the product as a whole.

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms





GHS07

GHS09

- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

Printing date 07.03.2023 Version number 3.1 (replaces version 3.0) Revision: 07.03.2023

(Contd. of page 1)

P102 Keep out of reach of children.

P264 Wash thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear eye protection / face protection.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7440-50-8 EINECS: 231-159-6 Reg.nr.: 01-2119480154-42-XXX	copper Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Eye Irrit. 2, H319	10–<25%
CAS: 7440-66-6 EINECS: 231-175-3 Index number: 030-001-01-9 Reg.nr.: 01-2119467174-37-XXXX	zinc powder -zinc dust (stabilized) Aquatic Acute 1, H400; Aquatic Chronic 1, H410	2.5–<10%
CAS: 108-01-0 EINECS: 203-542-8 Index number: 603-047-00-0	2-dimethylaminoethanol	<1%
CAS: 61788-45-2 EINECS: 262-976-6 Index number: 612-284-00-9	Amines, hydrogenated tallow alkyl STOT RE 2, H373; Asp. Tox. 1, H304; ♦ Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); Skin Irrit. 2, H315	0.0025-<0.025%

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with water and acidic soap.

If skin irritation continues, consult a doctor.

After eye contact:

Remove contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Inform doctor. Do not give milk or fatty oils.

Rinse out mouth and then drink plenty of water.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device.
- · Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 3)

Printing date 07.03.2023 Revision: 07.03.2023 Version number 3.1 (replaces version 3.0)

(Contd. of page 2)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility:

Store away from oxidising agents.

Do not store together with reducing agents, heavy-metal compounds, acids and alkalis. Further information about storage conditions:

Protect from frost.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) See chapter 1.2.

8 Exposure controls/personal protection

· 8.1 Control pa	8.1 Control parameters						
		that require moi	nitoring at the workplace:				
7440-50-8 cop	•						
WEL Short-te	rm value: 2** mg m value: 0.2* 1*	ı/m³ * / 3					
	dusts and mists						
	nethylaminoeth	` '					
	rm value: 22 mg						
	m value: 7.4 mg						
DNELs							
7440-50-8 cop	per						
	•	systemic effects	0.16 mg/kg (general population)				
			137 mg/kg bw/d (general population)				
	, , , , , ,		137 mg/kg bw/d (worker)				
Inhalative long	long-term exposure-systemic effects		18.2 mg/m³ (general population)				
			18.2 mg/m³ (worker)				
7440-66-6 zine	c powder -zinc	dust (stabilized)					
Oral long	long-term exposure-systemic effects		0.83 mg/kg (general population)				
Dermal long	g-term exposure-	systemic effects	83 mg/kg bw/d (general population)				
			83 mg/kg bw/d (worker)				
Inhalative long	g-term exposure-	systemic effects	2.5 mg/m³ (general population)				
			5 mg/m³ (worker)				
PNECs							
7440-50-8 cop	per						
freshwater		0.0078 mg/l					
marine water		0.0052 mg/l					
sewage treatment plant (STP)		0.23 mg/l					
		87 mg/kg					
marine sediment		676 mg/kg					
soil 65.5 mg/kg							
	c powder -zinc	dust (stabilized)					
		0.0206 mg/l					
		0.0061 mg/l					
. , , , ,		0.0052 mg/l					
		87 mg/kg					
		56.5 mg/kg					
soil 35.6		35.6 mg/kg					

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection: Not necessary if room is well-ventilated.
- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

Version number 3.1 (replaces version 3.0) Revision: 07.03.2023 Printing date 07.03.2023

(Contd. of page 3)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

· Colour: According to product specification

· Odour: Characteristic Odour threshold: Not determined. Melting point/freezing point: Undetermined. 100 °C · Boiling point or initial boiling point and boiling range Not applicable.

Flammability

· Lower and upper explosion limit · Lower: Not determined.

Upper: Not determined. Flash point: >100 °C · Decomposition temperature: Not determined. Not determined.

· pH Viscosity:

· Kinematic viscosity Not determined. Dynamic: Not determined.

Solubility

· water: Fully miscible. Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C: 1.1 g/cm³ Relative density Not determined. Vapour density Not determined.

9.2 Other information

Appearance:

Fluid · Form:

· Important information on protection of health and

environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

Void

Change in condition

· Evaporation rate Not determined

Information with regard to physical hazard classes

 Explosives Void · Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void **Pyrophoric liquids** Void

 Pvrophoric solids Void Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void

Oxidising solids Void Organic peroxides Void Corrosive to metals Void

Desensitised explosives

10 Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 5)

Printing date 07.03.2023 Version number 3.1 (replaces version 3.0) Revision: 07.03.2023

(Contd. of page 4)

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:				
copper				
LD50	500 mg/kg (ATE)			
zinc pow	rder -zinc dust (stabilized)			
LD50	>2,000 mg/kg (rat)			
LC50/4h	5.41 mg/l (rat)			
-dimethy	laminoethanol			
LD50	2,000 mg/kg (rat)			
LD50	1,370 mg/kg (rabbit)			
LC50/4h	3.25 mg/m³ (mouse)			
61788-45-2 Amines, hydrogenated tallow alkyl				
LD50	<5,000 mg/kg (rat)			
	copper LD50 zinc pow LD50 LC50/4h dimethy LD50 LD50 LC50/4h			

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Very toxic for aquatic organisms

Also poisonous for fish and plankton in water bodies.

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

٥.

Printing date 07.03.2023 Version number 3.1 (replaces version 3.0) Revision: 07.03.2023

(Contd. of page 5)

•	
14.1 UN number or ID number	LINIONO
ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name	
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQI
	N.O.S. (copper, zinc powder -zinc dust (stabilized))
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.
IATA	(copper, zinc powder -zinc dust (stabilized)), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.
IAIA	(copper, zinc powder -zinc dust (stabilized))
14.3 Transport hazard class(es)	(coppor, zine powasi. zine dast (ctabilizod))
. ,	
ADR, IMDG, IATA	
\wedge	
9	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Hazard identification number (Kemler code):	90
EMS Number:	F-A.S-F
Stowage Category	A
14.7 Maritime transport in bulk according to IM	0
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
Excepted quantities (Ex)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	-
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
. ,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQI

15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

(Contd. on page 7)

Printing date 07.03.2023 Version number 3.1 (replaces version 3.0) Revision: 07.03.2023

(Contd. of page 6)

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Product Safety Department
- · Contact: B. Treiber, b.treiber@c-kreul.de
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration 50 percent

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
** Data compared to the previous version altered

* Data compared to the previous version altered.