

Safety data sheet according to 1907/2006/EC, Article 31

Version number 3.2 (replaces version 3.1) Revision: 17.04.2023

Printing date 17.04.2023

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: KREUL Acrylic metallic paint 20 ml, 50 ml
- · Article number:

77271, 77272, 77273, 77274, 77275, 77276, 77277, 77278, 77279, 77280, 77281, 77282, 77283, 77284, 77285, 77286, 77300, 77301, 77571, 77572, 77573, 77574, 77575, 77576, 77577, 77578, 77579, 77580, 77581, 77582, 77583, 77584, 77585, 77586, 77600, 77601

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Paint

For artists and hobby user.

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

C. KREUL GmbH & Co. KG Carl-Kreul-Straße 2 D-91352 HALLERNDORF GERMANY

Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511 info@c-kreul.de

· Further information obtainable from:

Product Safety Department: Treiber, b.treiber@c-kreul.de

· 1.4 Emergency telephone number:

Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511

(Monday - Thursday 8.00 - 17.00, Friday 8.00 - 15.00)

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one, 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture based on water, colorants, binders and additives.

· Dangerous components:		
CAS: 57-55-6	Propylene glycol	5–<10%
EINECS: 200-338-0	substance with a Community workplace exposure limit	
Reg.nr.: 01-2119456809-23-XXXX		

(Contd. on page 2

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.04.2023 Version number 3.2 (replaces version 3.1) Revision: 17.04.2023

CAS: 13463-67-7	titanium dioxide	(Contd. of pag 0-<5%
EINECS: 236-675-5	♦ Carc. 2, H351	0-4070
Index number: 022-006-00-2	W Carc. 2, 11931	
Reg.nr.: 01-2119489379-17-XXXX		
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	0.005-<0.05%
EINECS: 220-120-9		0.003-\0.0376
Index number: 613-088-00-6	Acute Tox. 1, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2,	
Reg.nr.: 01-2120761540-60-XXXX	H315; Skin Sens. 1, H317	
Neg.III 01-2120701340-00-XXXX	Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	
0.10. 55005.01.0	•	0.00005 0.0045
CAS: 55965-84-9	5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-	0.00025-<0.0015
Index number: 613-167-00-5	3-one (3:1)	
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330;	
	Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1,	
	H400 (M=100); Aquatic Chronic 1, H410 (M=100);	
	1A, H317	
	Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 %	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one	0.00025-<0.0015
EINECS: 247-761-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330;	
Index number: 613-112-00-5	Skin Corr. 1, H314; Eye Dam. 1, H318; 🗞 Aquatic Acute 1,	
	H400 (M=100); Aquatic Chronic 1, H410 (M=100); 🕠 Skin Sens.	
	1A, H317, EUH071	
	ATE: LD50 oral: 125 mg/kg	
	LD50 dermal: 311 mg/kg	
	LC50/4h inhalative: 0.27 mg/m³	
	Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	

4 First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Wash with water and acidic soap.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses.

Rinse opened eye for several minutes under running water.

After swallowing:

If symptoms persist consult doctor.

Rinse out mouth and then drink plenty of water.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 3.2 (replaces version 3.1) Printing date 17.04.2023 Revision: 17.04.2023

See Section 13 for disposal information.

(Contd. of page 2)

7 Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection:

No special measures required.

The product is not flammable.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.

· Ingredients with limit values that require monitoring at the workplace:

Further information about storage conditions:

Protect from frost

Protect from heat and direct sunlight.

- Storage class: 12
- · 7.3 Specific end use(s) See chapter 1.2.

8 Exposure controls/personal protection

· 8.1 Control parameters

57-55-6 Pi	ropylene glycol		
	WEL Long-term value: 474* 10** mg/m³, 150* ppm		
*tota	*total vapour and particulates **particulates		
· DNELs			
57-55-6 Pi	ropylene glycol		
Inhalative	chronic - local effect	10 mg/m³ /long-term (general population)	
		10 mg/m³ /long-term (worker)	
	chronic - systemic effect	et 50 mg/m³ /long term (general population)	
		168 mg/m³ /long-term (worker)	
·PNECs			
57-55-6 Pi	57-55-6 Propylene glycol		
water	183	3 mg/l	

- sewage treatment plant (STP) 20,000 mg/l freshwater sediment 572 mg/kg marine sediment 57.2 mg/kg soil 50 mg/kg
 - Additional information: The lists valid during the making were used as basis.

260 mg/l 26 mg/l

· 8.2 Exposure controls

freshwater

marine water

- Appropriate engineering controls No further data: see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- Respiratory protection: Not required.
- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

9 Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- **General Information**
- Physical state

According to product specification Colour:

Odour: Characteristic

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 3.2 (replaces version 3.1) Printing date 17.04.2023 Revision: 17.04.2023

(Contd. of page 3)

Odour threshold: Not determined. Melting point/freezing point: Undetermined Boiling point or initial boiling point and boiling range 100 °C (7732-18-5 water, distilled, conductivity or of similar · Flammability Not applicable. Lower and upper explosion limit · Lower: Not determined. · Upper: Not determined. Flash point: >100 °C Decomposition temperature: Not determined. · pH at 20 °C 6-9 · Viscosity: · Kinematic viscosity Not determined. Not determined. · Dvnamic: · Solubility Fully miscible. Partition coefficient n-octanol/water (log value) Not determined. 23 hPa (7732-18-5 water, distilled, conductivity or of similar · Vapour pressure at 20 °C: purity) Density and/or relative density · Density at 20 °C: 1.0-1.2 g/cm³ Relative density Not determined. · Vapour density Not determined. 9.2 Other information Appearance: Form: Fluid Important information on protection of health and environment, and on safety. · Ignition temperature: Product is not selfigniting. **Explosive properties:** Product does not present an explosion hazard. Change in condition Evaporation rate Not determined. · Information with regard to physical hazard classes Void Explosives · Flammable gases Void · Aerosols Void Oxidising gases Void

Gases under pressure Void · Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void

· Oxidising solids Void Organic peroxides Void Corrosive to metals Void **Desensitised explosives** Void

10 Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
57-55-6 F	Propylene	glycol	
Oral	LD50	22,000 mg/kg (rat) (ECHA)	
Dermal	LD50	>2,000 mg/kg (rabbit) (ECHA)	

(Contd. on page 5)

Revision: 17.04.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.04.2023 Version number 3.2 (replaces version 3.1)

(Contd. of page 4) 13463-67-7 titanium dioxide LD50 >20,000 mg/kg (rat) Oral LD50 >10,000 mg/kg (rabbit) Dermal Inhalative LC50/4h >6.82 mg/m³ (rat) 2634-33-5 1,2-benzisothiazol-3(2H)-one LD50 490 mg/kg (rat) Oral LD50 >2,000 mg/kg (rat) Dermal Inhalative LC50/4h 0.05 mg/m³ (ATE) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Oral 64 mg/kg (rat) Dermal LD50 87 mg/kg (rab) Inhalative LC50/4h 0.05 mg/m3 (ATE) 26530-20-1 2-octyl-2H-isothiazol-3-one LD50 125 mg/kg (ATE) 760 mg/kg (rat) Dermal LD50 311 mg/kg (ATE) 690 mg/kg (rab) Inhalative LC50/4h 0.27 mg/m3 (ATE) 1.25 mg/m3 (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

· 12.1 Toxicity

S7-85-6 Propylene glycol LC50/96h A0,613 mg/l (oncorhynchus mykiss) (ECHA) LC50/48h 18,340 mg/l (ceriodaphnia dubia) (ECHA) HC50/72h 19,300 mg/l (sceletonema costatum) (ECHA) NOEC/18h NOEC/17d 13,020 mg/l (ceriodaphnia dubia) (ECHA) NOEC/17d 13,020 mg/l (ceriodaphnia dubia) (ECHA) NOEC/17d 45,300 mg/l (sceletonema costatum) (ECHA) 13463-67-7 titanium dioxide	· Aquatic tox	•
LC50/48h		
ErC50/72h	LC50/96h	40,613 mg/l (oncorhynchus mykiss) (ECHA)
NOEC/18h NOEC/14d 3,020 mg/l (ceriodaphnia dubia) (ECHA) 13,020 mg/l (ceriodaphnia dubia) (ECHA) 13,020 mg/l (sceletonema costatum) (ECHA) 13463-67-7 titanium dioxide EC50 >100 mg/l (pseudokirchneriella subcapitata) (OECD 201) >10,000 mg/l (pseudokirchneriella subcapitata) (OECD 201) >10,000 mg/l (pseudokirchneriella subcapitata) (OECD 201) >10,000 mg/l (pseudokirchneriella subcapitata) (OECD 203) >10,000 mg/l (pseudokirchneriella subcapitata) (OECD 203) >10,000 mg/l (pseudokirchneriella subcapitata) (OECD 202) >1,000 mg/l (daphnia magna) (OECD 202) >1,000 mg/l (pimephales promelas) (EPA-540/9-85-006) 1.6 mg/l (oncorhynchus mykiss) 2.94 mg/l (daphnia magna)	LC50/48h	18,340 mg/l (ceriodaphnia dubia) (ECHA)
NOEC/1d	ErC50/72h	19,300 mg/l (sceletonema costatum) (ECHA)
NOEC/14d <5,300 mg/l (sceletonema costatum) (ECHA) 13463-67-7 titanium dioxide EC50		
13463-67-7 titanium dioxide	NOEC/7d	13,020 mg/l (ceriodaphnia dubia) (ECHA)
EC50	NOEC/14d	<5,300 mg/l (sceletonema costatum) (ECHA)
NOEC >10,000 mg/l (hyalella azteca) (ASTM 1706)	13463-67-7	titanium dioxide
NOEC	EC50	>100 mg/l (pseudokirchneriella subcapitata) (OECD 201)
LC50		
>1,000 mg/l (daphnia magna) (OECD 202) >1,000 mg/l (pimephales promelas) (EPA-540/9-85-006) 2634-33-5 1,2-benzisothiazol-3(2H)-one LC50/96h	NOEC	>100,000 mg/l (hyalella azteca) (ASTM 1706)
>1,000 mg/l (pimephales promelas) (EPA-540/9-85-006) 2634-33-5 1,2-benzisothiazol-3(2H)-one LC50/96h	LC50	>10,000 mg/l (acartia tonsa) (ISO 14669 (1999) ISO 5667-16 (1998))
2634-33-5 1,2-benzisothiazol-3(2H)-one LC50/96h 1.6 mg/l (oncorhynchus mykiss) EC50/48h 2.94 mg/l (daphnia magna) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) ErC50/72h 0.11 mg/l (pseudokirchneriella subcapitata) NOEC/21d 1.2 mg/l (daphnia) NOEC/72h 0.027 mg/l (sceletonema costatum) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (daphnia magna)		
LC50/96h 1.6 mg/l (oncorhynchus mykiss) EC50/48h 2.94 mg/l (daphnia magna) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) EC50/72h 0.11 mg/l (pseudokirchneriella subcapitata) NOEC/21d NOEC/21d NOEC/72h NOEC/72h NOEC/72h NOEC/28d 0.27 mg/l (sceletonema costatum) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/48h 0.1 mg/l (daphnia magna)		
EC50/48h 2.94 mg/l (daphnia magna) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) EC50/72h 0.11 mg/l (pseudokirchneriella subcapitata) NOEC/21d 1.2 mg/l (daphnia) NOEC/72h 0.027 mg/l (sceletonema costatum) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/48h 0.1 mg/l (daphnia magna)	2634-33-5 1	1,2-benzisothiazol-3(2H)-one
EC50/72h 0.11 mg/l (selenastrum capricornutum) 0.04 mg/l (selenastrum capricornutum) 0.01 mg/l (selenastrum capricornutum) 0.11 mg/l (pseudokirchneriella subcapitata) NOEC/21d 1.2 mg/l (daphnia) NOEC/72h 0.027 mg/l (sceletonema costatum) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/48h 0.1 mg/l (daphnia magna)		
EC10/72h	EC50/48h	2.94 mg/l (daphnia magna)
ErC50/72h 0.11 mg/l (pseudokirchneriella subcapitata) NOEC/21d 1.2 mg/l (daphnia) NOEC/72h 0.027 mg/l (sceletonema costatum) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/48h 0.1 mg/l (daphnia magna)	EC50/72h	0.11 mg/l (selenastrum capricornutum)
NOEC/21d 1.2 mg/l (daphnia) NOEC/72h 0.027 mg/l (sceletonema costatum) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/48h 0.1 mg/l (daphnia magna)	EC10/72h	0.04 mg/l (selenastrum capricornutum)
NOEC/72h 0.027 mg/l (sceletonema costatum) 0.21 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/48h 0.1 mg/l (daphnia magna)		
NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h	NOEC/21d	1.2 mg/l (daphnia)
55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h	NOEC/72h	0.027 mg/l (sceletonema costatum)
LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/48h 0.1 mg/l (daphnia magna)	NOEC/28d	0.21 mg/l (oncorhynchus mykiss)
EC50/48h 0.1 mg/l (daphnia magna)		<u> </u>
FC50/72h 10.048 mg/l (pseudokirchneriella subcapitata)	EC50/48h	0.1 mg/l (daphnia magna)
2.030/1211 0.040 mg/1 (p3cddokiromenala 3dbcapitata)	EC50/72h	0.048 mg/l (pseudokirchneriella subcapitata)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.04.2023 Version number 3.2 (replaces version 3.1) Revision: 17.04.2023

(Contd. of page 5) NOEC 0.004 mg/l (daphnia magna) (OECD 211) ErC50 0.0049 mg/l /120h (sceletonema costatum) NOEC/21d 0.004 mg/l (daphnia) NOEC/48d 0.00064 mg/l (sceletonema costatum) NOEC/72h | 0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/28d | 0.098 mg/l (oncorhynchus mykiss) (OECD 210) 26530-20-1 2-octyl-2H-isothiazol-3-one LC50/96h 0.047 mg/l (oncorhynchus mykiss) EC50/48h 0.32 mg/l (daphnia magna) · 12.2 Persistence and degradability 57-55-6 Propylene glycol Carbon dioxide production 81.7 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) Oxygen consumption 106.8 % /28d (OECD 301 F)

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Smaller quantities can be disposed of with household waste.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	not regulated
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR, IMDG, IATA	not regulated
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according instruments	g to IMO Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 3.2 (replaces version 3.1) Printing date 17.04.2023 Revision: 17.04.2023

(Contd. of page 6)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases Toxic if swallowed.

H301

- H302 Harmful if swallowed. Fatal in contact with skin H310 H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H351 Suspected of causing cancer.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.
- · Department issuing SDS: Product Safety Department
- · Contact: B. Treiber, b.treiber@c-kreul.de
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 1: Acute toxicity – Category 1 Skin Corr. 1: Skin corrosion/irritation – Category 1 Skin Corr. 10: Skin corrosion/irritation – Category 1 Ckin Leti - Category 1 Skin Corrosion-Irritation – Category 1 Skin Corrosion-Irritation – Category 1 Skin Corrosion-Irritation – Category 1 Skin Leti-Skin C

Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A

Carc. 2: Carcinogenicity – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2 * Data compared to the previous version altered.