

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.07.2022 Version number 3.1 (replaces version 3.0) Revision: 29.07.2022

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name:

KREUL Chalk Marker

(Safety data sheet for the included ink.)

· Article number:

22711, 22712, 22713, 22714, 22715, 22716, 22717, 22718, 22719, 22720, 22721, 22722, 22731, 22732, 22733, 22707, 22708, 22709, 227300, 227301, 227302, 227303, 2271310

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Paint

For artists and hobby user.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

C. KREUL GmbH & Co. KG Carl-Kreul-Straße 2

D-91352 HALLERNDORF DEUTSCHLAND

Tel. + 49 (0)9545 / 925 - 0

Fax + 49 (0)9545 / 925 - 511

E-Mail: info@c-kreul.de

· Further information obtainable from:

Product Safety Department:

Treiber, b.treiber@c-kreul.de

· 1.4 Emergency telephone number:

Telephone + 49 (0) 9545/925 - 0

Fax + 49 (0) 9545/925 - 511

(Monday - Thursday 8.00 - 17.00, Friday 8.00 - 15.00)

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

EC Regulation 1907/2006 (UK REACH) differentiates between substances, mixtures and articles. In accordance with the definition of articles in UK REACH, the European Writing Instrument Manufacturer's Association (EWIMA) considers writing instruments, marker pens etc. to be articles. However, no safety data sheets are provided for articles. In contrast, safety data sheets are mandatory for substances and mixtures. For this reason, the information in the safety data sheet provided always refers to the basic ink and not to the product as a whole.

- Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.07.2022 Version number 3.1 (replaces version 3.0) Revision: 29.07.2022

		(Contd. of page 1
· Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43-XXXX	ethanol	5–<10%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-XXXX	titanium dioxide	5-<10%
CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	2.5-<5%
	ording of the listed hazard phrases refer to section 16.	

4 First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Not applicable.
- After skin contact:

Wash with water and acidic soap.

If skin irritation continues, consult a doctor.

After eye contact:

Remove contact lenses.

Rinse opened eye for several minutes under running water.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection:

No special measures required.

The product is not flammable.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- \cdot Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Protect from frost.

Protect from heat and direct sunlight.

Storage class: 12

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 3.1 (replaces version 3.0) Printing date 29.07.2022 Revision: 29.07.2022

· 7.3 Specific end use(s) See chapter 1.2.

(Contd. of page 2)

8 Exposure controls/personal protection

· 8.1 Control parameters

_		<u>'</u>	
	· Ingredien	ts with limit values that require mo	nitoring at the workplace:
	64-17-5 et	hanol	
	WEL Long-term value: 1920 mg/m³, 1000 ppm		
	56-81-5 glycerol		
	WEL Long-term value: 10 mg/m³		
	· DNELs		
	64-17-5 et	hanol	
	Oral	long-term exposure-systemic effects	87 mg/kg (general population)
	Dermal	long-term exposure-systemic effects	206 mg/kg bw/d (general population)
			343 mg/kg bw/d (worker)
	Inhalative	long-term exposure-systemic effects	114 mg/m³ (general population)

950 mg/m³ (worker)

·PNECs

64-17-5 ethanol

water	2.75 mg/l
freshwater	0.96 mg/l
	0.79 mg/l
sewage treatment plant (STP)	
freshwater sediment	3.6 mg/kg
soil	0.63 mg/kg

- **Additional information:** The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Avoid contact with the eyes and skin.

- Respiratory protection: Not required.
- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid

According to product specification · Colour: · Odour: Characteristic

Odour threshold: Not determined. Melting point/freezing point: Undetermined Boiling point or initial boiling point and boiling range Undetermined. Not applicable.

Lower and upper explosion limit

· Lower: Not determined. Upper: Not determined. Flash point: Not applicable. Decomposition temperature: Not determined. 6-9

pH at 20 °C

Viscosity: · Kinematic viscosity Not determined. Not determined. Dynamic:

Solubility water:

Fully miscible.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.07.2022 Version number 3.1 (replaces version 3.0) Revision: 29.07.2022

		(Contd. of page
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density at 20 °C: Relative density Not determined.		
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of health	and	
environment, and on safety.		
• Auto-ignition temperature: Product is not selfigniting.		
Explosive properties:	Product does not present an explosion hazard.	
Change in condition	·	
Evaporation rate	Not determined.	
Information with regard to physical hazard classes		
Explosives	Void	
· Flammable gases Void		
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure Void		
Flammable liquids		
Flammable solids Void		
Self-reactive substances and mixtures Void		
Pyrophoric liquids	pphoric liquids Void	
· Pyrophoric solids Void · Self-heating substances and mixtures Void		
Substances and mixtures, which emit flammable ga	ases	
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids Void		
Organic peroxides Void		
Corrosive to metals	Void	
Desensitised explosives	Void	

10 Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 v	· LD/LC50 values relevant for classification:		
13463-67-	7 titaniun	n dioxide	
Oral	LD50	>20,000 mg/kg (rat)	
Dermal	LD50	>10,000 mg/kg (rabbit)	
Inhalative	LC50/4h	>6.82 mg/m³ (rat)	
64-17-5 et	64-17-5 ethanol		
Oral	LD50	10,470 mg/kg (rat) (OECD 403)	
Dermal	LD50	>2,000 mg/kg (rat)	
		12,800 mg/kg (rabbit)	
Inhalative	LC50/4h	124.7 mg/m³ (rat) (OECD 403)	
56-81-5 gl	ycerol		
Oral	LD50	12,600 mg/kg (rat)	

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.07.2022 Version number 3.1 (replaces version 3.0) Revision: 29.07.2022

(Contd. of page 4)

- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

· 12.1 Toxicity

· Aquatic to	xicity:
13463-67-	7 titanium dioxide
EC50	>100 mg/l (pseudokirchneriella subcapitata) (OECD 201)
	>10,000 mg/l (sceletonema costatum) (ISO 10253)
NOEC	>100,000 mg/l (hyalella azteca) (ASTM 1706)
LC50	>10,000 mg/l (acartia tonsa) (ISO 14669 (1999) ISO 5667-16 (1998))
	>1,000 mg/l (daphnia magna) (OECD 202)
	>1,000 mg/l (pimephales promelas) (EPA-540/9-85-006)
64-17-5 et	
LC50/96h	14,200 mg/l (pimephales promelas) (US EPA method E03-0)
	13,000 mg/l (oncorhynchus mykiss)
LC50/48h	5,012 mg/l (ceriodaphnia dubia) (ASTM E729-80)
	12,340 mg/l (daphnia magna)
EC50/48h	12,900 mg/l (algae)
	>10,000 mg/l (ceriodaphnia dubia) (DIN 38412 Teil 11)
	9,950 mg/l (crustaceans)
EC50/96h	12,900 mg/l (pimephales promelas) (US EPA method E03-0)
NOEC	2 mg/l /10d (ceriodaphnia dubia) (ECHA)
	250 mg/l /120h (danio rerio) (OECD 212)
ErC50	275 mg/l /72h (algae) (OECD 201)
ErCx 10%	11.5 mg/l /3d (algae) (OECD 201)
LC50	1,806 mg/l /10d (ceriodaphnia dubia) (ECHA)
	454 mg/l /9d (daphnia magna) (ECHA)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, ADN, IMDG, IATA	not regulated	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 3.1 (replaces version 3.0) Revision: 29.07.2022 Printing date 29.07.2022

	(Contd. of page 5
Not applicable.	
Not applicable.	
to IMO	
Not applicable.	
not regulated	
	Not applicable. to IMO Not applicable.

15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

- · Department issuing SDS: Product Safety Department
- Contact: B. Treiber, b.treiber@c-kreul.de
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

* Data compared to the previous version altered.