

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.07.2023

Version number 1.1 (replaces version 1.0)

Revision: 19.07.2023

## 1 Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: KREUL Block printing color 20 ml
- · Article number: 15715, 15101
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- Application of the substance / the mixture Paint
- For artists and hobby user.
- 1.3 Details of the supplier of the safety data sheet
  Manufacturer/Supplier:
  C. KREUL GmbH & Co. KG
  Carl-Kreul-Straße 2
  D-91352 HALLERNDORF
  GERMANY
  Phone: + 49 (0) 9545/925 0
  Fax: + 49 (0) 9545/925 511
  info@c-kreul.de
- Further information obtainable from: Product Safety Department: Treiber, b.treiber@c-kreul.de
  1.4 Emergency telephone number: Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511 (Monday - Thursday 8.00 - 17.00, Friday 8.00 - 15.00)

#### 2 Hazards identification

2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- Hazard statements Void
- Additional information:
- Contains preservatives.
- EUH208 Contains BIT (1,2-benzisothiazol-3(2H)-one), C(M)IT/MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC No 220-239-6] (3:1)). May produce an allergic reaction.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

#### 3 Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

   Dangerous components:

   CAS: 7727-43-7

   EINECS: 231-784-4

   Reg.nr.: 01-2119491274-35-XXXX

   CAS: 56-81-5

   EINECS: 200-289-5

   glycerol

   substance with a Community workplace exposure limit

   Contd. on page 2)

## Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)

Printing date 19.07.2023

Revision: 19.07.2023

		(Contd. of page 1)
CAS: 7320-34-5 EINECS: 230-785-7 Reg.nr.: 01-2119489369-18-XXXX	tetrapotassium pyrophosphate	0-<2.5%
EINECS: 220-120-9	BIT (1,2-benzisothiazol-3(2H)-one) ♦ Acute Tox. 1, H330; ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ↑ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	0.005-<0.05%
	C(M)IT/MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC No 220-239-6] (3:1))	0.00025-<0.0015%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

#### 4 First aid measures

4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Not applicable.
- After skin contact:

Wash with water and acidic soap.

If skin irritation continues, consult a doctor.

After eye contact:

Remove contact lenses.

Rinse opened eye for several minutes under running water.

- After swallowing:
- If symptoms persist consult doctor.

Rinse out mouth and then drink plenty of water.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Firefighting measures

5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

· Protective equipment: No special measures required.

Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## 6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

- Information about fire and explosion protection:
- No special measures required.

The product is not flammable.

(Contd. on page 3)

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)

Printing date 19.07.2023

\_

Revision: 19.07.2023

7.2 Conditions for safe storage, including any incompatibilities         Storage:         Requirements to be met by storerooms and receptacles: No special requirements.         Information about storage in one common storage facility: Not required.         Protect from frost.         Protect from heat and direct sunlight.         Storage class: 12         7.3 Specific end use(s) See chapter 1.2.         Storage class: 12         7.3 Specific end use(s) See chapter 1.2.         Storage class: 12         7.3 Specific end use(s) See chapter 1.2.         Storage class: 12         7.3 Specific end use(s) See chapter 1.2.         Storage class: 12         7.3 Specific end use(s) See chapter 1.2.         Storage class: 12         7.3 Specific end use(s) See chapter 1.2.         Storage class: 12         7.3 Specific end use(s) See chapter 1.2.         Storage class: 12         "Ininalation logs of the storage class in a storage classtorage class in a storage class in a storage class in		
Storage: Sto		(Contd. of page 2
Requirements to be met by storerooms and receptacles: No special requirements.         Information about storage in one common storage facility: Not required.         Further information about storage conditions:         Protect from heat and direct sunlight.         Storage class: 12         7.3 Specific end use(s) See chapter 1.2. <b>Exposure controls/personal protection Bay Storage class:</b> 12 <b>7.3 Control parameters</b> Impactable dust "respiration" <b>Torget-controls/personal protection Storage class:</b> 12 <b>7.3 Control parameters</b> Impactable dust "respiration"       Impactable dust "respiration"       Impact dust for the storage dust dust dust dust dust dust dust dust		tibilities
Further information about storage conditions:       Protect from frost.         Protect from heat and direct sunlight.       Storage class: 12         7.3 Specific end use(s) See chapter 1.2.    Expositive controls/personal protection          8.1 Control parameters         Ingredients with limit values that require monitoring at the workplace:         727743-7 barium sulphate, natural         WEL       Long-term value: 10° 4** mg/m³         "inhalable dust **respirable dust         56-81-5 glycerol         WEL       Long-term value: 10 mg/m³         7320-34-5 tetrapotassium pyrophosphate         Inhalative       [ong-term exposure-systemic effects   10.87 mg/m³ (general population)         44.08 mg/m³ (worker)         PNECs         7320-34-5 tetrapotassium pyrophosphate         freshwater       [0.05 mg/l         Additional information: The lists valid during the making were used as basis.         8.2 Exposure controls         Appropriate engineering controls No further data; see section 7.         Individual protection measures; such as personal protective equipment         General protective and hygionic measures:         Do not etad, fink, smoke or simf while working.         Avoid contact with the eyes and skin.         Do not etad, fink, smoke or simf while working.         A		s: No special requirements.
Protect from frost. Protect from heat and direct sunlight. Storage class: 12. 7.3 Specific end use(s) See chapter 1.2. Exposure controls/personal protection 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: 7727-43-7 barium sulphate, natural WEL Long-term value: 10 4* mg/m <sup>3</sup> inhalable dust **respirable dust 56-81-5 glycerol WEL Long-term value: 10 mg/m <sup>3</sup> DNELs 7320-34-5 tetrapotassium pyrophosphate Thalaidve [long-term exposure-systemic effects] 10.87 mg/m <sup>4</sup> (general population) 14.08 mg/m <sup>3</sup> (worker) PNECS 7220-34-5 tetrapotassium pyrophosphate Treshwater [0.05 mg/l marine water [0.05 mg/l Mathematic the lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and flygient. Avaid contact with the eyes and skin. Do not enat, elink, smoke or saff while working. Avaid contact with the eyes and skin. Do not enat, elink, smoke or saff while working. Avaid contact with the eyes and skin. Do not enate gases / furmes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection: Not required. Had protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemicar Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the subtable gloves does not only depend on the material, but also on further marks of quality and varie from manufacturer. As the product is a preparation of several substances, the resistance of the glove material can be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The selection of the subtable gloves	Information about storage in one common storage faci	
Protect from heat and direct sunlight. Storage class: 12 7.3 Specific end use(s) See chapter 1.2.  EXPOSURE CONTrOIS/personal protection 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: 7727-43-7 barium sulphate, natural WEL Long-term value: 10° 4** mg/m³ inhalable dust **respirable dust 56-81-5 glycerol WEL Long-term value: 10° mg/m³ DNELs 7320-34-5 tetrapotassium pyrophosphate 74 74 75 75 75 75 75 75 75 75 75 75 75 75 75		
Storage class: 12         7.3 Specific end use(s) See chapter 1.2.         Exposure controls/personal protection         8.1 Control parameters         Ingredients with limit values that require monitoring at the workplace:         7727-43-7 barium sulphate, natural         WEL [Long-term value; 10 *** mg/m*]         'inhalable dust **respirable dust         56-81-5 glycerol         WEL [Long-term value; 10 mg/m*]         DNELs         7320-34-5 tetrapotassium pyrophosphate         Inhalative  ong-term exposure-systemic effects   10.87 mg/m* (general population)         44.08 mg/m* (worker)         PNECs         7320-34-5 tetrapotassium pyrophosphate         freshwater   0.05 mg/l         Additional information: The lists valid during the making were used as basis.         8.2 Exposure controls         Appropriate engineering controls No further data; see section 7.         Individual protective and hyleinei measures:         Do in hinkle gases / fumes / aerosols.         Wash hands before breaks and at the end of work.         Respiratory protection: Not required.         Had protection         Had protection of the suitable gloves does not only depend on the material, but also on further marks of quality and varie from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material on		
Exposure controls/personal protection         8.1 Control parameters         Ingredients with limit values that require monitoring at the workplace:         7727-43-7 barium sulphate, natural         WEL       Long-term value: 10 4* mg/m³ inhalable dust *respirable dust         56-81-5 glycerol         WEL       Long-term value: 10 mg/m³         DNELs       56-81-5 glycerol         727-43-5 tetrapotassium pyrophosphate         Inhalative       Iong-term exposure-systemic effects         10.8 mg/m³ (worker)         PNECs         7320-34-5 tetrapotassium pyrophosphate         Freshwater       0.05 mg/l         Maditional information: The lists valid during the making were used as basis.         8.2 Exposure controls         Appropriate engineering controls No further data; see section 7.         Individual protective and Ngleinic measures:         Do no teat, drink, smoke or sniff while working.         Avoid contact with the eyes and skin.         Do no tinhale gases / furmes / aerosols.         Wash hands before breaks and at the end of work.         Reprirate ngineering controls no the glove material can be given for the product/ the preparation.         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         De not inhale gases / furmes / aerosols.      <		
	7.3 Specific end use(s) See chapter 1.2.	
B.1 Control parameters      Ingredients with limit values that require monitoring at the workplace:     7727-43-7 barium sulphate, natural      WEL Long-term value: 10 *** mg/m³     "Inhalable dust **respirable dust     56-81-5 glycerol      WEL Long-term value: 10 mg/m³      DNELs      7320-34-5 tetrapotassium pyrophosphate     Inhalative long-term exposure-systemic effects     10.87 mg/m³ (general population)     44.08 mg/m³ (worker)      PNECs      7320-34-5 tetrapotassium pyrophosphate     Inhalative long-term exposure-systemic effects     10.87 mg/m³ (general population)     44.08 mg/m³ (worker)      PNECs      7320-34-5 tetrapotassium pyrophosphate     Inhalative long-term exposure-systemic effects     10.87 mg/m³ (general population)     44.08 mg/m³ (worker)      PNECs      7320-34-5 tetrapotassium pyrophosphate     Inhalative long-term exposure-systemic effects     10.87 mg/m³ (general population)     44.08 mg/m³ (worker)      PNECs      7320-34-5 tetrapotassium pyrophosphate     Information: The lists valid during the making were used as basis.     8.2 Exposure controls     Appropriate engineering controls No further data; see section 7.     Individual protection measures, such as personal protective equipment     General protective and hygienic measures:     Do not eat, drink, smoke or sniff while working.     Avoid contact with the eyes and skin.     Do not inhale gases / fumes / aerosols.     Wash hands before breaks and at the end of work.     Respiratory protection: Not required. Hand protection     The glove material has to be impermeable and resistant to the product/ the substance/ the preparation/ the chemica     mixture.     Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation     Material of gloves     The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varie     form manufacturer r. As the product is a preparation of several substance, the resistance of the glove	Exposure controls/personal protection	
Ingredients with limit values that require monitoring at the workplace:         7727-43-7 barium sulphate, natural         WEL       Long-term value: 10*4** mg/m³ "inhiabile dust **respirable dust         56-81-5 glycerol         WEL       Long-term value: 10 mg/m³         DNELs         7320-34-5 tetrapotassium pyrophosphate         Inhalative       long-term exposure-systemic effects       10.87 mg/m³ (general population) 44.08 mg/m³ (worker)         PNECs         7320-34-5 tetrapotassium pyrophosphate       freshwater       0.05 mg/l         marine water       0.05 mg/l       4.08 mg/m³ (worker)         Additional information: The lists valid during the making were used as basis.       8.2 Exposure controls         Appropriate engineering controls No further data; see section 7. Individual protection measures; such as personal protective equipment       General protective and hygienic measures: Do not etat, drink, smoke or sniff while working.         Avoid contact with the eyes and skin.       Do not inhal gases / fumes / aerosols.         Wash hands before breaks and at the end of work.       Respiratory protection: Not required.         Hand protection       The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the chemicar mixture.         Selection of the glove material on conside		
7727.43.7 barium sulphate, natural         WELL Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust         56-81-5 glycerol         WEL         VELs         7320-34-5 tetrapotassium pyrophosphate         Inhalative long-term exposure-systemic effects         10.87 mg/m³ (general population)         44.08 mg/m³ (worker)         PNECs         7320-34-5 tetrapotassium pyrophosphate         freshwater       0.05 mg/l         marine water       0.05 mg/l         Additional information: The lists valid during the making were used as basis.         8.2 Exposure controls         Appropriate engineering controls No further data; see section 7.         Individual protection measures; such as personal protective equipment         General protective and hygienic measures:         Do not eat, drink, smoke or sniff while working.         Avoid contact with the eyes and skin.         Do not tental gases / fumes / aerosols.         Wash hands before breaks and at the end of work.         Respiratory protection:         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the chemica mixture.         Selection of the glove material on consideration of the penetration times, rates of	•	the weather lease
WEL       Long-term value: 10* 4** mg/m³         *Inhalable dust **respirable dust         56-81-5 glycerol         WEL       Long-term value: 10 mg/m³         DNELs         7320-34-5 tetrapotassium pyrophosphate         Inhalative       long-term exposure-systemic effects       10.87 mg/m³ (general population)         44.08 mg/m³ (worker)         PNECs         7320-34-5 tetrapotassium pyrophosphate         freshwater       0.05 mg/l         Additional information: The lists valid during the making were used as basis.         8.2 Exposure controls         Appropriate engineering controls No further data; see section 7.         Individual protection measures, such as personal protective equipment         General protective and hygienic measures:         Do not eat, drink, smoke or sniff while working.         Avoid contact with the eyes and skin.         Do not inhale gases / fumes / aerosols.         Wash hands before breaks and at the end of work.         Resepiratory protection.         Nue to the glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation.         Due to missing tests no recommendation of the penetration times, rates of diffusion and the degradation		the workplace:
*inhalable dust **respirable dust         56-81-5 giycerol         WEL Long-term value: 10 mg/m³         DNELs         7320-34-5 tetrapotassium pyrophosphate         Inhalative long-term exposure-systemic effects 10.87 mg/m³ (general population)         Adv. 34-5 tetrapotassium pyrophosphate         Total and the probability of the probabili		
WEL       Long-term value: 10 mg/m³         DNELs         7320-34-5 tetrapotassium pyrophosphate         Inhalative       long-term exposure-systemic effects       10.87 mg/m³ (general population)         44.08 mg/m³ (worker)         PNECs         7320-34-5 tetrapotassium pyrophosphate         freshwater       0.05 mg/l         Maditional information: The lists valid during the making were used as basis.         8.2 Exposure controls         Appropriate engineering controls No further data; see section 7.         Individual protection measures, such as personal protective equipment         General protective and hygienic measures:         Do not eat, drink, smoke or snif while working.         Avoid contact with the eyes and skin.         Do not eat, drink, smoke or snif while working.         Avoid contact with the eyes and skin.         Do not eat, drink, smoke or snif while working.         Avoid contact with the eyes and skin.         Do not eat, drink, smoke or snif while working.         Avoid contact with the eyes and skin.         De not eat, drink, smoke or snif while working.         Avoid contact with the eyes and skin.         De not eat, drink, smoke or snif while working.         Avoid contact with the eyes and skin.         De or eat, drink, smok		
DNELs           7320-34-5 tetrapotassium pyrophosphate           Inhalative         long-term exposure-systemic effects           10.87 mg/m³ (general population)           44.08 mg/m³ (worker)           PNECs           7320-34-5 tetrapotassium pyrophosphate           freshwater           0.05 mg/l           Matine water           0.05 mg/l           Additional information: The lists valid during the making were used as basis.           8.2 Exposure controls           Appropriate engineering controls No further data; see section 7.           Individual protection measures;           Do not eat, drink, smoke or sniff while working.           Avoid contact with the eyes and skin.           Do not eat, drink, smoke or sniff while working.           Avoid contact with the eyes and at the end of work.           Respiratory protection: Not required.           Hand protection           The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.           Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemica mixture.           Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves           The selection of the suitable gloves does not only depend on the material, but also on further marks of		
7320-34-5 tetrapotassium pyrophosphate         Inhalative       long-term exposure-systemic effects       10.87 mg/m³ (general population)         44.08 mg/m³ (worker)         PNECs         7320-34-5 tetrapotassium pyrophosphate         freshwater       0.05 mg/l         Marine water       0.005 mg/l         Additional information: The lists valid during the making were used as basis.         8.2 Exposure controls         Appropriate engineering controls No further data; see section 7.         Individual protection measures, such as personal protective equipment         General protective and hygienic measures:         Do not eat, drink, smoke or sniff while working.         Avoid contact with the eyes and skin.         Do not eatle gases / fumes / aerosols.         Wash hands before breaks and at the end of work.         Respiratory protection: No trequired.         Hand protection         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemicar mixture.         Selection of the gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varie from manufacturer to manufacturer. As the product is a preparation of several substances,	WEL Long-term value: 10 mg/m³	
Inhalative         long-term exposure-systemic effects         10.87 mg/m³ (general population)           44.08 mg/m³ (worker)           PNECs           7320-34-5 tetrapotassium pyrophosphate           freshwater         0.05 mg/l           Additional information: The lists valid during the making were used as basis.           8.2 Exposure controls           Appropriate engineering controls No further data; see section 7.           Individual protection measures, such as personal protective equipment           General protective and hygienic measures:           Do not eat, drink, smoke or sniff while working.           Avoid contact with the eyes and skin.           Do not eat, drink, smoke or sniff while working.           Avoid contact with the eyes and skin.           Do not inhale gases / fumes / aerosols.           Wash hands before breaks and at the end of work.           Respiratory protection: Not required.           Hand protection           The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.           Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemica mixture.           Selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varie from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material ca		
44.08 mg/m³ (worker)         PNECs         7320-34-5 tetrapotassium pyrophosphate         freshwater       0.05 mg/l         Additional information: The lists valid during the making were used as basis.         8.2 Exposure controls         Appropriate engineering controls No further data; see section 7.         Individual protection measures, such as personal protective equipment         General protective and hygienic measures:         Do not eat, drink, smoke or sniff while working.         Avoid contact with the eyes and skin.         Do not inhale gases / fumes / aerosols.         Wash hands before breaks and at the end of work.         Respiratory protection: Not required.         Hand protection         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemica mixture.         Selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varie from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         Prevertation time of glove material       The selection of the suitable gloves does not only depend on the ma		
PNECs 7320-34-5 tetrapotassium pyrophosphate freshwater 0.05 mg/l 0.05 mg/l Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemica mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varie from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of gloves and has to be found out by the manufacturer of the protection.		
7320-34-5 tetrapotassium pyrophosphate         freshwater       0.05 mg/l         marine water       0.005 mg/l         Additional information: The lists valid during the making were used as basis.         8.2 Exposure controls         Appropriate engineering controls No further data; see section 7.         Individual protection measures, such as personal protective equipment         General protective and hygienic measures:         Do not eat, drink, smoke or sniff while working.         Avoid contact with the eyes and skin.         Do not inhale gases / fumes / aerosols.         Wash hands before breaks and at the end of work.         Respiratory protection:         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemica mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varie from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material on glove material in advance and has therefore to be checked prior to the application.         Penetration time of glove material       material of gloves and thas to be found out by the manufacturer of the protection. <td></td> <td>m³ (worker)</td>		m³ (worker)
freshwater       0.05 mg/l         Additional information: The lists valid during the making were used as basis.         8.2 Exposure controls         Appropriate engineering controls No further data; see section 7.         Individual protection measures, such as personal protective equipment         General protective and hygienic measures:         Do not eat, drink, smoke or sniff while working.         Avoid contact with the eyes and skin.         Do not inhale gases / fumes / aerosols.         Wash hands before breaks and at the end of work.         Respiratory protection:         Not equired.         Hand protection         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation         Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varie from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         Penetration time of glove material         The exact break through time has to be found out by the manufacturer of the protective		
marine water       0.005 mg/l         Additional information: The lists valid during the making were used as basis.         8.2 Exposure controls         Appropriate engineering controls No further data; see section 7.         Individual protection measures, such as personal protective equipment         General protective and hygienic measures:         Do not eat, drink, smoke or sniff while working.         Avoid contact with the eyes and skin.         Do not inhale gases / fumes / aerosols.         Wash hands before breaks and at the end of work.         Respiratory protection: Not required.         Hand protection         The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.         Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemica mixture.         Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation         Material of gloves         The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varie from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glov material can not be calculated in advance and has therefore to be checked prior to the application.         Penetration time of glove material         The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.<		
Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemica mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varie from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.	•	
<ul> <li>8.2 Exposure controls</li> <li>Appropriate engineering controls No further data; see section 7.</li> <li>Individual protection measures, such as personal protective equipment</li> <li>General protective and hygienic measures:</li> <li>Do not eat, drink, smoke or sniff while working.</li> <li>Avoid contact with the eyes and skin.</li> <li>Do not inhale gases / fumes / aerosols.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Respiratory protection: Not required.</li> <li>Hand protection</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemica mixture.</li> <li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li> <li>Material of gloves</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varie from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> </ul>	-	ware word on horiz
	Wash hands before breaks and at the and of work	
	Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to Due to missing tests no recommendation to the glove ma mixture. Selection of the glove material on consideration of the pene Material of gloves The selection of the suitable gloves does not only depend from manufacturer to manufacturer. As the product is a material can not be calculated in advance and has therefor Penetration time of glove material	aterial can be given for the product/ the preparation/ the chemica etration times, rates of diffusion and the degradation d on the material, but also on further marks of quality and varie preparation of several substances, the resistance of the glov re to be checked prior to the application.
	Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to Due to missing tests no recommendation to the glove material mixture. Selection of the glove material on consideration of the pene Material of gloves The selection of the suitable gloves does not only depend from manufacturer to manufacturer. As the product is a material can not be calculated in advance and has therefor Penetration time of glove material The exact break through time has to be found out by the m Eye/face protection Not required.	aterial can be given for the product/ the preparation/ the chemica etration times, rates of diffusion and the degradation d on the material, but also on further marks of quality and varie preparation of several substances, the resistance of the glov re to be checked prior to the application.
Physical and chemical properties	Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to Due to missing tests no recommendation to the glove material mixture. Selection of the glove material on consideration of the pene Material of gloves The selection of the suitable gloves does not only depend from manufacturer to manufacturer. As the product is a material can not be calculated in advance and has therefor Penetration time of glove material The exact break through time has to be found out by the m Eye/face protection Not required.	aterial can be given for the product/ the preparation/ the chemica etration times, rates of diffusion and the degradation d on the material, but also on further marks of quality and varie preparation of several substances, the resistance of the glov re to be checked prior to the application.
9.1 Information on basic physical and chemical properties	Respiratory protection: Not required.         Hand protection         The glove material has to be impermeable and resistant to Due to missing tests no recommendation to the glove material on consideration of the glove material of gloves         Selection of the glove material on consideration of the pener         Material of gloves         The selection of the suitable gloves does not only depend         from manufacturer to manufacturer. As the product is a material can not be calculated in advance and has therefor         Penetration time of glove material         The exact break through time has to be found out by the meret between the suitable gloves.         Physical and chemical properties         9.1 Information on basic physical and chemical properties	aterial can be given for the product/ the preparation/ the chemica etration times, rates of diffusion and the degradation d on the material, but also on further marks of quality and varie preparation of several substances, the resistance of the glov re to be checked prior to the application. anufacturer of the protective gloves and has to be observed.
9.1 Information on basic physical and chemical properties General Information	Respiratory protection: Not required.         Hand protection         The glove material has to be impermeable and resistant to Due to missing tests no recommendation to the glove material on Selection of the glove material on consideration of the pener Material of gloves         Selection of the glove material on consideration of the pener Material of gloves         The selection of the suitable gloves does not only dependent from manufacturer to manufacturer. As the product is a material can not be calculated in advance and has therefor Penetration time of glove material         The exact break through time has to be found out by the metry of the selection Not required.         Physical and chemical properties         9.1 Information on basic physical and chemical properties	aterial can be given for the product/ the preparation/ the chemica etration times, rates of diffusion and the degradation d on the material, but also on further marks of quality and varie preparation of several substances, the resistance of the glov to be checked prior to the application. anufacturer of the protective gloves and has to be observed.
9.1 Information on basic physical and chemical properties General Information Physical state Fluid	Respiratory protection: Not required.         Hand protection         The glove material has to be impermeable and resistant to Due to missing tests no recommendation to the glove material of Selection of the glove material on consideration of the pener Material of gloves         Selection of the glove material on consideration of the pener Material of gloves         The selection of the suitable gloves does not only depend from manufacturer to manufacturer. As the product is a material can not be calculated in advance and has therefor Penetration time of glove material         The exact break through time has to be found out by the m Eye/face protection Not required.         Physical and chemical properties         9.1 Information on basic physical and chemical propert General Information         Physical state	aterial can be given for the product/ the preparation/ the chemical etration times, rates of diffusion and the degradation d on the material, but also on further marks of quality and varie preparation of several substances, the resistance of the glov to be checked prior to the application. anufacturer of the protective gloves and has to be observed. ties
9.1 Information on basic physical and chemical properties         General Information         Physical state       Fluid         Colour:       According to product specification	Respiratory protection: Not required.         Hand protection         The glove material has to be impermeable and resistant to         Due to missing tests no recommendation to the glove material         Selection of the glove material on consideration of the pener         Material of gloves         The selection of the suitable gloves does not only depend         from manufacturer to manufacturer. As the product is a         material can not be calculated in advance and has therefor         Penetration time of glove material         The exact break through time has to be found out by the m         Eye/face protection Not required.         Physical and chemical properties         9.1 Information on basic physical and chemical propert         General Information         Physical state         Colour:	aterial can be given for the product/ the preparation/ the chemical etration times, rates of diffusion and the degradation d on the material, but also on further marks of quality and varie preparation of several substances, the resistance of the glove to be checked prior to the application. anufacturer of the protective gloves and has to be observed. <b>ties</b> Fluid According to product specification
9.1 Information on basic physical and chemical properties         General Information         Physical state       Fluid         Colour:       According to product specification         Odour:       Characteristic         Odour threshold:       Not determined.	Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to Due to missing tests no recommendation to the glove ma mixture. Selection of the glove material on consideration of the pener Material of gloves The selection of the suitable gloves does not only depend from manufacturer to manufacturer. As the product is a material can not be calculated in advance and has therefor Penetration time of glove material The exact break through time has to be found out by the m Eye/face protection Not required. Physical and chemical properties 9.1 Information on basic physical and chemical propert General Information Physical state Colour: Odour:	Aterial can be given for the product/ the preparation/ the chemical etration times, rates of diffusion and the degradation d on the material, but also on further marks of quality and varie preparation of several substances, the resistance of the glove to be checked prior to the application. anufacturer of the protective gloves and has to be observed. <b>ties</b> Fluid According to product specification Characteristic Not determined.
9.1 Information on basic physical and chemical properties         General Information         Physical state       Fluid         Colour:       According to product specification         Odour:       Characteristic         Odour threshold:       Not determined.         Melting point/freezing point:       Undetermined.	Respiratory protection: Not required.         Hand protection         The glove material has to be impermeable and resistant to         Due to missing tests no recommendation to the glove mainxture.         Selection of the glove material on consideration of the pener         Material of gloves         The selection of the suitable gloves does not only depend         from manufacturer to manufacturer. As the product is a material can not be calculated in advance and has therefor         Penetration time of glove material         The exact break through time has to be found out by the m         Eye/face protection Not required.         Physical and chemical properties         9.1 Information on basic physical and chemical properties         Odour:         Odour:         Odour threshold:         Melting point/freezing point:	Aterial can be given for the product/ the preparation/ the chemical etration times, rates of diffusion and the degradation d on the material, but also on further marks of quality and varie preparation of several substances, the resistance of the glove re to be checked prior to the application. anufacturer of the protective gloves and has to be observed. <b>ties</b> Fluid According to product specification Characteristic Not determined.
9.1 Information on basic physical and chemical properties         General Information         Physical state       Fluid         Colour:       According to product specification         Odour:       Characteristic         Odour threshold:       Not determined.         Melting point/freezing point:       Undetermined.         Boiling point or initial boiling point and boiling range       100 °C (7732-18-5 water, distilled, conductivity or of similar	Respiratory protection: Not required.         Hand protection         The glove material has to be impermeable and resistant to         Due to missing tests no recommendation to the glove mainxture.         Selection of the glove material on consideration of the penermatical of gloves         The selection of the suitable gloves does not only dependent from manufacturer to manufacturer. As the product is a material can not be calculated in advance and has therefore Penetration time of glove material         The exact break through time has to be found out by the metry face protection Not required.         Physical and chemical properties         9.1 Information on basic physical and chemical properties         Odour:         Odour:         Odour threshold:         Melting point/freezing point:	ties Fluid According to product specification Characteristic Not determined. 100 °C (7732-18-5 water, distilled, conductivity or of similar
9.1 Information on basic physical and chemical properties         General Information         Physical state       Fluid         Colour:       According to product specification         Odour:       Characteristic         Odour threshold:       Not determined.         Melting point/freezing point:       Undetermined.         Boiling point or initial boiling point and boiling range       100 °C (7732-18-5 water, distilled, conductivity or of similar purity)	Respiratory protection: Not required.         Hand protection         The glove material has to be impermeable and resistant to Due to missing tests no recommendation to the glove material on consideration of the glove material of gloves         Selection of the glove material on consideration of the peneration of the suitable gloves does not only depend from manufacturer to manufacturer. As the product is a material can not be calculated in advance and has therefore Penetration time of glove material         The exact break through time has to be found out by the metry face protection Not required.         Physical and chemical properties         9.1 Information on basic physical and chemical properties         Odour:       Odour:         Odour threshold:         Melting point/freezing point:         Boiling point or initial boiling point and boiling range	Aterial can be given for the product/ the preparation/ the chemical etration times, rates of diffusion and the degradation d on the material, but also on further marks of quality and varie preparation of several substances, the resistance of the glove to be checked prior to the application. anufacturer of the protective gloves and has to be observed. <b>ties</b> Fluid According to product specification Characteristic Not determined. Undetermined. 100 °C (7732-18-5 water, distilled, conductivity or of similar purity)
9.1 Information on basic physical and chemical properties         General Information         Physical state       Fluid         Colour:       According to product specification         Odour:       Characteristic         Odour threshold:       Not determined.         Melting point/freezing point:       Undetermined.         Boiling point or initial boiling point and boiling range       100 °C (7732-18-5 water, distilled, conductivity or of similar purity)         Flammability       Not applicable.	Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to Due to missing tests no recommendation to the glove main mixture. Selection of the glove material on consideration of the pene Material of gloves The selection of the suitable gloves does not only depend from manufacturer to manufacturer. As the product is a material can not be calculated in advance and has therefor Penetration time of glove material The exact break through time has to be found out by the m Eye/face protection Not required. Physical and chemical properties 9.1 Information on basic physical and chemical properting General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit	Aterial can be given for the product/ the preparation/ the chemical etration times, rates of diffusion and the degradation d on the material, but also on further marks of quality and varie preparation of several substances, the resistance of the glove re to be checked prior to the application. anufacturer of the protective gloves and has to be observed.
9.1 Information on basic physical and chemical properties         General Information         Physical state       Fluid         Colour:       According to product specification         Odour:       Characteristic         Odour threshold:       Not determined.         Melting point/freezing point:       Undetermined.         Boiling point or initial boiling point and boiling range       100 °C (7732-18-5 water, distilled, conductivity or of similar purity)         Flammability       Not applicable.         Lower:       Not determined.	Respiratory protection: Not required.         Hand protection         The glove material has to be impermeable and resistant to         Due to missing tests no recommendation to the glove material of be glove material on consideration of the penermetrial of gloves         Selection of the glove material on consideration of the penermetrial of gloves         The selection of the suitable gloves does not only dependent from manufacturer to manufacturer. As the product is a material can not be calculated in advance and has therefor         Penetration time of glove material         The exact break through time has to be found out by the metry face protection Not required.         Physical and chemical properties         9.1 Information on basic physical and chemical properties         9.1 Information on basic physical and chemical properties         Odour:         Odour:         Odour:         Odour:         Odour threshold:         Melting point/freezing point:         Boiling point or initial boiling point and boiling range         Flammability         Lower:	Aterial can be given for the product/ the preparation/ the chemical etration times, rates of diffusion and the degradation d on the material, but also on further marks of quality and varie preparation of several substances, the resistance of the glov re to be checked prior to the application. anufacturer of the protective gloves and has to be observed.
9.1 Information on basic physical and chemical properties         General Information         Physical state       Fluid         Colour:       According to product specification         Odour:       Characteristic         Odour threshold:       Not determined.         Melting point/freezing point:       Undetermined.         Boiling point or initial boiling point and boiling range       100 °C (7732-18-5 water, distilled, conductivity or of similar purity)         Flammability       Not applicable.         Lower:       Not determined.         Upper:       Not determined.	Respiratory protection: Not required.         Hand protection         The glove material has to be impermeable and resistant to         Due to missing tests no recommendation to the glove mainture.         Selection of the glove material on consideration of the penermatical of gloves         The selection of the suitable gloves does not only dependent from manufacturer to manufacturer. As the product is a material can not be calculated in advance and has therefor Penetration time of glove material         The exact break through time has to be found out by the metry of glove material         Physical and chemical properties         9.1 Information on basic physical and chemical properties         9.1 Information         Physical state         Colour:         Odour:         Odour:         Dodur:         Boiling point or initial boiling point and boiling range	Aterial can be given for the product/ the preparation/ the chemical etration times, rates of diffusion and the degradation d on the material, but also on further marks of quality and varie preparation of several substances, the resistance of the glover to be checked prior to the application. anufacturer of the protective gloves and has to be observed. <b>ties</b> Fluid According to product specification Characteristic Not determined. 100 °C (7732-18-5 water, distilled, conductivity or of similar purity) Not applicable. Not determined.
9.1 Information on basic physical and chemical properties         General Information         Physical state       Fluid         Colour:       According to product specification         Odour:       Characteristic         Odour threshold:       Not determined.         Melting point/freezing point:       Undetermined.         Boiling point or initial boiling point and boiling range       100 °C (7732-18-5 water, distilled, conductivity or of similar purity)         Flammability       Not applicable.         Lower:       Not determined.         Upper:       Not determined.         Flash point:       >100 °C	Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to Due to missing tests no recommendation to the glove main mixture. Selection of the glove material on consideration of the pener Material of gloves The selection of the suitable gloves does not only depend from manufacturer to manufacturer. As the product is a material can not be calculated in advance and has therefor Penetration time of glove material The exact break through time has to be found out by the m Eye/face protection Not required. Physical and chemical properties 9.1 Information on basic physical and chemical propert General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point:	ties Fluid According to product specification Characteristic Not determined. 100 °C (7732-18-5 water, distilled, conductivity or of similar purity) Not applicable. Not determined. Not determ
9.1 Information on basic physical and chemical properties         General Information         Physical state       Fluid         Colour:       According to product specification         Odour:       Characteristic         Odour threshold:       Not determined.         Melting point/freezing point:       Undetermined.         Boiling point or initial boiling point and boiling range       100 °C (7732-18-5 water, distilled, conductivity or of similar purity)         Flammability       Not applicable.         Lower:       Not determined.         Upper:       Not determined.         Flash point:       >100 °C	Respiratory protection: Not required. Hand protection The glove material has to be impermeable and resistant to Due to missing tests no recommendation to the glove ma mixture. Selection of the glove material on consideration of the pene Material of gloves The selection of the suitable gloves does not only depend from manufacturer to manufacturer. As the product is a material can not be calculated in advance and has therefor Penetration time of glove material The exact break through time has to be found out by the m Eye/face protection Not required. Physical and chemical properties 9.1 Information on basic physical and chemical propert General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature:	ties Fluid According to product specification Characteristic Not determined. Undetermined. Not determined. Not

(Contd. on page 4) GB

## Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)

Revision: 19.07.2023

	(Contd. of pag
· Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity or of simil
• •	purity)
Density and/or relative density	
Density at 20 °C:	1.92 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health	and
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
· Explosives	Void
<sup>-</sup> Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable ga	ases
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

## 10 Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

Printing date 19.07.2023

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- $\cdot$  Acute toxicity Based on available data, the classification criteria are not met.

		elevant for classification:
56-81-5 g	lycerol	
Oral	LD50	12,600 mg/kg (rat)
		>10,000 mg/kg (rabbit)
Dermal	LD50	>10,000 mg/kg (rabbit)
7320-34-	5 tetrapo	assium pyrophosphate
Oral	LD50	>2,000 mg/kg (mouse)
		2,240 mg/kg (rat)
Dermal	LD50	>4,640 mg/kg (rabbit)
2634-33-	5 BIT (1,2	-benzisothiazol-3(2H)-one)
Oral	LD50	490 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

- GB

	.07.2023	Version number 1.1 (replaces version 1.0)	Revision: 19.07.20
	050/41 10.05		(Contd. of page
	_C50/4h 0.05 r		
	methyl-4-isot	(3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- thiazolin-3-one [EC No 220-239-6] (3:1))	one [EC NO 247-500-7] and 2
		ig/kg (rat)	
		ıg/kg (rab)	
	_C50/4h 0.05 r		
		Based on available data, the classification criteria are not met.	4
		tation Based on available data, the classification criteria are not n sitisation Based on available data, the classification criteria are no	
		Based on available data, the classification criteria are not met.	of met.
•		on available data, the classification criteria are not met.	
		ased on available data, the classification criteria are not met.	
		Based on available data, the classification criteria are not met. e Based on available data, the classification criteria are not met.	
Aspiration	hazard Based	a on available data, the classification criteria are not met.	
	nation on othe		
Endocrine	disrupting pro	operties	
	ingredients is		
12.1 Toxici			
Aquatic tox			
56-81-5 gly	>1,000 mg/l (f	fish)	
		salmo gairdneri)	
		(daphnia magna)	
		n pyrophosphate	
		ncorhynchus mykiss)	
	>100 mg/l (da		
	>100 mg/l (alg		
		sothiazol-3(2H)-one)	
		orhynchus mykiss)	
	2.94 mg/l (dap		
EC50/72h	0.11 mg/l (sel	lenastrum capricornutum)	
EC10/72h	0.04 mg/l (sel	lenastrum capricornutum)	
ErC50/72h	0.11 mg/l (pse	eudokirchneriella subcapitata)	
NOFC/21d	1.2 mg/l (daph	hnia)	
HOLO/LIG	0.007	celetonema costatum)	
	10.027 mg/i (sc		
NOEC/72h		corhynchus mykiss)	
NOEC/72h NOEC/28d 55965-84-9	0.21 mg/l (onc C(M)IT/MIT (:	corhynchus mykiss) (3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- thiazolin-3-one [EC No 220-239-6] (3:1))	one [EC No 247-500-7] and 2
NOEC/72h NOEC/28d 55965-84-9	0.21 mg/l (onc C(M)IT/MIT (3 methyl-4-isot	(3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-	one [EC No 247-500-7] and 2
NOEC/72h NOEC/28d 55965-84-9 LC50/96h EC50/48h	0.21 mg/l (ond C(M)IT/MIT ( methyl-4-isot 0.22 mg/l (ond 0.1 mg/l (daph	(3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- thiazolin-3-one [EC No 220-239-6] (3:1)) corhynchus mykiss) (RAC) hnia magna)	one [EC No 247-500-7] and 2
NOEC/72h NOEC/28d 55965-84-9 LC50/96h EC50/48h EC50/72h	0.21 mg/l (ond C(M)IT/MIT ( methyl-4-isot 0.22 mg/l (ond 0.1 mg/l (daph	(3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- thiazolin-3-one [EC No 220-239-6] (3:1)) corhynchus mykiss) (RAC)	one [EC No 247-500-7] and 2
NOEC/72h NOEC/28d 55965-84-9 LC50/96h EC50/48h EC50/72h NOEC	0.21 mg/l (onc <b>C(M)IT/MIT (:</b> <b>methyl-4-isot</b> 0.22 mg/l (onc 0.1 mg/l (daph 0.048 mg/l (ps 0.004 mg/l (daph	3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- thiazolin-3-one [EC No 220-239-6] (3:1)) corhynchus mykiss) (RAC) hnia magna) seudokirchneriella subcapitata) aphnia magna) (OECD 211)	one [EC No 247-500-7] and 2
NOEC/72h NOEC/28d 55965-84-9 LC50/96h EC50/48h EC50/72h NOEC ErC50	0.21 mg/l (onc <b>C(M)IT/MIT (:</b> <b>methyl-4-isot</b> 0.22 mg/l (onc 0.1 mg/l (daph 0.048 mg/l (ps 0.004 mg/l (da 0.0049 mg/l /1	3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- thiazolin-3-one [EC No 220-239-6] (3:1)) corhynchus mykiss) (RAC) hnia magna) seudokirchneriella subcapitata) aphnia magna) (OECD 211) 120h (sceletonema costatum)	one [EC No 247-500-7] and 2
NOEC/72h NOEC/28d 55965-84-9 LC50/96h EC50/48h EC50/72h NOEC ErC50 NOEC/21d	0.21 mg/l (onc <b>C(M)IT/MIT (1</b> <b>methyl-4-isot</b> 0.22 mg/l (onc 0.1 mg/l (daph 0.048 mg/l (ps 0.004 mg/l (da 0.0049 mg/l /1 0.004 mg/l (da	3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- thiazolin-3-one [EC No 220-239-6] (3:1)) corhynchus mykiss) (RAC) hnia magna) seudokirchneriella subcapitata) aphnia magna) (OECD 211) 120h (sceletonema costatum) aphnia)	one [EC No 247-500-7] and 2
NOEC/72h NOEC/28d 55965-84-9 LC50/96h EC50/48h EC50/72h NOEC ErC50 NOEC/21d NOEC/21d	0.21 mg/l (onc C(M)IT/MIT (3 methyl-4-isot 0.22 mg/l (onc 0.1 mg/l (daph 0.048 mg/l (ps 0.004 mg/l (da 0.0049 mg/l /1 0.004 mg/l (da 0.00064 mg/l (da	3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- thiazolin-3-one [EC No 220-239-6] (3:1)) corhynchus mykiss) (RAC) hnia magna) seudokirchneriella subcapitata) aphnia magna) (OECD 211) 120h (sceletonema costatum) aphnia) (sceletonema costatum)	one [EC No 247-500-7] and 2
NOEC/72h NOEC/28d 55965-84-9 LC50/96h EC50/48h EC50/72h NOEC ErC50 NOEC/21d NOEC/21d NOEC/48d NOEC/72h	0.21 mg/l (onc C(M)IT/MIT (3 methyl-4-isot 0.22 mg/l (onc 0.1 mg/l (daph 0.048 mg/l (ps 0.004 mg/l (da 0.0049 mg/l /1 0.004 mg/l (da 0.00064 mg/l (da 0.00064 mg/l (ps) 0.0012 mg/l (ps)	3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- thiazolin-3-one [EC No 220-239-6] (3:1)) corhynchus mykiss) (RAC) hnia magna) seudokirchneriella subcapitata) aphnia magna) (OECD 211) 120h (sceletonema costatum) aphnia) (sceletonema costatum) pseudokirchneriella subcapitata) (OECD 201)	one [EC No 247-500-7] and 2
NOEC/72h NOEC/28d 55965-84-9 EC50/48h EC50/72h NOEC ErC50 NOEC/21d NOEC/28d	0.21 mg/l (onc C(M)IT/MIT (3 methyl-4-isot 0.22 mg/l (onc 0.1 mg/l (daph 0.048 mg/l (ps 0.004 mg/l (da 0.0049 mg/l /1 0.004 mg/l (da 0.0064 mg/l (da 0.0012 mg/l (p 0.098 mg/l (or	3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- thiazolin-3-one [EC No 220-239-6] (3:1)) corhynchus mykiss) (RAC) hnia magna) seudokirchneriella subcapitata) aphnia magna) (OECD 211) 120h (sceletonema costatum) aphnia) (sceletonema costatum) pseudokirchneriella subcapitata) (OECD 201) ncorhynchus mykiss) (OECD 210)	one [EC No 247-500-7] and 2
NOEC/72h NOEC/28d 55965-84-9 LC50/96h EC50/48h EC50/72h NOEC ErC50 NOEC/21d NOEC/21d NOEC/28d NOEC/28d 12.2 Persis	0.21 mg/l (onc C(M)IT/MIT (3 methyl-4-isot 0.22 mg/l (onc 0.1 mg/l (daph 0.048 mg/l (ps 0.004 mg/l (da 0.0049 mg/l /1 0.004 mg/l (da 0.0064 mg/l (da 0.00064 mg/l (da 0.0012 mg/l (or 0.098 mg/l (or tence and deg	3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- thiazolin-3-one [EC No 220-239-6] (3:1)) corhynchus mykiss) (RAC) hnia magna) seudokirchneriella subcapitata) aphnia magna) (OECD 211) 120h (sceletonema costatum) aphnia) (sceletonema costatum) pseudokirchneriella subcapitata) (OECD 201) ncorhynchus mykiss) (OECD 210) gradability No further relevant information available.	one [EC No 247-500-7] and 2
NOEC/72h NOEC/28d 55965-84-9 LC50/96h EC50/48h EC50/72h NOEC ErC50 NOEC/21d NOEC/21d NOEC/28d 12.2 Persis 12.3 Bioact	0.21 mg/l (onc C(M)IT/MIT (3 methyl-4-isot 0.22 mg/l (onc 0.1 mg/l (daph 0.048 mg/l (ps 0.004 mg/l (da 0.0049 mg/l /1 0.004 mg/l (da 0.00064 mg/l (da 0.00064 mg/l (da 0.00064 mg/l (or 0.098 mg/l (or tence and deg cumulative po	3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- thiazolin-3-one [EC No 220-239-6] (3:1)) corhynchus mykiss) (RAC) hnia magna) seudokirchneriella subcapitata) aphnia magna) (OECD 211) 120h (sceletonema costatum) aphnia) (sceletonema costatum) pseudokirchneriella subcapitata) (OECD 201) ncorhynchus mykiss) (OECD 210)	one [EC No 247-500-7] and 2

• PBT: Not applicable.
 • vPvB: Not applicable.

• 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

GB

## Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)

Printing date 19.07.2023

Revision: 19.07.2023

(Contd. of page 5)

## 13 Disposal considerations

#### 13.1 Waste treatment methods

- Recommendation
- Smaller quantities can be disposed of with household waste.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

## 14 Transport information

· 14.1 UN number or ID number	
· ADR, ADN, IMDG, IATA	not regulated
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	not regulated
· 14.3 Transport hazard class(es)	·······
· ADR, ADN, IMDG, IATA · Class	not regulated
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	not regulated
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to	
instruments	Not applicable.
· UN "Model Regulation":	not regulated

## 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- Toxic to aquatic life with long lasting effects. H411
- EUH071 Corrosive to the respiratory tract.
- Department issuing SDS: Product Safety Department
- · Contact: B. Treiber, b.treiber@c-kreul.de
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal doop. 61 parcent

- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity Category 3

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)

Printing date 19.07.2023

Revision: 19.07.2023

(Contd. of page 6)

Acute Tox. 1: Acute toxicity – Category 1 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 • * Data compared to the previous version altered.