

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.11.2022

Version number 3.1 (replaces version 3.0)

Revision: 02.11.2022

1 Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: KREUL Javana Highlighting White 50 ml
- · Article number: 814550
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- Application of the substance / the mixture Paint

For artists and hobby user.

- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier:
 C. KREUL GmbH & Co. KG
 Carl-Kreul-Straße 2
 D-91352 HALLERNDORF
 GERMANY
 Phone: + 49 (0) 9545/925 0
 Fax: + 49 (0) 9545/925 511
- Further information obtainable from: Product Safety Department: Treiber, b.treiber@c-kreul.de
 1.4 Emergency telephone number: Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511 (Monday - Thursday 8.00 - 17.00, Friday 8.00 - 15.00)

2 Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

info@c-kreul.de

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:
- EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3: 1). May produce an allergic reaction.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-XXXX	titanium dioxide substance with a Community workplace exposure limit	10-15%

(Contd. on page 2)

Version number 3.1 (replaces version 3.0)

Revision: 02.11.2022

		(Contd. of page 1)
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	0.005-<0.05%
Index number: 613-088-00-6	♦ Acute Tox. 1, H330; ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ♦ Acute Tox. 4, H302; Skin Irrit.	
Reg.nr.: 01-2120761540-60-XXXX	2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	
	5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol- 3-one (3:1)	0.00025-<0.0015%
	 Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317 	
	Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Printing date 02.11.2022

- Wash with water and acidic soap.
- If skin irritation continues, consult a doctor.
- After eye contact:
- Rinse opened eye for several minutes under running water.
- Remove contact lenses
- After swallowing:
- If symptoms persist consult doctor.
- Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- \cdot Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

GB

Version number 3.1 (replaces version 3.0)

Printing date 02.11.2022

Revision: 02.11.2022

(Contd. of page 2)

Further information about storage conditions: Protect from frost.
Protect from heat and direct sunlight.
Storage class: 12
7.3 Specific end use(s) See chapter 1.2.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

13463-67-7 titanium dioxide

WEL Long-term value: 10* 4** mg/m³

*total inhalable **respirable

Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see item 7.

- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:
- Do not eat, drink, smoke or sniff while working.
- Avoid contact with the eyes and skin.
- Do not inhale gases / fumes / aerosols.
- Wash hands before breaks and at the end of work.
- · Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye/face protection** Goggles recommended during refilling

 9.1 Information on basic physical and chemical proper General Information 	ties
Physical state	Fluid
· Colour:	White
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	100 °C (7732-18-5 water, distilled, conductivity or of simila purity)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	6–9
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity or of simila purity)
Density and/or relative density	
Density at 20 °C:	~1.07 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information Appearance:	
· Form:	Fluid

Version number 3.1 (replaces version 3.0)

		(Contd. of pa
Important information on protection of hea	lth and	
environment, and on safety.		
Auto-ignition temperature:	Product is not selfigniting.	
• Explosive properties: Product does not present an explosion hazard.		
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard clas	Ses	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids Void		
Flammable solids Void		
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable	le gases	
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

10 Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Printing date 02.11.2022

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

 $^{\circ}$ 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

 Acute toxicity Based on available data, the classif 	ication criteria are not met.
-------------------------------------------------------------------------	-------------------------------

1 3/63_67.	LD/LC50 values relevant for classification: 13463-67-7 titanium dioxide			
Oral	LD50	>20,000 mg/kg (rat)		
Dermal	LD50	>10,000 mg/kg (rabbit)		
		>6.82 mg/m ³ (rat)		
		zisothiazol-3(2H)-one		
Oral	LD50	490 mg/kg (rat)		
Dermal	LD50	>2,000 mg/kg (rat)		
Inhalative	LC50/4h	0.05 mg/m³ (ATE)		
55965-84-	9 5-chlor	o-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		
Oral	LD50	64 mg/kg (rat)		
Dermal	LD50	87 mg/kg (rab)		
Inhalative	LC50/4h	0.05 mg/m³ (ATE)		
• Skin corrosion/irritation Based on available data, the classification criteria are not met.				
Serious e	ye damag	ge/irritation Based on available data, the classification criteria are not met.		
Serious e Respirato	ye damaq ory or skir	ge/irritation Based on available data, the classification criteria are not met. n sensitisation Based on available data, the classification criteria are not met.		
Serious e Respirato Germ cell	eye damaq ory or skir I mutager	ge/irritation Based on available data, the classification criteria are not met. n sensitisation Based on available data, the classification criteria are not met. nicity Based on available data, the classification criteria are not met.		
Serious e Respirato Germ cell Carcinog	eye damaç ory or skir I mutager enicity Ba	ge/irritation Based on available data, the classification criteria are not met. n sensitisation Based on available data, the classification criteria are not met. nicity Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met.		
Serious e Respirato Germ cell Carcinoge Reproduc	eye damaç ory or skir I mutager enicity Ba ctive toxic	ge/irritation Based on available data, the classification criteria are not met. n sensitisation Based on available data, the classification criteria are not met. nicity Based on available data, the classification criteria are not met.		
Serious e Respirato Germ cell Carcinog Reproduc STOT-sin	ye damag ory or skir I mutager enicity Ba ctive toxic gle expos	ge/irritation Based on available data, the classification criteria are not met. n sensitisation Based on available data, the classification criteria are not met. nicity Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. city Based on available data, the classification criteria are not met.		
Serious e Respirato Germ cell Carcinog Reproduc STOT-sin STOT-rep Aspiration	ye damag ory or skir I mutager enicity Ba ctive toxic gle expos eated exp n hazard	ge/irritation Based on available data, the classification criteria are not met. n sensitisation Based on available data, the classification criteria are not met. nicity Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. city Based on available data, the classification criteria are not met. sure Based on available data, the classification criteria are not met. posure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. posure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.		
Serious e Respirato Germ cell Carcinog Reproduc STOT-sin STOT-rep Aspiration	ye damag ory or skir I mutager enicity Ba ctive toxic gle expos eated exp n hazard	ge/irritation Based on available data, the classification criteria are not met. n sensitisation Based on available data, the classification criteria are not met. nicity Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. city Based on available data, the classification criteria are not met. sure Based on available data, the classification criteria are not met. posure Based on available data, the classification criteria are not met.		
Serious e Respirato Germ cell Carcinog Reproduo STOT-sin STOT-rep Aspiration 11.2 Infor	ye damag ory or skir I mutager enicity Ba tive toxic gle expos peated exp n hazard mation o	ge/irritation Based on available data, the classification criteria are not met. n sensitisation Based on available data, the classification criteria are not met. nicity Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. city Based on available data, the classification criteria are not met. sure Based on available data, the classification criteria are not met. posure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. posure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.		

(Contd. on page 5)

Version number 3.1 (replaces version 3.0)

Printing date 02.11.2022

Revision: 02.11.2022

(Contd. of page 4)

12 Ecol	odical	Intorm	ation
	Ogical		auon

13463-67-7 titanium dioxide EC50 >100 mg/l (pseudokirchneriella subcapitata) (OECD 201) >10,000 mg/l (sceletonema costatum) (ISO 10253) NOEC >100,000 mg/l (sceletonema costatum) (ISO 10253) NOEC >10,000 mg/l (carita tonsa) (ISO 14669 (1999) ISO 5667-16 (1998)) >1,000 mg/l (daphnia magna) (OECD 202) >1,000 mg/l (pimephales promelas) (EPA-540/9-85-006) 2634-33-5 1,2-benzisothiazol-3(2H)-one EC50/96h LC50/96h 1.6 mg/l (oncorhynchus mykiss) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) EC50/72h 0.11 mg/l (pseudokirchneriella subcapitata) NOEC/72h 0.27 mg/l (sceletonema costatum) NOEC/72h 0.27 mg/l (sceletonema costatum) NOEC/72b 0.22 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/72h 0.14 mg/l (pseudokirchneriella subcapitata) NOEC 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.049 mg/l / 120h (sceletonema costatum) NOEC/21d 0.0044 mg/l (daphnia NOEC/24d 0.0064 mg/l (
>10,000 mg/l (sceletonema costatum) (ISO 10253) NOEC >100,000 mg/l (hyalella azteca) (ASTM 1706) LC50 >100,000 mg/l (acartia tonsa) (ISO 14669 (1999) ISO 5667-16 (1998)) >1,000 mg/l (daphnia magna) (OECD 202) >1,000 mg/l (pimephales promelas) (EPA-540/9-85-006) 2634-33-5 1,2-benzisothiazol-3(2H)-one LC50/96h LC50/96h 1.6 mg/l (oncorhynchus mykiss) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) EC50/72h 0.11 mg/l (seletonema costatum) NOEC/21d 1.2 mg/l (daphnia) NOEC/72h 0.02 mg/l (seletonema costatum) NOEC/72h 0.21 mg/l (sceletonema costatum) NOEC/72h 0.22 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.004 mg/l (daphnia magna) (OECD 211) NOEC 0.004 mg/l (sceletonema costatum) NOEC/22d 0.0098 mg/l (sceletonema costatum) NOEC/22h 0.0049 mg/l (sceletonema costatum)				
NOEC >100,000 mg/l (hyalella azteca) (ASTM 1706) LC50 >10,000 mg/l (acartia tonsa) (ISO 14669 (1999) ISO 5667-16 (1998)) >1,000 mg/l (daphnia magna) (OECD 202) >1,000 mg/l (pimephales promelas) (EPA-540/9-85-006) 2634-33-5 1,2-benzisothiazol-3(2H)-one LC50/96h LC50/96h 1.6 mg/l (oncorhynchus mykiss) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC50/72h 0.11 mg/l (pseudokirchneriella subcapitata) NOEC/21d 1.2 mg/l (daphnia) NOEC/72h 0.02 mg/l (cororhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) 0.250/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.048 mg/l (bseudokirchneriella subcapitata) NOEC 0.049 mg/l (daphnia magna) (OECD 211) OEC/21d 0.049 mg/l (cseletonema costatum) NOEC/22d 0.0049 mg/l (cseletonema costatum) NOEC/22d 0.0				
LC50 >10,000 mg/l (acartia tonsa) (ISO 14669 (1999) ISO 5667-16 (1998)) >1,000 mg/l (daphnia magna) (OECD 202) >1,000 mg/l (pimephales promelas) (EPA-540/9-85-006) 2634-33-5 1,2-benzisothiazol-3(2H)-one LC50/96h 1.6 mg/l (oncorhynchus mykiss) EC50/48h 2.94 mg/l (daphnia magna) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC50/72h 0.27 mg/l (sceletonema costatum) NOEC/21d 1.2 mg/l (daphnia) NOEC/72h 0.027 mg/l (sceletonema costatum) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazoli-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/72h 0.48 mg/l (pseudokirchneriella subcapitata) NOEC 0.048 mg/l (daphnia magna) (OECD 211) ErC50 0.049 mg/l (daphnia magna) (OECD 211) NOEC/21d 0.044 mg/l (sceletonema costatum) NOEC/22d 0.0044 mg/l (sceletonema costatum) NOEC/22d				
 >1,000 mg/l (daphnia magna) (OECD 202) >1,000 mg/l (pimephales promelas) (EPA-540/9-85-006) 2634-33-5 1,2-benzisothiazol-3(2H)-one LC50/96h 1.6 mg/l (oncorhynchus mykiss) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) ErC50/72h 0.11 mg/l (pseudokirchneriella subcapitata) NOEC/21d 1.2 mg/l (daphnia) NOEC/24b 0.21 mg/l (sceletonema costatum) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) 0.24 mg/l (daphnia magna) EC50/72h 0.104 mg/l (pseudokirchneriella subcapitata) NOEC 0.004 mg/l (daphnia magna) (OECD 211) 0.004 mg/l (daphnia) NOEC/21d 0.004 mg/l (sceletonema costatum) NOEC/21d 0.004 mg/l (sceletonema costatum) NOEC/21d 0.004 mg/l (sceletonema costatum) NOEC/21d 0.004 mg/l (daphnia magna) (OECD 211) 0.004 mg/l (daphnia) NOEC/21d 0.004 mg/l (sceletonema costatum) NOEC/21d 0.004 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/226 0.008 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability No further relevant information available. <td></td>				
>1,000 mg/l (pimephales promelas) (EPA-540/9-85-006)2634-33-5 1,2-benzisothiazol-3(2H)-oneLC50/96h1.6 mg/l (oncorhynchus mykiss)EC50/48h2.94 mg/l (daphnia magna)EC50/72h0.11 mg/l (selenastrum capricornutum)EC10/72h0.04 mg/l (selenastrum capricornutum)EC50/72h0.11 mg/l (pseudokirchneriella subcapitata)NOEC/21d1.2 mg/l (daphnia)NOEC/72h0.027 mg/l (sceletonema costatum)NOEC/22d0.21 mg/l (oncorhynchus mykiss)55965-84-95-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)LC50/96h0.22 mg/l (oncorhynchus mykiss) (RAC)EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.004 mg/l (daphnia magna)EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.004 mg/l (daphnia magna) (OECD 211)EC500.0049 mg/l /120h (sceletonema costatum)NOEC/21d0.004 mg/l (daphnia)NOEC/21d0.0044 mg/l (sceletonema costatum)NOEC/22d0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/24d0.00064 mg/l (sceletonema costatum)NOEC/24d0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/24d0.0027 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/24d0.008 mg/l (oncorhynchus mykiss) (OECD 210)12.2 Persistence and degradability No further relevant information available.				
2634-33-5 1,2-benzisothiazol-3(2H)-one LC50/96h 1.6 mg/l (oncorhynchus mykiss) EC50/48h 2.94 mg/l (daphnia magna) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) EC50/72h 0.11 mg/l (pseudokirchneriella subcapitata) NOEC/21d 1.2 mg/l (daphnia) NOEC/72h 0.027 mg/l (sceletonema costatum) NOEC/22d 0.21 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.0044 mg/l (daphnia magna) EC50/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.0044 mg/l (daphnia magna) (OECD 211) ErC50 0.0049 mg/l /120h (sceletonema costatum) NOEC/21d 0.0044 mg/l (sceletonema costatum) NOEC/21d 0.0064 mg/l (sceletonema costatum) NOEC/221d 0.00044 mg/l (sceletonema costatum) NOEC/224d 0.00064 mg/l (sceletonema costatum) NOEC/228d 0.098				
LC50/96h1.6 mg/l (oncorhynchus mykiss)EC50/48h2.94 mg/l (daphnia magna)EC50/72h0.11 mg/l (selenastrum capricornutum)EC10/72h0.04 mg/l (selenastrum capricornutum)ErC50/72h0.11 mg/l (pseudokirchneriella subcapitata)NOEC/21d1.2 mg/l (daphnia)NOEC/72h0.027 mg/l (sceletonema costatum)NOEC/28d0.21 mg/l (oncorhynchus mykiss)5596-84-95-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)LC50/96h0.22 mg/l (oncorhynchus mykiss) (RAC)EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.04 mg/l (daphnia magna)EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.004 mg/l (daphnia magna)EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.004 mg/l (daphnia magna)EC50/72h0.0048 mg/l (pseudokirchneriella subcapitata)NOEC0.004 mg/l (daphnia magna) (OECD 211)ErC500.0049 mg/l (loceletonema costatum)NOEC/21d0.0064 mg/l (sceletonema costatum)NOEC/21d0.0064 mg/l (sceletonema costatum)NOEC/22h0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/22d0.098 mg/l (oncorhynchus mykiss) (OECD 210)12.2 Persistence and degradability No further relevant information available.				
EC50/48h2.94 mg/l (daphnia magna)EC50/72h0.11 mg/l (selenastrum capricornutum)EC10/72h0.04 mg/l (selenastrum capricornutum)ErC50/72h0.11 mg/l (pseudokirchneriella subcapitata)NOEC/21d1.2 mg/l (daphnia)NOEC/72h0.027 mg/l (sceletonema costatum)NOEC/28d0.21 mg/l (oncorhynchus mykiss)5596-84-95-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)LC50/96h0.22 mg/l (oncorhynchus mykiss) (RAC)EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.004 mg/l (daphnia magna)EC50/72h0.0048 mg/l (pseudokirchneriella subcapitata)NOEC0.004 mg/l (daphnia magna) (OECD 211)ErC500.0049 mg/l /120h (sceletonema costatum)NOEC/21d0.0064 mg/l (sceletonema costatum)NOEC/24d0.00064 mg/l (sceletonema costatum)NOEC/24d0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/24d0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/24d0.098 mg/l (oncorhynchus mykiss) (OECD 210)12.2 Persistence and degradability No further relevant information available.				
EC50/72h0.11 mg/l (selenastrum capricornutum)EC10/72h0.04 mg/l (selenastrum capricornutum)ErC50/72h0.11 mg/l (pseudokirchneriella subcapitata)NOEC/21d1.2 mg/l (daphnia)NOEC/72h0.027 mg/l (sceletonema costatum)NOEC/28d0.21 mg/l (oncorhynchus mykiss)55965-84-95-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)LC50/96h0.22 mg/l (oncorhynchus mykiss) (RAC)EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.004 mg/l (daphnia magna)EC500.0049 mg/l (daphnia magna) (OECD 211)ErC500.0049 mg/l (daphnia)NOEC/21d0.0064 mg/l (sceletonema costatum)NOEC/22d0.0064 mg/l (sceletonema costatum)NOEC/24d0.00064 mg/l (sceletonema costatum)NOEC/24d0.00064 mg/l (sceletonema costatum)NOEC/24d0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/24d0.098 mg/l (nocorhynchus mykiss) (OECD 210)12.2 Persistence and degradability No further relevant information available.				
EC10/72h0.04 mg/l (selenastrum capricornutum)ErC50/72h0.11 mg/l (pseudokirchneriella subcapitata)NOEC/21d1.2 mg/l (daphnia)NOEC/72h0.027 mg/l (sceletonema costatum)NOEC/28d0.21 mg/l (oncorhynchus mykiss)55965-84-95-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)LC50/96h0.22 mg/l (oncorhynchus mykiss) (RAC)EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.049 mg/l (daphnia magna)EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.0044 mg/l (daphnia magna) (OECD 211)ErC500.0049 mg/l /120h (sceletonema costatum)NOEC/21d0.0064 mg/l (daphnia)NOEC/21d0.0064 mg/l (sceletonema costatum)NOEC/22h0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/72h0.002 mg/l (nocorhynchus mykiss) (OECD 201)NOEC/72h0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/72h0.098 mg/l (nocorhynchus mykiss) (OECD 210)12.2 Persistence and degradability No further relevant information available.				
ErC50/72h0.11 mg/l (pseudokirchneriella subcapitata)NOEC/21d1.2 mg/l (daphnia)NOEC/27d0.027 mg/l (sceletonema costatum)NOEC/28d0.21 mg/l (oncorhynchus mykiss)55965-84-95-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)LC50/96h0.22 mg/l (oncorhynchus mykiss) (RAC)EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.004 mg/l (daphnia magna)EC50/72h0.0049 mg/l (daphnia magna) (OECD 211)ErC500.0049 mg/l (daphnia magna) (OECD 211)ErC500.0049 mg/l (daphnia)NOEC/21d0.0064 mg/l (sceletonema costatum)NOEC/24d0.00064 mg/l (sceletonema costatum)NOEC/72h0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/72h0.098 mg/l (nocorhynchus mykiss) (OECD 210)12.2 Persistence and degradability No further relevant information available.				
NOEC/21d1.2 mg/l (daphnia)NOEC/72h0.027 mg/l (sceletonema costatum)NOEC/28d0.21 mg/l (oncorhynchus mykiss)55965-84-95-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)LC50/96h0.22 mg/l (oncorhynchus mykiss) (RAC)EC50/48h0.1 mg/l (daphnia magna)EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.004 mg/l (daphnia magna) (OECD 211)ErC500.0049 mg/l (daphnia)NOEC/21d0.0044 mg/l (daphnia)NOEC/21d0.0064 mg/l (celetonema costatum)NOEC/72h0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/72h0.0024 mg/l (celetonema costatum)NOEC/22d0.0098 mg/l (nocorhynchus mykiss) (OECD 201)NOEC/28d0.098 mg/l (oncorhynchus mykiss) (OECD 210)12.2 Persistence and degradability No further relevant information available.				
NOEC/72h0.027 mg/l (sceletonema costatum)NOEC/28d0.21 mg/l (oncorhynchus mykiss)55965-84-95-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)LC50/96h0.22 mg/l (oncorhynchus mykiss) (RAC)EC50/48h0.1 mg/l (daphnia magna)EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.004 mg/l (daphnia magna) (OECD 211)ErC500.0049 mg/l /120h (sceletonema costatum)NOEC/21d0.0064 mg/l (sceletonema costatum)NOEC/24d0.00064 mg/l (sceletonema costatum)NOEC/72h0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/72h0.098 mg/l (nocorhynchus mykiss) (OECD 210)12.2 Persistence and degradability No further relevant information available.				
NOEC/28d0.21 mg/l (oncorhynchus mykiss)55965-84-95-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)LC50/96h0.22 mg/l (oncorhynchus mykiss) (RAC)EC50/48h0.1 mg/l (daphnia magna)EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.004 mg/l (daphnia magna) (OECD 211)ErC500.0049 mg/l /120h (sceletonema costatum)NOEC/21d0.0064 mg/l (daphnia)NOEC/48d0.00064 mg/l (sceletonema costatum)NOEC/72h0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/72h0.098 mg/l (nocorhynchus mykiss) (OECD 210)12.2 Persistence and degradability No further relevant information available.				
55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)LC50/96h0.22 mg/l (oncorhynchus mykiss) (RAC)EC50/48h0.1 mg/l (daphnia magna)EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.004 mg/l (daphnia magna) (OECD 211)ErC500.0049 mg/l /120h (sceletonema costatum)NOEC/21d0.0064 mg/l (sceletonema costatum)NOEC/48d0.00064 mg/l (sceletonema costatum)NOEC/72h0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/28d0.098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability No further relevant information available.	NOEC/72h 0.027 mg/l (sceletonema costatum)			
LC50/96h0.22 mg/l (oncorhynchus mykiss) (RAC)EC50/48h0.1 mg/l (daphnia magna)EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.004 mg/l (daphnia magna) (OECD 211)ErC500.0049 mg/l /120h (sceletonema costatum)NOEC/21d0.0064 mg/l (daphnia)NOEC/48d0.00064 mg/l (sceletonema costatum)NOEC/72h0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/28d0.098 mg/l (nocorhynchus mykiss) (OECD 210)12.2 Persistence and degradability No further relevant information available.				
EC50/48h0.1 mg/l (daphnia magna)EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.004 mg/l (daphnia magna) (OECD 211)ErC500.0049 mg/l /120h (sceletonema costatum)NOEC/21d0.0044 mg/l (daphnia)NOEC/48d0.00064 mg/l (sceletonema costatum)NOEC/72h0.012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/28d0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/28d0.098 mg/l (oncorhynchus mykiss) (OECD 210)12.2 Persistence and degradability No further relevant information available.				
EC50/72h0.048 mg/l (pseudokirchneriella subcapitata)NOEC0.004 mg/l (daphnia magna) (OECD 211)ErC500.0049 mg/l /120h (sceletonema costatum)NOEC/21d0.0044 mg/l (daphnia)NOEC/48d0.00064 mg/l (sceletonema costatum)NOEC/72h0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/28d0.098 mg/l (nocorhynchus mykiss) (OECD 210)12.2 Persistence and degradability No further relevant information available.				
NOEC0.004 mg/l (daphnia magna) (OECD 211)ErC500.0049 mg/l (daphnia magna) (OECD 211)NOEC/21d0.0049 mg/l (120h (sceletonema costatum))NOEC/24d0.00064 mg/l (sceletonema costatum)NOEC/72h0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)NOEC/28d0.098 mg/l (oncorhynchus mykiss) (OECD 210)12.2 Persistence and degradability No further relevant information available.				
ErC50 0.0049 mg/l /120h (sceletonema costatum) NOEC/21d 0.004 mg/l (daphnia) NOEC/48d 0.00064 mg/l (sceletonema costatum) NOEC/72h 0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/28d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability No further relevant information available.				
NOEC/21d 0.004 mg/l (daphnia) NOEC/48d 0.00064 mg/l (sceletonema costatum) NOEC/72h 0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/28d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability No further relevant information available.				
NOEC/48d 0.00064 mg/l (sceletonema costatum) NOEC/72h 0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/28d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability No further relevant information available.				
NOEC/72h 0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/28d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability No further relevant information available.				
NOEC/28d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability No further relevant information available.				
12.2 Persistence and degradability No further relevant information available.				
12.3 Bioaccumulative potential No further relevant information available.				
12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment				
PBT: Not applicable.				

· 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

· 13.1 Waste treatment methods

- Recommendation

Smaller quantities can be disposed of with household waste. Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number		
· ADR, IMDG, IATA	not regulated	
· 14.2 UN proper shipping name		
ADR, IMDG, IATA	not regulated	
· 14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	

[·] Uncleaned packaging:

Version number 3.1 (replaces version 3.0)

		(Contd. of page 5)
 14.4 Packing group ADR, IMDG, IATA 	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according	to IMO	
instruments	Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant phrases H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. Department issuing SDS: Product Safety Department Contact: B. Treiber, b.treiber@c-kreul.de Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 1: Acute toxicity – Category 1 Skin Corr. 1C: Skin corresigning/initiation – Category 1 Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Coll. 10. Skin corrosion/irritation – Category 10 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * Data compared to the previous version altered. GB