

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.04.2022

Version number 1.1

Revision: 21.04.2022

GB

1 Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier · Trade name: KREUL Javana Silk Paint Opaque Black 50 ml · Article number: 815050 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Paint For artists and hobby user. · 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: C. KREUL GmbH & Co. KG Carl-Kreul-Straße 2 D-91352 HALLERNDORF DEUTSCHLAND Tel. + 49 (0)9545 / 925 - 0 Fax + 49 (0)9545 / 925 - 511 E-Mail: info@c-kreul.de Further information obtainable from: Product Safety Department: Treiber, b.treiber@c-kreul.de 1.4 Emergency telephone number: Telephone + 49 (0) 9545/925 - 0 Fax + 49 (0) 9545/925 - 511 (Monday - Thursday 8.00 - 17.00, Friday 8.00 - 15.00) 2 Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation. · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void · Hazard pictograms Void · Signal word Void · Hazard statements Void Additional information: EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3: 1). May produce an allergic reaction. 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. • vPvB: Not applicable. 3 Composition/information on ingredients 3.2 Mixtures

Description: Mixture based on water, colorants, binders and additives

· Dangerous components:

CAS: 99734-09-5	Polyarylphenole, ethoxyliert	<2.5%
	Aquatic Chronic 3, H412	
		(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.04.2022

Version number 1.1

Revision: 21.04.2022

		(Contd. of page 1)
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<0.05%
EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-XXXX	♦ Acute Tox. 1, H330; ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
	Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	
CAS: 55965-84-9 Index number: 613-167-00-5	5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol- 3-one (3:1)	0.00025-<0.0015%
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317	
	Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Wash with water and acidic soap.
- If skin irritation continues, consult a doctor.
- Generally the product does not irritate the skin.
- After eye contact:
- Rinse opened eye for several minutes under running water.
- Remove contact lenses.
- After swallowing:
- If symptoms persist consult doctor.
- Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Dispose of the material collected according to regulations.
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required
- The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

GB

Version number 1.1

Revision: 21.04.2022

(Contd. of page 2)

· Further information about storage conditions:

Protect from frost.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) See chapter 1.2.

8 Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace
- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Respiratory protection: Not required.
- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye/face protection Goggles recommended during refilling

9 Physical and chemical properties

9.1 Information on basic physical and chemical proper	rtios	
· General Information		
· Physical state	Fluid	
· Colour:	Black	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and boiling range	Undetermined.	
· Flammability	Not applicable.	
· Lower and upper explosion limit	Not applicable.	
· Lower:	Not determined.	
· Upper:	Not determined.	
· Flash point:	Not applicable.	
Decomposition temperature:	Not determined.	
· pH at 20 °C	6–9	
· Viscosity:	0-5	
· Kinematic viscosity	Not determined.	
· Dynamic:	Not determined.	
Solubility	Not determined.	
· water:	Fully miscible.	
· Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure: Not determined.		
· Density and/or relative density	Not determined.	
· Density at 20 °C:	1–1.1 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
, ,		
9.2 Other information		
· Appearance:		
Form:	Fluid	
Important information on protection of health an	d	
environment, and on safety.		
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Change in condition		
· Evaporation rate	Not determined.	
Information with regard to physical hazard classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
	(C	ontd. on page 4)

⁻ GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.04.2022

Version number 1.1

Revision: 21.04.2022

		(Contd. of page 3
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
 Self-reactive substances and mixtures 	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flammat	ole gases	
in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
 Desensitised explosives 	Void	

10 Stability and reactivity

• 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

2634-33-5 1,2-benzisothiazol-3(2H)-one

- Oral LD50 500 mg/kg (ATE)
- Inhalative LC50/4h 0.05 mg/m³ (ATE)
- 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
- Oral LD50 64 mg/kg (rat)
- Dermal LD50 87 mg/kg (rab)

Inhalative LC50/4h 0.05 mg/m³ (ATE)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

Aquatic to	xicity:	
2634-33-5	1,2-benzisothiazol-3(2H)-one	
LC50/96h	1.6 mg/l (oncorhynchus mykiss)	
EC50/48h	3.27 mg/l (daphnia)	
EC50/72h	0.11 mg/l (selenastrum capricornutum)	
EC10/72h	0.04 mg/l (selenastrum capricornutum)	
NOEC/21d	1.2 mg/l (daphnia)	
NOEC/28d	0.21 mg/l (oncorhynchus mykiss)	
55965-84-9	5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	
LC50/96h	0.22 mg/l (oncorhynchus mykiss)	
EC50/48h	0.1 mg/l (daphnia magna)	
EC50/72h	0.048 mg/l (pseudokirchneriella subcapitata)	

— GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.04.2022

Version number 1.1

Revision: 21.04.2022

(Contd. of page 4) NOEC/21d 0.004 mg/l (daphnia) NOEC/48d 0.00064 mg/l (skeletonema costatum) NOEC/72h 0.0012 mg/l (pseudokirchneriella subcapitata) NOEC/28d 0.098 mg/l (oncorhynchus mykiss) 12.2 Persistence and degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available. · 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects · Additional ecological information: General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. 13 Disposal considerations · 13.1 Waste treatment methods

Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

- · Recommendation: Packaging may be reused or recycled after cleaning.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

4 Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	not regulated	
 14.2 UN proper shipping name ADR, IMDG, IATA 	not regulated	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk according instruments 	g to IMO Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.

- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.

(Contd. on page 6)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.04.2022

Version number 1.1

Revision: 21.04.2022

	(Contd. of page 5)
H410 Very toxic to aquatic life with long lasting effects.	
H411 Toxic to aquatic life with long lasting effects.	
H412 Harmful to aquatic life with long lasting effects.	
· Department issuing SDS: Product Safety Department	
Contact: B. Treiber, b.treiber@c-kreul.de	
· Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the	e International Carriage of Dangerous
Goods by Road)	ie mematonal Gamage of Dangerous
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 4. Acute toxicity – Category 2	
Acute Tox. 1: Acute toxicity – Category 1	
Skin Corr. 1C: Skin corrosion/irritation – Category 1C	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
· * Data compared to the previous version altered.	