

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.07.2023

Version number 1.2 (replaces version 1.1)

Revision: 24.07.2023

1 Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: KREUL Javana Watercolor Primer 50 ml
- · Article number: 819050
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available. • Application of the substance / the mixture
- Painting Medium
- For artists and hobby user.
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: C. KREUL GmbH & Co. KG Carl-Kreul-Straße 2 D-91352 HALLERNDORF GERMANY Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511 info@c-kreul.de
- Further information obtainable from: Product Safety Department: Treiber, b.treiber@c-kreul.de
 1.4 Emergency telephone number: Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511 (Monday - Thursday 8.00 - 17.00, Friday 8.00 - 15.00)

2 Hazards identification

2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- Hazard statements Void
- Additional information:
- Contains preservatives.
- EUH208 Contains BIT (1,2-benzisothiazol-3(2H)-one), C(M)IT/MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC No 220-239-6] (3:1)). May produce an allergic reaction.
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

GB

Version number 1.2 (replaces version 1.1)

Revision: 24.07.2023

0.005-<0.05%

(Contd. of page 1)

Γ			
		 Dangerous components: 	
	Ī		BIT (1,2-benzisothiazol-3(2H)-one)
L		EINECS: 220-120-9	♦ Acute Tox. 1, H330; ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ♦ Acute Tox. 4, H302; Skin Irrit.
L			
L		Reg.nr.: 01-2120761540-60-XXXX	
L			Specific concentration limit: Skin Sens. 1: H317: C ≥ 0.05 %

Treg.m.: 01-2120701040-00-7770	Specific concentration limit: Skin Sens. 1; H317: $C \ge 0.05 \%$	
CAS: 55965-84-9 Index number: 613-167-00-5	C(M)IT/MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3- one [EC No 220-239-6] (3:1))	

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

Printing date 24.07.2023

- 4.1 Description of first aid measures
- · After inhalation: Not applicable.
- After skin contact:
- Wash with water and acidic soap. If skin irritation continues, consult a doctor.
- After eye contact:
- Rinse opened eye for several minutes under running water.
- Remove contact lenses.
- After swallowing:
- If symptoms persist consult doctor.
- Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly. Information about fire - and explosion protection: No special measures required.
- The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 3)

GB

Version number 1.2 (replaces version 1.1)

Printing date 24.07.2023

Revision: 24.07.2023

(Contd. of page 2) · Information about storage in one common storage facility: Not required. · Further information about storage conditions: Protect from frost. Protect from heat and direct sunlight. Storage class: 12 · 7.3 Specific end use(s) See chapter 1.2. 8 Exposure controls/personal protection 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace · Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls • Appropriate engineering controls No further data; see section 7. · Individual protection measures, such as personal protective equipment General protective and hygienic measures: Do not eat, drink, smoke or sniff while working. Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols. Wash hands before breaks and at the end of work. Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed. Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye/face protection Not required. 9 Physical and chemical properties 9.1 Information on basic physical and chemical properties **General Information** Physical state Fluid · Colour: According to product specification Odour: Characteristic · Odour threshold: Not determined Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range 100 °C (7732-18-5 water, distilled, conductivity or of similar purity) Not applicable. Flammability · Lower and upper explosion limit · Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable. Decomposition temperature: Not determined. pH at 20 °C 5-9 Viscosity: Kinematic viscosity Not determined. · Dynamic: Not determined. Solubility · water: Fully miscible. · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure at 20 °C: 23 hPa (7732-18-5 water, distilled, conductivity or of similar purity) · Density and/or relative density · Density at 20 °C: ~1.05 g/cm3 Relative density Not determined. Vapour density Not determined 9.2 Other information Appearance: Form: Fluid · Important information on protection of health and environment, and on safety. Ignition temperature: Product is not selfigniting. (Contd. on page 4) GB

Version number 1.2 (replaces version 1.1)

Revision: 24.07.2023

		(Contd. of page
Explosive properties:	Product does not present an explosion hazard.	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard clas	SSES	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammab	le gases	
in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

10 Stability and reactivity

Printing date 24.07.2023

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 \	values rel	evant for classification:		
2634-33-5 BIT (1,2-benzisothiazol-3(2H)-one)				
Oral	LD50	490 mg/kg (rat)		
Dermal	LD50	>2,000 mg/kg (rat)		
Inhalative	LC50/4h	0.05 mg/m³ (ATE)		
55965-84-	55965-84-9 C(M)IT/MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2- methyl-4-isothiazolin-3-one [EC No 220-239-6] (3:1))			
Oral	LD50	64 mg/kg (rat)		
Dermal	LD50	87 mg/kg (rab)		
Inhalative	LC50/4h	0.05 mg/m³ (ATE)		
Serious e Respirato Germ cell Carcinoge Reproduc	ye damag ry or skin mutagen enicity Ba tive toxic	tation Based on available data, the classification criteria are not met. ge/irritation Based on available data, the classification criteria are not met. a sensitisation Based on available data, the classification criteria are not met. hicity Based on available data, the classification criteria are not met. hised on available data, the classification criteria are not met. hised on available data, the classification criteria are not met. hised on available data, the classification criteria are not met. hised on available data, the classification criteria are not met. hised on available data, the classification criteria are not met. hised on available data, the classification criteria are not met. hised on available data, the classification criteria are not met. hised on available data, the classification criteria are not met.		
Aspiration	n hazard i	posure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. n other hazards		
· Endocrine	e disrupti	ng properties		
None of th	e ingredie	ents is listed.		

12 Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

2634-33-5 BIT (1,2-benzisothiazol-3(2H)-one)

LC50/96h 1.6 mg/l (oncorhynchus mykiss)

EC50/48h 2.94 mg/l (daphnia magna)

(Contd. on page 5) GB

Printing date 24	.07.2023 Version number 1.2 (replaces version 1	I.1) Revision: 24.07.2023
		(Contd. of page 4)
	0.11 mg/l (selenastrum capricornutum)	
EC10/72h	0.04 mg/l (selenastrum capricornutum)	
ErC50/72h	0.11 mg/l (pseudokirchneriella subcapitata)	
NOEC/21d	1.2 mg/l (daphnia)	
NOEC/72h	0.027 mg/l (sceletonema costatum)	
NOEC/28d	0.21 mg/l (oncorhynchus mykiss)	
55965-84-9	C(M)IT/MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-iso methyl-4-isothiazolin-3-one [EC No 220-239-6] (3:1))	thiazolin-3-one [EC No 247-500-7] and 2-
LC50/96h	0.22 mg/l (oncorhynchus mykiss) (RAC)	
EC50/48h	0.1 mg/l (daphnia magna)	
EC50/72h	0.048 mg/l (pseudokirchneriella subcapitata)	
NOEC	0.004 mg/l (daphnia magna) (OECD 211)	
ErC50	0.0049 mg/l /120h (sceletonema costatum)	
NOEC/21d	0.004 mg/l (daphnia)	
NOEC/48d	0.00064 mg/l (sceletonema costatum)	
NOEC/72h	0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)	
NOEC/28d	0.098 mg/l (oncorhynchus mykiss) (OECD 210)	
· 12.3 Bioaco · 12.4 Mobili	stence and degradability No further relevant information available. cumulative potential No further relevant information available. ity in soil No further relevant information available.	
	ts of PBT and vPvB assessment	
· PBT: Not a · vPvB: Not a		
	crine disrupting properties The product does not contain substand	ces with endocrine disrupting properties
	adverse effects	
	ecological information:	
· General no		
Do not allow	w undiluted product or large quantities of it to reach ground water, w	ater course or sewage system.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Smaller quantities can be disposed of with household waste.

· Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, IMDG, IATA	- not regulated	
	not regulated	
 14.2 UN proper shipping name ADR, IMDG, IATA 	not regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
14.4 Packing group		
ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	j to IMO	
instruments	Not applicable.	

15 Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

Printing date 24.07.2023 Version number 1.2 (replaces version 1.1)

Revision: 24.07.2023

(Contd. of page 5)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Other information

	ormation is based on our present knowledge. However, this shall not constitute a guarantee for any specific produ s and shall not establish a legally valid contractual relationship.
Relevar	nt phrases
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	
	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH07	1 Corrosive to the respiratory tract.
IATA: Inter GHS: Glob EINECS: E ELINCS: E ELINCS: E CAS: Chen LC50: Lett DB5: Lett DB5: Pers VPVB: very Acute Tox Acute Tox Acute Tox Acute Tox Acute Tox Skin Corr. Skin Irrit. 2 Eye Dam. Skin Sens Skin Sens	Road) emational Maritime Code for Dangerous Goods mational Air Transport Association Dally Harmonised System of Classification and Labelling of Chemicals European Ixis of Notified Chemical Substances mical Abstracts Service (division of the American Chemical Society) hal concentration, 50 percent hal concentration, 50 percent al dose, 50 percent Sistent, Bioaccumulative and Toxic y Persistent and very Bioaccumulative . 3: Acute toxicity – Category 3 . 4: Acute toxicity – Category 4 . 2: Acute toxicity – Category 2 . 1: Acute toxicity – Category 1 C: Skin corrosion/irritation – Category 1 C: Skin corrosion/irritation – Category 1 . 1: Scrious eye damage/eye irritation – Category 1 . 1A: Skin sensitisation –
Aquatic Ch	hronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
	hands of the second state and the second second states and the barrent of the second of the second of the second
	hronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 compared to the previous version altered.