

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.06.2022

Version number 1.1 (replaces version 1.0)

Revision: 10.06.2022

GB

1 Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: KREUL Glass & Porcelain Clear 20 ml
- · Article number:
- 16202, 16205, 16210, 16211, 16215, 16216, 16217, 16224, 16291, 16292, 16293, 16294, 16295, 16296, 16297, 16298, 16601
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available. • Application of the substance / the mixture
- Paint

For artists and hobby user.

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: C. KREUL GmbH & Co. KG Carl-Kreul-Straße 2 D-91352 HALLERNDORF DEUTSCHLAND Tel. + 49 (0)9545 / 925 - 0 Fax + 49 (0)9545 / 925 - 511 E-Mail: info@c-kreul.de
- Further information obtainable from: Product Safety Department: Treiber, b.treiber@c-kreul.de
 1.4 Emergency telephone number: Telephone + 49 (0) 9545/925 - 0
- Fax + 49 (0) 9545/925 511
- (Monday Thursday 8.00 17.00, Friday 8.00 15.00)

2 Hazards identification

2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the GB CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- Additional information:
- EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3: 1). May produce an allergic reaction.
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substance	s listed below with nonhazardous additions.	
· Dangerous components:		
	Propylene glycol substance with a Community workplace exposure limit	5-<10%
		(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)

Revision: 10.06.2022

Printing date 13.06.2022	
--------------------------	--

		(Contd. of page
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<0.05%
EINECS: 220-120-9	🛞 Acute Tox. 1, H330; 📀 Eye Dam. 1, H318; 🚯 Aquatic Acute 1, 🗌	
	H400; Aquatic Chronic 2, H411; 🚸 Acute Tox. 4, H302; Skin Irrit.	
Reg.nr.: 01-2120761540-60-XXXX	2, H315; Skin Sens. 1, H317	
-	Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	
CAS: 55965-84-9	5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-	0.00025-<0.0015%
Index number: 613-167-00-5	3-one (3:1)	
	🛞 Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330;	
	💑 Skin Corr. 1C, H314; Eye Dam. 1, H318; 🚯 Aquatic Acute 1,	
	H400 (M=100); Aquatic Chronic 1, H410 (M=100); 🔿 Skin Sens.	
	1A, H317	
	Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 %	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6	
	%	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eve Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	

4 First aid measures

- 4.1 Description of first aid measures
- General information: No special measures required.
- After inhalation: Not applicable.
- After skin contact:
- Wash with water and acidic soap.
- If skin irritation continues, consult a doctor.
- After eye contact:
- Remove contact lenses.
- Rinse opened eye for several minutes under running water.
- After swallowing:
- If symptoms persist consult doctor.
- Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- \cdot 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- \cdot Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)

Printing date 13.06.2022

Revision: 10.06.2022

(Contd. of page 2)

Further information about storage conditions: Protect from frost. Protect from heat and direct sunlight. • Storage class: 12 • 7.3 Specific end use(s) See chapter 1.2.

Exposure controls/pers	onal protection	
8.1 Control parameters		
Ingredients with limit values	that require monitoring at	the workplace:
57-55-6 Propylene glycol		
WEL Long-term value: 474* 10		
*total vapour and particul	ates **particulates	
DNELs		
57-55-6 Propylene glycol		
Inhalative chronic - local effect	0 0 (
chronic systemic o	10 mg/m³ /long-term (ffect 50 mg/m³ /long term (,
chionic - systemic e	168 mg/m ³ /long-term	
PNECs		
57-55-6 Propylene glycol		
	183 mg/l	
	260 mg/l	
	26 mg/l	
sewage treatment plant (STP)	0	
	572 mg/kg	
marine sediment	57.2 mg/kg	
soil	50 mg/kg	
Additional information: The li	sts valid during the making	were used as basis.
mixture. Selection of the glove material Material of gloves The selection of the suitable g from manufacturer to manufa material can not be calculated i Penetration time of glove ma The exact break through time h	on consideration of the pen- loves does not only depen cturer. As the product is a n advance and has therefor terial as to be found out by the m	aterial can be given for the product/ the preparation/ the chen etration times, rates of diffusion and the degradation d on the material, but also on further marks of quality and va preparation of several substances, the resistance of the g re to be checked prior to the application. nanufacturer of the protective gloves and has to be observed.
Eye/face protection Goggles r Physical and chemical		9
9.1 Information on basic phys General Information	sical and chemical proper	
Colour:		According to product specification Characteristic
Odour: Odour threshold:		Not determined.
Melting point/freezing point:		Undetermined.
Boiling point or initial boiling	point and boiling range	Undetermined.
Flammability Lower and upper explosion li	mit	Not applicable.
Lower:		Not determined.
Upper:		Not determined.
Flash point:		Not applicable.
Decomposition temperature: pH at 20 °C		Not determined. 6–9
Viscosity:		
Kinematic viscosity		Not determined.

(Contd. on page 4) - GB

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)

Revision: 10.06.2022

		(Contd. of pa
Solubility		
water:	Fully miscible.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density at 20 °C:	1.04–1.05 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of health	and	
environment, and on safety.		
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Solvent content:		
VOC (EC)	2.34-<2.89 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable ga		
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

10 Stability and reactivity

Printing date 13.06.2022

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

Oral	LD50	22,000 mg/kg (rat) (ECHA)	
Dermal	LD50	>2,000 mg/kg (rabbit) (ECHA)	
2634-33-	5 1,2-benz	isothiazol-3(2H)-one	
Oral	LD50	490 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	
Inhalative	LC50/4h	0.05 mg/m³ (ATE)	
55965-84	-9 5-chlor	o-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	
Oral	LD50	64 mg/kg (rat)	
Dermal	LD50	87 mg/kg (rab)	
Inhalative	LC50/4h	0.05 mg/m³ (ATE)	
Skin cor	rosion/irri	tation Based on available data, the classification criteria are not met.	
		ge/irritation Based on available data, the classification criteria are not met.	
Respirate	ory or skir	n sensitisation Based on available data, the classification criteria are not met.	

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.06.2022

Version number 1.1 (replaces version 1.0)

Revision: 10.06.2022

Tegroriuctive toxicity Based on available data, the classification citeria are not met. STOT-single exposure Based on available data, the classification citeria are not met. STOT-single exposure Based on available data, the classification citeria are not met. Appiration hazards Endocrine disrupting properties None of the ingredients is listed. Ecological information 21.1 Toxicity Aquatic toxicity: 57-55 Propytene glycol LC509681 (A) 613 mpl (nonchrynchus mykiss) (ECHA) LC509681 (A) 613 mpl (nonchrynchus mykiss) (ECHA) LC509681 (A) 613 mpl (nonchrynchus mykiss) (ECHA) LC509681 (A) (seletonema costatum) (ECHA) NOEC/rb > 220.000 mpl (seletonema costatum) (ECHA) NOEC/rb > 220.000 mpl (seletonema costatum) (ECHA) C509681 (A) fing (nonchrynchus mykiss) EC50480 2.94 mg/ (dephnia magna) EC50721 (D.11 mg/ (seletonema costatum) (ECHA) NOEC/rab C201721 (D.04 mg/ (seletonema costatum) NOEC/rab C201721 (D.11 mg/ (seletonema costatum) NOEC/rab C211 mg/ (conchrynchus mykiss) EC50721 (D.11 mg/ (seletonema costatum) NOEC/rab	Carcinogenicity Ros	Contd. d d on available data, the classification criteria are not met.	of pag	
ST0T-single exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. 112. Information on other hazards Endocrine disrupting properties None of the ingredients is listed. Exclose of the ingredient is listed. Exclose of				
ST07-repeated exposure Based on available data, the classification criteria are not met. 112 Information on other hazards Endocrine discripting properties None of the ingredients is listed. Ecological Information 12.1 Toxicity Aquatic toxicity: 57.65 & Propylene glycol LC50/96h 40.613 ng/l (cororhynchus mykiss) (ECHA) LC50/96h 40.613 ng/l (coroldynnia dubia) (ECHA) LC50/97h 19.300 ng/l (sceletonema costatum) (ECHA) NDEC/14h 2.0000 ng/l (sceletonema costatum) (ECHA) NDEC/14h 2.0000 ng/l (sceletonema costatum) (ECHA) NDEC/14h 2.300 ng/l (sceletonema costatum) (ECHA) NDEC/14h 4.300 ng/l (ceriodaphnia dubia) (ECHA) NDEC/14h 4.300 ng/l (sceletonema costatum) (ECHA) NDEC/14h 4.300 ng/l (sceletonema costatum) (ECHA) NDEC/14h 4.300 ng/l (sceletonema costatum) (ECHA) NDEC/12h 0.44 mg/l (scelenastrum capricomutum) EC50/72h 0.11 mg/l (scelenastrum capricomutum) EC50/72h 0.21 mg/l (cororhynchus mykiss) CEC50/72h 0.27 mg/l (cocidophnia subcapitata) NDEC/21d 0.22 mg/l (nocn/nynchus mykiss) CEC50/72h	STOT-single exposu	e Based on available data, the classification criteria are not met.		
Aspiration hazard Based on available data, the classification criteria are not met. 112 Information on other hazards Endocrine disrupting properties None of the ingredients is listed. Ecological Information Terministic toxicity: Good (a find mg/l (norochynchus mykiss) (ECHA) LC50/956 H 0,613 mg/l (norochynchus mykiss) (ECHA) LC50/956 H 0,613 mg/l (norochynchus mykiss) (ECHA) LC50/976 H 0,613 mg/l (norochynchus mykiss) (ECHA) LC50/976 H 0,300 mg/l (secienoma costatum) (ECHA) NOEC/141 0,200 mg/l (secienoma costatum) (ECHA) NOEC/141 0,200 mg/l (secienoma costatum) (ECHA) NOEC/171 13.020 mg/l (secienoma costatum) (ECHA) NOEC/174 0,11 mg/l (secienoma costatum) (ECHA) NOEC/271 0,11 mg/l (secienoma costatum) NOEC/271 0,11 mg/l (secienoma costatum) NOEC/271 0,027 mg/l (secietonema costatum) NOEC/271 0,11 mg/l (secietonema costatum) NOEC/271 0,027 mg/l (secietonema costatum) NOEC/271 0,027 mg/l (secietonema costatum) NOEC/271 0,027 mg/l (secietonema costatum) NOEC/271 0,004 mg/l (daphnia magna) <td col<="" th=""><th></th><th></th><th></th></td>	<th></th> <th></th> <th></th>			
Endocrine disrupting properties None of the ingredients is listed.	Aspiration hazard Ba	sed on available data, the classification criteria are not met.		
None of the ingredients is listed. Ecological information 12.1 Toxicity Aquatic toxicity: 57.55.4 Propylene glycol LC50/961 40,613 mg/l (oncorhynchus mykiss) (ECHA) LC50/961 13.300 mg/l (ceriodaphnia dubia) (ECHA) ErC50/72h 13.300 mg/l (ceriodaphnia dubia) (ECHA) NOEC/71 13.200 mg/l (ceriodaphnia dubia) (ECHA) NOEC/7140 5.300 mg/l (ceriodaphnia dubia) (ECHA) NOEC/7140 11 mg/l (aponta acostatum) (ECHA) NOEC/7140 11 mg/l (aponta acostatum) (ECHA) NOEC/72h 0.11 mg/l (seleatrum capricornutum) ErC50/72h 0.11 mg/l (aponta) NOEC/72h 0.21 mg/l (acontynchus mykiss) S95584-9 S-chioro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/98h 0.22 mg/l (aponta) magna) (CEC 211) NOEC/72h 0.24 mg/l (aponta) magna) (CEC 211) NOEC/72h 0.048 mg/l (seletonema costatum) NOEC/72h 0.048 m				
Ecological information 12.1 Toxicity Aquatic toxicity: 57.55 # Propylene glycol LC50/961 40,613 mg/l (ceriodaphnia dubia) (ECHA) LC50/971 13.300 mg/l (cseletonema costatum) (ECHA) NOEC/140 >20,000 mg/l (pseudomonas putida) (ECHA) NOEC/141 >24,907 (daphnia magna) EC50/781 0.11 mg/l (pseudokirchnerella subcapitata) NOEC/2721 0.11 mg/l (pseudokirchnerella subcapitata) NOEC/2721 0.11 mg/l (pseudokirchnerella subcapitata) NOEC/2721 0.22 mg/l (norothynchus mykiss) EC50/781 0.22 mg/l (norothynchus mykiss) S0EC/2721 0.21 mg/l (conothynchus mykiss) NOEC/2721 0.22 mg/l (norothynchus mykiss) C50/781 0.22 mg/l (norothynchus mykiss) C50/781 0.11 mg/l (daphnia) NOEC/2721 0.22 mg/l (norothynchus mykiss) C50/781 0.11 mg/l (daphnia magna) C50/772				
12.1 Toxicliy Aquatic toxicity: 57.55-6 Propylene glycol LC50906h 40.613 mg/l (ceriodaphnia dubia) (ECHA) LC50972h 19,300 mg/l (sceletonema costatum) (ECHA) NOEC/18h 23.000 mg/l (pseudomonas putida) (ECHA) NOEC/17h 29.000 mg/l (pseudomonas putida) (ECHA) NOEC/14d 45,300 mg/l (sceletonema costatum) (ECHA) NOEC/14d 2.5 ung/l (concorhynchus mykiss) EC50/72h 0.11 mg/l (selenastrum capricomutum) EC10/72h 0.04 mg/l (scelenastrum capricomutum) EC50/72h 0.11 mg/l (selenastrum capricomutum) EC50/72h 0.11 mg/l (selenastrum capricomutum) EC50/72h 0.27 mg/l (sceletonema costatum) NOEC/72h 0.027 mg/l (sceletonema costatum) NOEC/72h 0.048 mg/l (bseudokirchneriella subcapitata) NOEC 0.048 mg/l (bseudokirchneriella subcapitata) NOEC/21d 0.048 mg/l (bseudokirchneriella subcapitata) NOEC/22h 0.0048 mg/l (bseudokirchneriella subcapitata) (OECD 201) <t< td=""><td>None of the ingredien</td><td>s is listed.</td><td></td></t<>	None of the ingredien	s is listed.		
12.1 Toxicliy Aquatic toxicity: 57.55-6 Propylene glycol LC50906h 40.613 mg/l (ceriodaphnia dubia) (ECHA) LC50972h 19,300 mg/l (sceletonema costatum) (ECHA) NOEC/18h 23.000 mg/l (pseudomonas putida) (ECHA) NOEC/17h 29.000 mg/l (pseudomonas putida) (ECHA) NOEC/14d 45,300 mg/l (sceletonema costatum) (ECHA) NOEC/14d 2.5 ung/l (concorhynchus mykiss) EC50/72h 0.11 mg/l (selenastrum capricomutum) EC10/72h 0.04 mg/l (scelenastrum capricomutum) EC50/72h 0.11 mg/l (selenastrum capricomutum) EC50/72h 0.11 mg/l (selenastrum capricomutum) EC50/72h 0.27 mg/l (sceletonema costatum) NOEC/72h 0.027 mg/l (sceletonema costatum) NOEC/72h 0.048 mg/l (bseudokirchneriella subcapitata) NOEC 0.048 mg/l (bseudokirchneriella subcapitata) NOEC/21d 0.048 mg/l (bseudokirchneriella subcapitata) NOEC/22h 0.0048 mg/l (bseudokirchneriella subcapitata) (OECD 201) <t< td=""><td></td><td></td><td></td></t<>				
12.1 Toxicliy Aquatic toxicity: 57.55-6 Propylene glycol LC50906h 40.613 mg/l (ceriodaphnia dubia) (ECHA) LC50972h 19,300 mg/l (sceletonema costatum) (ECHA) NOEC/18h 23.000 mg/l (pseudomonas putida) (ECHA) NOEC/17h 29.000 mg/l (pseudomonas putida) (ECHA) NOEC/14d 45,300 mg/l (sceletonema costatum) (ECHA) NOEC/14d 2.5 ung/l (concorhynchus mykiss) EC50/72h 0.11 mg/l (selenastrum capricomutum) EC10/72h 0.04 mg/l (scelenastrum capricomutum) EC50/72h 0.11 mg/l (selenastrum capricomutum) EC50/72h 0.11 mg/l (selenastrum capricomutum) EC50/72h 0.27 mg/l (sceletonema costatum) NOEC/72h 0.027 mg/l (sceletonema costatum) NOEC/72h 0.048 mg/l (bseudokirchneriella subcapitata) NOEC 0.048 mg/l (bseudokirchneriella subcapitata) NOEC/21d 0.048 mg/l (bseudokirchneriella subcapitata) NOEC/22h 0.0048 mg/l (bseudokirchneriella subcapitata) (OECD 201) <t< td=""><td>Ecological infor</td><td>nation</td><td></td></t<>	Ecological infor	nation		
Aquatic toxicity: 57:55:6 Propylene glycol LC5096h 40:613 mg/l (ceriodaphnia dubia) (ECHA) LC5077h 19:300 mg/l (sceletonema costatum) (ECHA) NOEC/141 >2:3000 mg/l (obseudomonas putdia) (ECHA) NOEC/141 >5:300 mg/l (sceletonema costatum) (ECHA) NOEC/141 >5:300 mg/l (sceletonema costatum) (ECHA) NOEC/142 >5:300 mg/l (sceletonema costatum) (ECHA) NOEC/144 >5:300 mg/l (sceletonema costatum) (ECHA) NOEC/141 >2:4 benzisothicarol-3(2H)-one LC50/96h 1.6 mg/l (oncorhynchus mykiss) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (sceletonema costatum) NOEC/214 > 2 mg/l (concorhynchus mykiss) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC50/72h 0.11 mg/l (selenastrum capricornutum) NOEC/214 0.02 mg/l (concorhynchus mykiss) EC50/72h 0.21 mg/l (concorhynchus mykiss) EC50/72h 0.04 mg/l (sceletonema costatum) NOEC/22d 0.21 mg/l (concorhynchus mykiss) EC50/72h 0.048 mg/l (bseudokirchneriella subcapitata) NOEC 0.048 mg/l (bseudokirchneriella subcapitata)	-			
57-55-6 Propylene glycol LC50/48h 40,613 mg/l (cncorhynchus mykiss) (ECHA) LC50/48h 19,300 mg/l (sceletonema costatum) (ECHA) NDEC/71h 19,000 mg/l (sceletonema costatum) (ECHA) NDEC/71h 13,020 mg/l (sceletonema costatum) (ECHA) 2834.33-5 1,2-benzisothiazol-3(2H)-one 12 LC50/96h 1.6 mg/l (oncorhynchus mykiss) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC50/72h 0.21 mg/l (cncorhynchus mykiss) E5965849 5-chioro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (cncorhynchus mykiss) E5965849 6-chioro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.24 mg/l (daphnia magna) EC50/72h 0.044 mg/l (daphnia magna)				
LC50/96h 40,613 mg/l (oncorhynchus mykiss) (ECHA) LC50/44h 18,340 mg/l (ceriodaphnia dubia) (ECHA) NOEC/18h >20,000 mg/l (pseudomonas putida) (ECHA) NOEC/14h 13,020 mg/l (ceriodaphnia dubia) (ECHA) NOEC/14h 13,020 mg/l (ceriodaphnia dubia) (ECHA) NOEC/14d 5,300 mg/l (pseudomonas putida) (ECHA) NOEC/14d 5,300 mg/l (ceriodaphnia dubia) (ECHA) S24.335 1,2 benzisothiazol-3(2H)-one LC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.44 mg/l (selenastrum capricornutum) EC5072h 0.11 mg/l (pseudokirchnerielia subcapitata) NOEC/72h 0.27 mg/l (sceletonema costatum) NOEC/72h 0.27 mg/l (concritynchus mykiss) 59565-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/72h 0.044 mg/l (daphnia magna) EC50/72h 0.044 mg/l (selenoma costatum) NOEC 0.044 mg/l (daphnia magna) EC50/72h 0.048 mg/l (selenoma costatum) NOEC 0.044 mg/l (daphnia NOEC 0.044 mg/l (selenastrum costatum)	• •			
LC50/48h 18,340 mg/l (ceriodaphnia dubia) (ECHA) ErC5072h 19,300 mg/l (sceletonema costatum) (ECHA) NOEC/14d <5,300 mg/l (ceriodaphnia dubia) (ECHA) NOEC/14d <5,300 mg/l (sceletonema costatum) (ECHA) 2634-33-5 1,2-benzisothiazol-3(2H)-one LC50/96h 1.6 mg/l (nonorhynchus mykiss) EC50/42h 2.94 mg/l (daphnia magna) EC50/72h 0.11 mg/l (selenastrum capricomutum) EC50/72h 0.02T mg/l (sceletonema costatum) NOEC/24d 0.04 mg/l (sceletonema costatum) NOEC/24d 0.004 mg/l (sceletonema costatum) NOEC/24d 0.004 mg/l (sceletonema costatum) NOEC/24d 0.004 mg/l (sceletonema costatum) NOEC/24d 0.0012 mg/l (sceleto				
ErC50/72h 19.300 mg/l (sceletonema costatum) (ECHA) NOEC/14b >20,000 mg/l (pseudomonas putida) (ECHA) NOEC/14c <5.300 mg/l (ceriodaphnia dubia) (ECHA) NOEC/14c <5.300 mg/l (sceletonema costatum) (ECHA) 2634.33-5 1,2-benisothiazoi-3(2H)-one LC50/98h 1.6 mg/l (oncorhynchus mykiss) EC50/72h 0.11 mg/l (selenastrum capricomutum) EC50/72h 0.11 mg/l (selenastrum capricomutum) EC10/72h 0.04 mg/l (gelenastrum capricomutum) EC10/72h 0.01 mg/l (selenonema costatum) (OCC/72h 0.011 mg/l (selenonema costatum)) NOEC/21d 1.2 mg/l (daphnia) NOEC/21d 0.21 mg/l (selenonema costatum) NOEC/22h 0.027 mg/l (sceletonema costatum) NOEC/22h 0.028 mg/l (oncorhynchus mykiss) (RAC) EC50/72h 0.048 mg/l (daphnia mgna) EC50/72h 0.048 mg/l (daphnia mgna) NOEC 0.004 mg/l (daphnia mgna) NOEC/21d 0.0044 mg/l (sceletonema costatum) NOEC/21d 0.0044 mg/l (sceletonema costatum) NOEC/21d 0.0046 mg/l (sceletonema costatum) NOEC/21d 0.0046 mg/l (sceletonema costatum) NOEC/22h 0.0024 mg/l (sceletonema costatum) NOEC/22h 0.0024 mg/l (sceletonema costatum) NOEC/22h 0.0024 mg/l (sceletonema costatum) NOEC/22d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability 7.556 Proylene glycol 13.2 Roind Concordiving Mither relevant information available. 12.3 Bioacceunulative potential NC Inther relevant information available. 12.4 Mobility in soil No further relevant information available. 12.6 Roind Corten disrupting properties The product does not contain substances with endocrine disrupting properties. 12.6 Roind Corten disrupting properties The product does not contain substances with endocrine disrupting properties. 12.6 Roind Corten disrupting properties The product does not contain substances with endocrine disrupting proper				
NOEC/18h NOEC/18h S20,000 mg/l (pseudomonas putida) (ECHA) NOEC/14d S3,000 mg/l (ceriodaphnia dubia) (ECHA) NOEC/14d S3,000 mg/l (ceriodaphnia dubia) (ECHA) S34-33-5 1,2-benzisothiazol-3(2H)-one LC50/96h 1.6 mg/l (concorhynchus mykiss) EC50/72h 0.11 mg/l (selenastrum capricomutum) EC10/72h 0.11 mg/l (selenastrum capricomutum) EC10/72h 0.11 mg/l (selenastrum capricomutum) EC10/72h 0.11 mg/l (selenastrum capricomutum) EC10/72h 0.11 mg/l (selenastrum capricomutum) EC10/72h 0.027 mg/l (scletonema costatum) NOEC/2d 0.027 mg/l (scletonema costatum) NOEC/2d 0.028 mg/l (oncorhynchus mykiss) 55956-54-9 5-chioro-2-methyl-4-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.17 mg/l (daphnia magna) EC50/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC/2d 0.0044 mg/l (daphnia magna) EC50/72h 0.0048 mg/l (cseletonema costatum) NOEC/2d 0.004 mg/l (cseletonema costatum) NOEC/2d 0.0049 mg/l (cseletonema costatum) NOEC/2d 0.0049 mg/l (scletonema costatum) NOEC/2d 0.0054 mg/l (scleton distrupting properties The product does not contain substances with endocrine disrupting properties. 12.5 fheat coreal int				
NOEC/7d 13,020 mg/l (ceriodaphnia dubia) (ECHA) NOEC/14d <5,300 mg/l (sceletonema costatum) (ECHA)				
NOEC/14d <5,300 mg/l (sceletonema costatum) (ECHA)				
2634-33-5 1,2-benzisothiazol-3(2H)-one LCS0/96h 1.6 mg/l (concorhynchus mykiss) ECS0/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) EC50/72h 0.01 mg/l (selenastrum capricornutum) EC50/72h 0.01 mg/l (selenastrum capricornutum) EC50/72h 0.01 mg/l (selenastrum capricornutum) EC50/72h 0.027 mg/l (daphnia) NOEC/21d 1.2 mg/l (daphnia) NOEC/24d 0.21 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LCS0/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.048 mg/l (daphnia magna) (OECD 211) NOEC 0.044 mg/l (daphnia) NOEC/24d 0.0046 mg/l (seletonema costatum) NOEC/24d 0.0044 mg/l (seletonema costatum) NOEC/24d 0.0098 mg/l (oncorhynchus mykiss) (OECD 201) NOEC/24d 0.098 mg/l (oncorhynchus mykiss) (OECD 201) NOEC/24d 0.098 mg/l (oncorhynchus mykiss) (OECD 201) NOEC/24d 0.098 mg/l (oncorhynchus mykiss) (OECD 301 F) Oxygen consumption 106.8 % /28d (OECD 301 F) Oxygen consump				
LC50/96h 1.6 mg/l (oncorhynchus mykiss) EC50/72h 0.11 mg/l (selenastrum capricomutum) EC10/72h 0.04 mg/l (selenastrum capricomutum) EC750/72h 0.11 mg/l (pseudokirchneriella subcapitata) NOEC/21d 1.2 mg/l (daphnia) NOEC/27b 0.21 mg/l (scelenorem costatum) NOEC/28d 0.21 mg/l (cocorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.048 mg/l (daphnia magna) EC50/72h 0.048 mg/l (daphnia magna) EC50/72h 0.048 mg/l (daphnia magna) NOEC 0.004 mg/l (daphnia magna) NOEC/21d 0.004 mg/l (daphnia) NOEC/21d 0.004 mg/l (daphnia) NOEC/22h 0.004 mg/l (daphnia) NOEC/22h 0.004 mg/l (cocorhynchus mykiss) (OECD 211) NOEC/22h 0.004 mg/l (cocorhynchus mykiss) (OECD 210) NOEC/22d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) NOEC/22d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) NOEC/22d 0.098 mg/l (oncorhynchus mykiss) (OECD				
EC50/48h 2.94 mg/l (daphnia magna) EC50/72h 0.11 mg/l (selenastrum capricornutum) EC10/72h 0.04 mg/l (selenastrum capricornutum) EC50/72h 0.11 mg/l (pseudokirchneriella subcapitata) NOEC/12h 0.027 mg/l (sceletonema costatum) NOEC/72h 0.027 mg/l (sceletonema costatum) NOEC/72h 0.027 mg/l (sceletonema costatum) NOEC/72h 0.21 mg/l (oncorthynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorthynchus mykiss) (RAC) EC50/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 22 mg/l (daphnia magna) EC50/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 40.040 mg/l (daphnia magna) CC50/72h 0.0042 mg/l (sceletonema costatum) NOEC/72h 0.0042 mg/l (sceletonema costatum) NOEC/72h 0.0012 mg/l (sceletonema costatum) NOEC/28d 0.0098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability 57.55-6 ProyJene glycol 13.5 Results provide resolution 10.6 8 % /28d (OECD 301 F) OXygen consumption 10.6 8 % /28d (OECD 301 F) OXygen consumption 10.6 8 % /28d (OECD 301 F) 12.5 Results of PBT and vFvB assessment PBT: Not applicable. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vFvB assessment PBT: Not applicable. 12.6 Encorine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes:				
EC50/72h 0.11 mg/l (selenastrum capricomutum) EC10/72h 0.04 mg/l (selenastrum capricomutum) ErC50/72h 0.11 mg/l (pseudokirchneriella subcapitata) NOEC/71b 1.20 mg/l (cseletonema costatum) NOEC/72b 0.21 mg/l (coletonema costatum) NOEC/72b 0.22 mg/l (concorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (concorhynchus mykiss) (RAC) EC50/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.044 mg/l (daphnia magna) EC50/72h 0.044 mg/l (daphnia) NOEC/72h 0.044 mg/l (seletonema costatum) NOEC/72h 0.0044 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/72h 0.0012 mg/l (pseudokirchneriella subcapitata)				
EC10/72h 0.04 mg/l (selenastrum capricornutum) ErC50/72h 0.11 mg/l (pseudokirchneriella subcapitata) NOEC/21d 1.2 mg/l (daphnia) NOEC/22d 0.27 mg/l (occethorma costatum) NOEC/22d 0.21 mg/l (oncorthynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) EC50/96h 0.22 mg/l (oncorthynchus mykiss) EC50/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC / 240 0.048 mg/l (pseudokirchneriella subcapitata) NOEC / 240 0.048 mg/l (pseudokirchneriella subcapitata) NOEC / 240 0.004 mg/l (daphnia magna) EC50/72h 0.004 mg/l (daphnia magna) (OECD 211) NOEC / 240 0.004 mg/l (sceletonema costatum) NOEC / 240 0.0048 mg/l (sceletonema costatum) NOEC / 240 0.0048 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC / 240 0.0098 mg/l (oncorthynchus mykiss) (OECD 210) 12.2 Persiterce and degretability 57-55-6 Propylene glycol Carbon dioxide production 81.7 % / 28d (OECD 301 F) DOC removal 98.3 % / 28d (OECD 301 F) OXygen consumption 106.8 % / 28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.4 splicable. YNB: Not applicable. YNB: Not applicable. YNB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes:	-			
ErC50/72h 0.11 mg/l (pseudokirchneriella subcapitata) NOEC/2td 1.2 mg/l (daphnia) NOEC/2td 0.27 mg/l (sceletonema costatum) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 55965.84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.048 mg/l (daphnia magna) EC50/72h 0.048 mg/l (daphnia magna) (OECD 211) NOEC/21d 0.004 mg/l (daphnia) NOEC/21d 0.004 mg/l (seeletonema costatum) NOEC/248d 0.00064 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/248d 0.00064 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/22h 0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/22d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability 57.55.6 Proylene glycol Carbon dioxide production 81.7 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes:	-			
NOEC/21d 1.2 mg/l (daphnia) NOEC/28d 0.21 mg/l (sceletonema costatum) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) C50/72h 0.048 mg/l (daphnia magna) EC50/72h 0.044 mg/l (daphnia magna) C50/72h 0.044 mg/l (daphnia magna) (OECD 211) NOEC 0.004 mg/l (sceletonema costatum) NOEC/21d 0.004 mg/l (sceletonema costatum) NOEC/28d 0.0004 mg/l (sceletonema costatum) NOEC/28d 0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/28d 0.0021 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/28d 0.0024 mg/l (sceletonema costatum) NOEC/28d 0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/28d 0.0024 mg/l (sceletonema costatum) NOEC/28d 0.012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/28d 0.012 mg/l (pseudokirchneriella subcapitata) OC2728d 0.0024 mg/l (pseudokirchneriella subcapitata) S7-55-6 Proylene glycol 10 Carbon dioxide production 81.7 % /28d (OECD	•			
NOEC/72h NOEC/28d 0.21 mg/l (sceletonema costatum) NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/48h 0.1 mg/l (daphnia magna) EC50/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.004 mg/l (daphnia magna) (OECD 211) NOEC/21d 0.004 mg/l (daphnia) NOEC/22d 0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/28d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) NOEC/28d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability 57-55-6 Proylene glycol Carbon dioxide production 81.7 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. vPvB: Not applicable. vPvB: Not applicable. vPvB: Not averse	-			
NOEC/28d 0.21 mg/l (oncorhynchus mykiss) 55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/72h 0.048 mg/l (daphnia magna) EC50/72h 0.048 mg/l (daphnia magna) (OECD 211) NOEC 0.004 mg/l (daphnia) NOEC/21d 0.004 mg/l (daphnia) NOEC/21d 0.004 mg/l (sceletonema costatum) NOEC/28d 0.0098 mg/l (oncorhynchus mykiss) (OECD 201) NOEC/28d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) NOEC/28d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability 57-55-6 Proylene glycol Carbon dioxide production 81.7 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) Oxygen consumption 106.8 % /28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances w				
55965-84-9 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.004 mg/l (daphnia magna) (OECD 211) NOEC/21d 0.004 mg/l (daphnia magna) (OECD 211) NOEC/21d 0.004 mg/l (daphnia) NOEC/24d 0.00064 mg/l (sceletonema costatum) NOEC/28d 0.012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/28d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) I2.2 Persistence and degradability 57-55-6 Propylene glycol Carbon dioxide production 81.7 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) Oxygen consumption 106.8 % /28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable.	-			
LC50/96h 0.22 mg/l (oncorhynchus mykiss) (RAC) EC50/48h 0.1 mg/l (daphnia magna) EC50/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.004 mg/l (daphnia magna) (OECD 211) NOEC/21d 0.004 mg/l (daphnia) NOEC/21d 0.004 mg/l (daphnia) NOEC/21d 0.004 mg/l (sceletonema costatum) NOEC/27b 0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/22d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) NOEC/28d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) NOEC/28d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability 57-55-6 Propylene glycol Carbon dioxide production 81.7 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) Oxygen consumption 106.8 % /28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects <td></td> <td></td> <td></td>				
EC50/48h 0.1 mg/l (daphnia magna) EC50/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.004 mg/l (daphnia magna) (OECD 211) NOEC/21d 0.004 mg/l (daphnia) NOEC/27d 0.0064 mg/l (sceletonema costatum) NOEC/72h 0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/28d 0.0098 mg/l (oncorhynchus mykiss) (OECD 210) NOEC/28d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability 57-55-6 Proylene glycol Carbon dioxide production 81.7 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) Oxygen consumption 106.8 % /28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes:				
EC50/72h 0.048 mg/l (pseudokirchneriella subcapitata) NOEC 0.004 mg/l (daphnia magna) (OECD 211) NOEC/21d 0.004 mg/l (daphnia) NOEC/24d 0.0004 mg/l (sceletonema costatum) NOEC/72h 0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/22d 0.098 mg/l (on-orhynchus mykiss) (OECD 210) 12.2 Persistence and degradability 57-55-6 Proylene glycol Carbon dioxide production 81.7 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) Oxygen consumption 106.8 % /28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. vPvB: Not applicable. vPvB: Not applicable. 21.7 Other adverse effects Additional ecological information: General notes:	-			
NOEC 0.004 mg/l (daphnia magna) (OECD 211) NOEC/21d 0.004 mg/l (daphnia) NOEC/48d 0.00064 mg/l (sceletonema costatum) NOEC/72h 0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/28d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability 57-55-6 Propylene glycol Carbon dioxide production 81.7 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) Oxygen consumption 106.8 % /28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.7 Other adverse effects Additional ecological information: General notes:				
NOEC/21d 0.004 mg/l (daphnia) NOEC/48d 0.00064 mg/l (sceletonema costatum) NOEC/72h 0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/72h 0.098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability 57-55-6 Propylene glycol Carbon dioxide production 81.7 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) Oxygen consumption 106.8 % /28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes:	-			
NOEC/48d 0.00064 mg/l (sceletonema costatum) NOEC/72h 0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) NOEC/28d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability 57-55-6 Proylene glycol 57-55-6 Proylene glycol 61.7 % /28d (OECD 301 F) Carbon dioxide production 81.7 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) Oxygen consumption 106.8 % /28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes:	-			
NOEC/72h NOEC/28d 0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201) 12.2 Persistence and degradability 57-55-6 Propylene glycol Carbon dioxide production 81.7 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) Oxygen consumption 106.8 % /28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes:				
NOEC/28d 0.098 mg/l (oncorhynchus mykiss) (OECD 210) 12.2 Persistence and degradability 57-55-6 Propylene glycol Carbon dioxide production 81.7 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) Oxygen consumption 106.8 % /28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes:				
12.2 Persistence and degradability 57-55-6 Propylene glycol Carbon dioxide production 81.7 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) Oxygen consumption 106.8 % /28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes:				
57-55-6 Propylene glycol Carbon dioxide production 81.7 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) Oxygen consumption 106.8 % /28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes:	-			
Carbon dioxide production 81.7 % /28d (OECD 301 F) DOC removal 98.3 % /28d (OECD 301 F) Oxygen consumption 106.8 % /28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes:				
DOC removal 98.3 % /28d (OECD 301 F) Oxygen consumption 106.8 % /28d (OECD 301 F) 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and VPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes:				
 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes: 				
 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes: 	Oxygen consumption	106.8 % /28d (OECD 301 F)		
 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes: 				
 PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes: 	12.4 Mobility in soil	lo further relevant information available.		
 vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes: 		ind vPvB assessment		
 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes: 				
12.7 Other adverse effects Additional ecological information: General notes:		pting properties The product does not contain substances with endocrine disrupting properties	i.	
General notes:				
	•	information:		
Do not allow unulluted product or large quantities of it to reach ground water, water course or sewage system.		product or lorge quantities of it to reach ground writer writer source or source and source		
	Do not allow undiluted	product or large quantities of it to reach ground water, water course or sewage system.		
	13 1 Wasto troatmon			

· 13.1 Waste treatment methods

Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

[—] GB ·

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.06.2022

Version number 1.1 (replaces version 1.0)

Revision: 10.06.2022

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. of page 5)

 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	not regulated	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR, IMDG, IATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	to IMO	
· · ·		
N "Model Regulation":	not regulated	

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Product Safety Department

Contact: B. Treiber, b.treiber@c-kreul.de

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous (Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

PB I: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 1: Acute toxicity – Category 1 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eva Dam 1: Serious eva demande/ava irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Actuate 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* Data compared to the previous version altered.

GB