


Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.07.2023

Version number 1.3 (replaces version 1.2)

Revision: 28.07.2023



Version number 1.3 (replaces version 1.2)

Revision: 28.07.2023

H411	Toxic to aquatic life with long lasting effects.	(Contd. of page 1)
	ary statements	
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P211	Do not spray on an open flame or other ignition source.	
P251	Do not pierce or burn, even after use.	
P261	Avoid breathing spray.	
P410+P412	2 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.	
P501	Dispose of contents/container in accordance with regional regulations.	
 Additional 	information:	
Buildup of e	explosive mixtures possible without sufficient ventilation.	
· 2.3 Other h	nazards	
· Results of	PBT and vPvB assessment	
· PBT: Not a	pplicable.	
. VDvD. Not	annliaghla	

vPvB: Not applicable.

Printing date 28.07.2023

3 Composition/information on ingredients

3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components: 		
CAS: 107-83-5 EINECS: 203-523-4 Index number: 601-007-00-7	hexane (containing < 5 % n-hexane (203-777-6)) Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	25–75%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21-XXXX	propane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	<20.0%
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27-XXXX	isobutane	<15.0%
CAS: 110-82-7 EINECS: 203-806-2 Index number: 601-017-00-1	cyclohexane	0.25-<2.5%

4 First aid measures

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.
- · After eye contact:
- Remove contact lenses.
- Rinse opened eye for several minutes under running water.
- · After swallowing:
- Seek immediate medical advice.
- Rinse out mouth and then drink plenty of water.
- A person vomiting while laying on their back should be turned onto their side.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- If swallowed or in case of vomiting, danger of entering the lungs.

5 Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information Cool endangered receptacles with water spray.

(Contd. on page 3)

GB

Version number 1.3 (replaces version 1.2)

Revision: 28.07.2023

(Contd. of page 2)

6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 Ensure adequate ventilation
 Use respiratory protective device against the effects of fumes/dust/aerosol.
 Keep away from ignition sources.
 Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions:
 Inform respective authorities in case of seepage into water course or sewage system.
 Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · 7.1 Precautions for safe handling
- Keep away from heat and direct sunlight.
- Take note of emission threshold.
- Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection:
- Do not spray onto a naked flame or any incandescent material.
- Fumes can combine with air to form an explosive mixture.
- Keep ignition sources away Do not smoke.
- Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not
- pierce or burn, even after use.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Store receptacle in a well ventilated area.
- Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.
- Keep container tightly sealed.
- Storage class: 2B
- · 7.3 Specific end use(s) See chapter 1.2.

8 Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

110-82-7 cyclohexane

- WEL Short-term value: 1050 mg/m³, 300 ppm
 - Long-term value: 350 mg/m³, 100 ppm
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Respiratory protection:
- Not necessary if room is well-ventilated.
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use selfcontained respiratory protective device.
- Hand protection



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Version number 1.3 (replaces version 1.2)

Revision: 28.07.2023

Printing date 28.07.2023

(Contd. of page 3)

• Material of gloves The selection of the suitable gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Penetration time of glove material**The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

PVC or PE gloves

Recommended thickness of the material: \geq - mm Value for the permeation: Level \leq 8 h

As protection from splashes gloves made of the following materials are suitable: Butyl rubber, BR

Recommended thickness of the material: \geq 0.3 mm

Value for the permeation: Level \leq 4-8 h

• Eye/face protection Not required.

Body protection: Protective work clothing

9 Physical and chemical properties

9.1 Information on basic physical and chemical proper	ties
General Information	Anneal
Physical state Calcum	Aerosol
· Colour:	Yellowish
· Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	<0 °C
· Flammability	Not applicable.
Lower and upper explosion limit	
· Lower:	1.4 Vol %
Upper:	10.9 Vol %
Flash point: Auto ignition tomporature:	-97 °C 285 °C
 Auto-ignition temperature: Decomposition temperature: 	
· pH	Not determined. Not determined.
· Viscosity:	Not determined.
· Viscosity.	Not determined.
· Dynamic:	Not determined.
Solubility	Not determined.
· water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	8.300 hPa
· Density and/or relative density	0,500 m a
· Density at 20 °C:	0.64 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
, ,	Not determined.
9.2 Other information	
· Appearance:	
· Form:	Aerosol
Important information on protection of health and	
environment, and on safety.	Draduct is not colfination
Ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product is not explosive. However, formation of explosive air/
· Solvent content:	vapour mixtures are possible.
	84.85 %
· VOC (EC) · Change in condition	04.00 /0
· Evaporation rate	Not applicable.
•	
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol. Pressurised container: May burst
	if heated.
Oxidising gases	Void
Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
Self-reactive substances and mixtures	Void
• Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	
in contact with water	Void
	(Contd. on page 5)

GB

Version number 1.3 (replaces version 1.2)

Void

Revision: 28.07.2023

		(Contd. of page 4)
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	

10 Stability and reactivity

Desensitised explosives

Printing date 28.07.2023

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid
- Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:
- In case of fire, the following can be released:
- Carbon monoxide and carbon dioxide

11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

110-82-7 cyclohexane

Oral LD50 12,705 mg/kg (rat)

Skin corrosion/irritation

Causes skin irritation.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

• Endocrine disrupting properties None of the ingredients is listed.

12 Ecological information

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- General notes:

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. (Contd. on page 6)

ĠВ・

Version number 1.3 (replaces version 1.2)

Revision: 28.07.2023

(Contd. of page 5)

GB

Printing date 28.07.2023

Uncleaned packaging:
 Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name	
ADR	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS
IMDG IATA	AEROSOLS, MARINE POLLUTANT AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
Class Label	2 5F Gases. 2.1
IMDG	2.1
Class	2.1 Gases.
Label	2.1
IATA	
2	
Class	2.1 Gases.
Label	2.1
14.4 Packing group ADR, IMDG, IATA	not regulated
14.5 Environmental hazards:	not regulated
Marine pollutant:	Product contains environmentally hazardous substances: cyclohexan Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Gases.
Hazard identification number (Kemler code):	-
EMS Number: Stowage Code	F-D,S-U SW1 Protected from sources of heat.
	SW2 Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre:
	Segregation as for class 9. Stow "separated from" class 1 except division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
14.7 Maritime transport in bulk according to IM	
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L Code: E0
Excepted quantities (EQ)	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0

Version number 1.3 (replaces version 1.2)

Revision: 28.07.2023

(Contd. of page 6)

· UN "Model Regulation":

Printing date 28.07.2023

UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category
- P3a FLAMMABLE AEROSOLS
- E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- · Department issuing SDS: Product Safety Department
- Contact: B. Treiber, b.treiber@c-kreul.de
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases Category 1A Aerosol 1: Aerosols Category 1 Press. Gas (Comp.): Gases under pressure Compressed gas Flam. Liq. 2: Flammable liquids Category 2 Skin Irrit. 2: Skin corrosion/irritation Category 2 StoT SE 3: Specific target organ toxicity (single exposure) Category 3 Asp. Tox. 1: Aspiration hazard Category 1 Aquatic Acute 1: Hazardous to the aquatic environment acute aquatic hazard Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment long-term aquatic hazard Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment long-term aquatic hazard Category 2 * Data compared to the previous version altered.

* Data compared to the previous version altered.

GB

