

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.11.2022

Version number 1.3 (replaces version 1.2)


Revision: 16.11.2022

1 Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier · Trade name: KREUL Acrylic Matt Varnish synthetic resin-based 50 ml, 250 ml · Article number: 79409, 79410 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Lacquer For artists and hobby user. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: C. KREUL GmbH & Co. KG Carl-Kreul-Straße 2 D-91352 HALLERNDORF GERMANY Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511 info@c-kreul.de Further information obtainable from: Product Safety Department: Treiber, b.treiber@c-kreul.de · 1.4 Emergency telephone number: + 44 (0) 171 635 91 91 2 Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 flame Flam. Liq. 3 H226 Flammable liquid and vapour. STOT SE 3 H336 May cause drowsiness or dizziness. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms GHS02 GHS07 · Signal word Warning · Hazard-determining components of labelling: Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, <2% aromatics Hazard statements H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness. H412 Harmful to aquatic life with long lasting effects. **Precautionary statements** P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P271 Use only outdoors or in a well-ventilated area. P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

(Contd. on page 2)

Version number 1.3 (replaces version 1.2)

Revision: 16.11.2022



- measures against static discharges.
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components

Dangerous components.		
CAS: 64742-48-9	Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, <2% aromatics	25-<50%
EC number: 919-857-5	🚸 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304; 伙 STOT SE 3, H336	
Reg.nr.: 01-2119463258-33-XXXX		
CAS: 64742-95-6	Hydrocarbons, C9, aromatics	10-<20%
EC number: 918-668-5	🚯 Flam. Liq. 3, H226; 🚯 Asp. Tox. 1, H304; 🚯 Aquatic Chronic 2, H411;	
Reg.nr.: 01-2119455851-35-XXXX		
• Additional information: For the wording of the listed hazard phrases refer to section 16.		

4 First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- In case of unconsciousness place patient stably in side position for transportation.
- Seek immediate medical advice.
- After skin contact:
- Wash with water and acidic soap.
- If skin irritation continues, consult a doctor. After eye contact:
- Remove contact lenses.
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Rinse out mouth and then drink plenty of water.
- Administer medicinal carbon.

A person vomiting while laying on their back should be turned onto their side.

- Seek immediate medical advice.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- If swallowed or in case of vomiting, danger of entering the lungs.

5 Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Use respiratory protective device against the effects of fumes/dust/aerosol. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away. Mount respiratory protective device. 6.2 Environmental precautions: Keep contaminated washing water and dispose of appropriately. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

GB

Version number 1.3 (replaces version 1.2)

Printing date 16.11.2022

Revision: 16.11.2022

Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- 7.1 Precautions for safe handling
- Take note of emission threshold.
- Prevent formation of aerosols.
- Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection:
- Fumes can combine with air to form an explosive mixture.
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

- Storage:
- Requirements to be met by storerooms and receptacles:
- No special requirements.
- Store in a cool location.
- Information about storage in one common storage facility:
- Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.
- · Further information about storage conditions:
- Store receptacle in a well ventilated area.
- Keep container tightly sealed.
- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELS	0 Ukudan angkan a 00 044 m allaman	1	
		, iso-alkanes, cyclenes, <2% aromatics	
Oral	long-term exposure-systemic effects	300 mg/kg (general population)	
Dermal	long-term exposure-systemic effects	300 mg/kg bw/d (general population)	
		300 mg/kg bw/d (worker)	
Inhalative	long-term exposure-systemic effects	900 mg/m³ (general population)	
		1,500 mg/m³ (worker)	
64742-95-	6 Hydrocarbons, C9, aromatics		
Oral	long-term exposure-systemic effects	11 mg/kg (general population)	
Dermal	long-term exposure-systemic effects	11 mg/kg bw/d (general population)	
		25 mg/kg bw/d (worker)	
Inhalative	long-term exposure-systemic effects	32 mg/m³ (general population)	
		150 mg/m³ (worker)	

Additional information: The lists valid during the making were used as basis

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

• Respiratory protection: Use suitable respiratory protective device when high concentrations are present.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. (Contd. on page 4)

(Contd. of page 2)

Version number 1.3 (replaces version 1.2)

	(Contd. of page 3)
· For the permanent contact gloves made of the following materials are suitable:	
Nitrile rubber, NBR	
Recommended thickness of the material: ≥ 0.4 mm	
Value for the permeation: Level ≤ 8 h	
• As protection from splashes gloves made of the following materials are suitable:	
Nitrile rubber, NBR	
Recommended thickness of the material: \geq 0.12 mm	
Value for the permeation: Level \leq 2-4 h	
· Eye/face protection	
Tightly sealed goggles	
Body protection: Protective work clothing	

9 Physical and chemical properties

Printing date 16.11.2022

 9.1 Information on basic physical and chemical property General Information 	ues
· General Information · Colour:	Assorting to product aposition
	According to product specification
· Odour: · Odour threshold:	Characteristic
	Not determined.
• Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	0.01/-1.0/
· Lower:	0.8 Vol %
· Upper:	7 Vol %
Flash point:	>23 °C
Ignition temperature:	<237 °C
Decomposition temperature:	Not determined.
· pH	Not determined.
Viscosity:	
Kinematic viscosity at 40 °C	>20.5 mm²/s
Dynamic:	Not determined.
· Solubility	
· water:	Not miscible or difficult to mix.
 Partition coefficient n-octanol/water (log value) 	Not determined.
· Vapour pressure at 20 °C:	3 hPa
 Density and/or relative density 	
· Density at 20 °C:	0.87 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
9.2 Other information	
· Appearance:	
Form:	Fluid
· Important information on protection of health and	t
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive ai
hh .h	vapour mixtures are possible.
· Solvent content:	
Organic solvents:	64 %
Solids content:	36 %
Change in condition	
· Evaporation rate	Not determined.
Information with regard to physical hazard classes	
• Explosives	Void
· Flammable gases	Void
· Aerosols	Void
	Void
Gases under pressure	Void
	v olu
Elammable liquide	
Flammable liquids	
Flammable liquid and vapour.	Void
Flammable liquid and vapour. Flammable solids	Void
Flammable liquid and vapour. • Flammable solids • Self-reactive substances and mixtures	Void
Flammable liquid and vapour. • Flammable solids • Self-reactive substances and mixtures • Pyrophoric liquids	Void Void
Flammable liquid and vapour. • Flammable solids • Self-reactive substances and mixtures • Pyrophoric liquids • Pyrophoric solids	Void Void Void
Flammable liquid and vapour. Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void Void Void Void
Flammable liquid and vapour. • Flammable solids • Self-reactive substances and mixtures • Pyrophoric liquids • Pyrophoric solids	Void Void Void Void

Version number 1.3 (replaces version 1.2)

Revision: 16.11.2022

		(Contd. of page 4)
· Oxidising liquids	Void	
Oxidising solids	Void	
 Organic peroxides 	Void	
· Corrosive to metals	Void	
 Desensitised explosives 	Void	

10 Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

Printing date 16.11.2022

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- · 10.5 Incompatible materials: Keep away from oxidizing agents, strong alkaline and acidic materials.
- 10.6 Hazardous decomposition products:

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

64742-48	9 Hydroc	arbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, <2% aromatics	
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rab)	
Inhalative	LC50/4h	>4,951 mg/m³ (rat)	
64742-95	6 Hydroc	arbons, C9, aromatics	
Oral	LD50	>6,800 mg/kg (rat)	
Dermal	LD50	>3,400 mg/kg (rab)	
Inhalative	LC50/4h	>10.2 mg/m ³ (rat)	
Serious e Respirato Germ cel Carcinog Reproduc STOT-sin May caus STOT-rep Aspiratio	ye damaç ory or skir I mutagen enicity Ba ctive toxic gle expos e drowsine eated exp n hazard	 tation Based on available data, the classification criteria are not met. ge/irritation Based on available data, the classification criteria are not met. n sensitisation Based on available data, the classification criteria are not met. nicity Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. city Based on available data, the classification criteria are not met. sure ess or dizziness. posure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. n other hazards 	
· Endocrin	· Endocrine disrupting properties		

None of the ingredients is listed.

12 Ecological information

· 12.1 Toxicity

· Aquatic toxicity: 64742-95-6 Hydrocarbons, C9, aromatics LC50/96h >1,000 mg/l (oncorhynchus mykiss) EC50/48h >1,000 mg/l (daphnia magna) 12.2 Persistence and degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. vPvB: Not applicable. · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects · Remark: Harmful to fish · Additional ecological information: · General notes: Harmful to aquatic organisms Do not allow product to reach ground water, water course or sewage system. (Contd. on page 6)

GB

Version number 1.3 (replaces version 1.2)

Revision: 16.11.2022

(Contd. of page 5)

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1263
 14.2 UN proper shipping name ADR IMDG, IATA 	1263 PAINT PAINT
· 14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group · ADR, IMDG, IATA	ш
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids. 30 F-E, <u>S-E</u> A
 14.7 Maritime transport in bulk according to IM instruments 	O Not applicable.
· Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
 Transport category Tunnel restriction code 	3 D/F
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1263 PAINT, 3, III

15 Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

Printing date 16.11.2022

GB

Version number 1.3 (replaces version 1.2)

Printing date 16.11.2022

Revision: 16.11.2022

	(Contd. of page 6)
 Relevant phrases H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H335 May cause respiratory irritation. 	
H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.	
· Department issuing SDS: Product Safety Department · Contact: B. Treiber, b.treiber@c-kreul.de	
Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the Internation	al Carriage of Dangerous
Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)	
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 · * Data compared to the previous version altered.	
	GB