


Safety data sheet

according to 1907/2006/EC, Article 31 Printing date 17.11.2022 Version number 1.3 (replaces version 1.2) Revision: 17.11.2022 1 Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier · Trade name: KREUL Acrylic Satin Varnish synthetic resin-based 50 ml, 250 ml · Article number: 79407, 79408 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Lacquer For artists and hobby user. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: C. KREUL GmbH & Co. KG Carl-Kreul-Straße 2 D-91352 HALLERNDORF GERMANY Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511 info@c-kreul.de Further information obtainable from: Product Safety Department: Treiber, b.treiber@c-kreul.de · 1.4 Emergency telephone number: + 44 (0) 171 635 91 91 2 Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 flame Flam. Liq. 3 H226 Flammable liquid and vapour. STOT SE 3 H336 May cause drowsiness or dizziness. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms GHS02 GHS07 · Signal word Warning · Hazard-determining components of labelling: Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, <2% aromatics Hazard statements

- H226 Flammable liquid and vapour.
- H336 May cause drowsiness or dizziness.
- H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P271 Use only outdoors or in a well-ventilated area. P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

Version number 1.3 (replaces version 1.2)

Revision: 17.11.2022



other sources of ignition (e.g. static electricity, pilot lights, or mechanical/ electrical equipment). Take precautionary measures against static discharges.

Results of PBT and vPvB assessment

PBT: Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components

Dangerous components.		
CAS: 64742-48-9	Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, <2% aromatics	25-<75%
EC number: 919-857-5	🚸 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304; 伙 STOT SE 3, H336	
Reg.nr.: 01-2119463258-33-XXXX		
CAS: 64742-95-6	Hydrocarbons, C9, aromatics	10-<20%
EC number: 918-668-5	🚸 Flam. Liq. 3, H226; 🚸 Asp. Tox. 1, H304; 🚸 Aquatic Chronic 2, H411;	
Reg.nr.: 01-2119455851-35-XXXX		
• Additional information: For the wording of the listed hazard phrases refer to section 16.		

4 First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- In case of unconsciousness place patient stably in side position for transportation.
- Seek immediate medical advice.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- After eye contact: Remove contact lenses.
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Rinse out mouth and then drink plenty of water.
- Administer medicinal carbon.

A person vomiting while laying on their back should be turned onto their side.

Seek immediate medical advice.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- If swallowed or in case of vomiting, danger of entering the lungs.

5 Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Use respiratory protective device against the effects of fumes/dust/aerosol. Keep away from ignition sources. Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. 6.2 Environmental precautions: Keep contaminated washing water and dispose of appropriately. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Printing date 17.11.2022

Version number 1.3 (replaces version 1.2)

Printing date 17.11.2022

Revision: 17.11.2022

(Contd. of page 2)

Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- See Section 13 for disposal information.

7 Handling and storage

- 7.1 Precautions for safe handling
- Prevent formation of aerosols.
- Take note of emission threshold.
- Keep away from heat and direct sunlight.
- Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection:
- Fumes can combine with air to form an explosive mixture. Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility:
- Do not store together with alkalis (caustic solutions)
- Do not store together with oxidising and acidic materials.
- Further information about storage conditions:
- Store receptacle in a well ventilated area.
- Keep container tightly sealed.
- Protect from heat and direct sunlight.
- Storage class: 3

DNIEL

· 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Oral	long-term exposure-systemic effects	300 mg/kg (general population)	
Dermal	long-term exposure-systemic effects	300 mg/kg bw/d (general population)	
		300 mg/kg bw/d (worker)	
Inhalative	long-term exposure-systemic effects	900 mg/m³ (general population)	
		1,500 mg/m³ (worker)	
64742-95-	6 Hydrocarbons, C9, aromatics		
Oral	long-term exposure-systemic effects	11 mg/kg (general population)	
Dermal	long-term exposure-systemic effects	11 mg/kg bw/d (general population)	
		25 mg/kg bw/d (worker)	
Inhalative	long-term exposure-systemic effects	32 mg/m³ (general population)	
		150 mg/m³ (worker)	

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Do not eat, drink, smoke or sniff while working.
- The usual precautionary measures are to be adhered to when handling chemicals.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Do not inhale gases / fumes / aerosols.
- Respiratory protection: Use suitable respiratory protective device when high concentrations are present.
- Hand protection
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. (Contd. on page 4)

Version number 1.3 (replaces version 1.2)

Printing date 17.11.2022

Melting point/freezing point:

Decomposition temperature:

· Kinematic viscosity at 40 °C

Vapour pressure at 20 °C:
 Density and/or relative density

environment, and on safety. Auto-ignition temperature:

· Explosive properties:

Change in condition
 Evaporation rate

Solvent content:
 Organic solvents:

· Solids content:

Explosives

· Aerosols · Oxidising gases

Flammable gases

· Gases under pressure

Self-reactive substances and mixtures

Self-heating substances and mixtures

Flammable liquids

Flammable solids

Pyrophoric liquids

in contact with water

Pyrophoric solids

Density at 20 °C:

Relative density

• Vapour density • 9.2 Other information • Appearance: • Form:

· Lower and upper explosion limit

· Flammability

· Flash point:

· Viscosity:

· Dynamic:

Solubility

· water:

Ignition temperature:

Lower:

· Upper:

· pH

Boiling point or initial boiling point and boiling range

· Partition coefficient n-octanol/water (log value)

· Important information on protection of health and

Information with regard to physical hazard classes

Substances and mixtures, which emit flammable gases

Nitrile rubber, NBR Recommended thickness of the material: Value for the permeation: Level ≤ 8 h	le of the following materials are suitable: $\geq 0.4 \text{ mm}$ ade of the following materials are suitable:	td. of page 3)
Tightly sealed goggles • Body protection: Protective work clothin	g	
9 Physical and chemical properti		
 9.1 Information on basic physical and General Information 	chemical properties	
· Physical state	Fluid	
· Colour:	According to product specification	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	

Undetermined.

Undetermined.

Not determined.

Not determined.

Not determined.

Not determined. 3.1 hPa

Not determined. Not determined.

0.875 g/cm³

Fluid

66 %

34 %

Void

Void Void

Void

Void

Void

Void

Void Void

Void

Void

Not determined.

Not miscible or difficult to mix.

Product is not selfigniting.

vapour mixtures are possible.

Flammable liquid and vapour.

Product is not explosive. However, formation of explosive air/

(Contd. on page 5)

GB

>20 5 mm²/s

Flammable

0.8 Vol %

7 Vol %

>23 °C

<237 °C

Version number 1.3 (replaces version 1.2)

Revision: 17.11.2022

		(Contd. of page 4)
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
 Desensitised explosives 	Void	

10 Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

Printing date 17.11.2022

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- · 10.5 Incompatible materials: Keep away from oxidizing agents, strong alkaline and acidic materials.
- 10.6 Hazardous decomposition products:

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

64742-48-	9 Hydroc	arbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, <2% aromatics
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rab)
Inhalative	LC50/4h	>4,951 mg/m ³ (rat)
		arbons, C9, aromatics
Oral	LD50	>6,800 mg/kg (rat)
Dermal	LD50	>3,400 mg/kg (rab)
Inhalative	LC50/4h	>10.2 mg/m³ (rat)
Serious e Respirato Germ cell Carcinogo Reproduc STOT-sin May cause STOT-rep Aspiration	ye damag ry or skir mutager enicity Ba tive toxic gle expose drowsing eated exp n hazard	tation Based on available data, the classification criteria are not met. ge/irritation Based on available data, the classification criteria are not met. In sensitisation Based on available data, the classification criteria are not met. Inicity Based on available data, the classification criteria are not met. ased on available data, the classification criteria are not met. City Based on available data, the classification criteria are not met. Sure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
Endocrine	e disrupti	ing properties

None of the ingredients is listed.

12 Ecological information

· 12.1 Toxicity

· Aquatic toxicity: 64742-95-6 Hydrocarbons, C9, aromatics LC50/96h >1,000 mg/l (oncorhynchus mykiss) EC50/48h >1,000 mg/l (daphnia magna) 12.2 Persistence and degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. vPvB: Not applicable. · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects · Remark: Harmful to fish · Additional ecological information: · General notes: Harmful to aquatic organisms Do not allow product to reach ground water, water course or sewage system. (Contd. on page 6)

d. on page 6) GB

Version number 1.3 (replaces version 1.2)

Revision: 17.11.2022

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1263
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1263 PAINT PAINT
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
· Label	3
 14.4 Packing group ADR, IMDG, IATA 	Ш
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids. 30 F-E, <u>S-E</u> A
 14.7 Maritime transport in bulk according to IM instruments 	O Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category · Tunnel restriction code	3 D/E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1263 PAINT, 3, III

15 Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• Seveso category P5c FLAMMABLE LIQUIDS

- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements $5{,}000\ t$
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

Printing date 17.11.2022

Version number 1.3 (replaces version 1.2)

Printing date 17.11.2022

Revision: 17.11.2022

 Relevant phrases H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. Department issuing SDS: Product Safety Department Contact: B. Treiber, b. treiber@c-kreul.de Abbreviations and acronyms: Apple: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMOS: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELNCS: European Inventory of Existing Commercial Chemical Substances ELNCS: European Inventory of Existing Commercial Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LCSD: Lethal dose, 50 percent DBS: Presistent, Bioaccumulative and Toxic VPWB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 * Data compared to the previous version allered. 		(Contd. of page 6)
 Contact: B. Treiber, b.treiber@c-kreul.de Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELNCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPVB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 * Data compared to the previous version altered. 	H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.	
	 Contact: B. Treiber, b.treiber@c-kreul.de Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the Internati Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LCS0: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 	