

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.07.2023 Version number 2.2 (replaces version 2.1) Revision: 11.07.2023

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name:

MUCKI Porcelain Pirate porcelain pen Set of 5 (Safety data sheet for the included ink.)

- · Article number: 27157
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Paint

For artists and hobby user.

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

C. KREUL GmbH & Co. KG Carl-Kreul-Straße 2

D-91352 HALLERNDORF GERMANY

Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511

info@c-kreul.de

· Further information obtainable from:

Product Safety Department: Treiber, b.treiber@c-kreul.de

1.4 Emergency telephone number:

Phone: + 49 (0) 9545/925 - 0 Fax: + 49 (0) 9545/925 - 511

(Monday - Thursday 8.00 - 17.00, Friday 8.00 - 15.00)

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

EC Regulation 1907/2006 (UK REACH) differentiates between substances, mixtures and articles. In accordance with the definition of articles in UK REACH, the European Writing Instrument Manufacturer's Association (EWIMA) considers writing instruments, marker pens etc. to be articles. However, no safety data sheets are provided for articles. In contrast, safety data sheets are mandatory for substances and mixtures. For this reason, the information in the safety data sheet provided always refers to the basic ink and not to the product as a whole.

- Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH208 Contains C(M)IT/MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC No 220-239-6] (3:1)). May produce an allergic reaction.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- 3.2 Mixtures
- \cdot **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2023 Version number 2.2 (replaces version 2.1) Revision: 11.07.2023

· Dangerous components:		
CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3	1-methoxy-2-propanol Flam. Liq. 3, H226; 🌣 STOT SE 3, H336	2.5–<5%
CAS: 55965-84-9 Index number: 613-167-00-5	C(M)IT/MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC No 220-239-6] (3:1)) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ♦ Skin Corr. 1C, H314; Eye Dam. 1, H318; ♠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ♦ Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	0.00025-<0.00159

4 First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Not applicable.
- After skin contact:

Generally the product does not irritate the skin.

Wash with water and acidic soap.

After eye contact:

Remove contact lenses.

Rinse opened eye for several minutes under running water.

After swallowing:

If symptoms persist consult doctor.

Rinse out mouth and then drink plenty of water.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available

5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection:

No special measures required.

The product is not flammable.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Protect from frost

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2023 Version number 2.2 (replaces version 2.1) Revision: 11.07.2023

(Contd. of page 2)

Protect from heat and direct sunlight.

- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· 8.1 Control parameters

· Ingredien	Ingredients with limit values that require monitoring at the workplace:				
	107-98-2 1-methoxy-2-propanol				
	WEL Short-term value: 560 mg/m³, 150 ppm				
	Long-term value: 375 mg/m³, 100 ppm				
Sk	Sk				
· DNELs	· DNELs				
107-98-2	107-98-2 1-methoxy-2-propanol				
Oral	long-term exposure-systemic effects	33 mg/kg (general population)			
Dermal	long-term exposure-systemic effects	183 mg/kg bw/d (general population)			
		78 mg/kg bw/d (worker)			

369 mg/m³ (worker)

· PNECs

107-98-2 1-methoxy-2-propanol

water	100 mg/l
water freshwater marine water sewage treatment plant (STP)	10 mg/l
marine water	1 mg/l
sewage treatment plant (STP)	100 mg/l
freshwater sediment	52.3 mg/kg 5.2 mg/kg
marine sediment	5.2 mg/kg
soil	4.59 mg/kg

· Additional information: The lists valid during the making were used as basis.

Inhalative long-term exposure-systemic effects 43.9 mg/m³ (general population)

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Not required.

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid

Colour: According to product specification

Odour: Characteristic
Odour threshold: Not determined.
Melting point/freezing point: Undetermined.
Boiling point or initial boiling point and boiling range
Flammability Undetermined.
Not applicable.

Lower and upper explosion limit

Lower:

Vot determined.

Vot determined.

Flash point:

Decomposition temperature:

Not determined.

Not determined.

Not determined.

On the point of the point

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.07.2023 Version number 2.2 (replaces version 2.1) Revision: 11.07.2023

(Contd. of page 3) Viscosity: Kinematic viscosity Not determined Dynamic: Not determined. Solubility water: Fully miscible. · Partition coefficient n-octanol/water (log value) Not determined. Not determined. Vapour pressure: Density and/or relative density Density at 20 °C: ~1.05 g/cm³ Relative density Not determined. · Vapour density Not determined. 9.2 Other information Appearance: Form: · Important information on protection of health and environment, and on safety. · Ignition temperature: Product is not selfigniting. **Explosive properties:** Product does not present an explosion hazard. · Change in condition Evaporation rate Not determined. Information with regard to physical hazard classes **Explosives** Void Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void · Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void Organic peroxides Void Corrosive to metals Void

Void

10 Stability and reactivity

Desensitised explosives

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 v	· LD/LC50 values relevant for classification:			
107-98-2 1	107-98-2 1-methoxy-2-propanol			
Oral	LD50	4,016 mg/kg (rat) (EU B.1, ECHA)		
Dermal	LD50	13,000 mg/kg (rab)		
		>2,000 mg/kg (rat) (EU B.3, ECHA)		
Inhalative	LC50/4h	30.04 mg/m³ (rat) (ECHA)		
55965-84-	55965-84-9 C(M)IT/MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC No 220-239-6] (3:1))			
Oral	LD50	64 mg/kg (rat)		
Dermal	LD50	87 mg/kg (rab)		
Inhalative	LC50/4h	0.05 mg/m³ (ATE)		

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- $\cdot \ \textbf{Germ cell mutagenicity} \ \textbf{Based on available data}, \ \textbf{the classification criteria are not met}.$

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2023 Version number 2.2 (replaces version 2.1) Revision: 11.07.2023

(Contd. of page 4)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · **Aspiration hazard** Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

· 12.1 Toxicity

· Aquatic to	· Aquatic toxicity:	
107-98-2 1-methoxy-2-propanol		
LC50/96h	1,000 mg/l (oncorhynchus mykiss) (OECD 203)	
LC50/48h	21,100–25,900 mg/l (daphnia magna) (ESR-ES-15)	
ErC50	>1,000 mg/l /7d (pseudokirchneriella subcapitata) (ECHA)	
55965-84-9	55965-84-9 C(M)IT/MIT (3:1) (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC No 220-239-6] (3:1))	
LC50/96h	0.22 mg/l (oncorhynchus mykiss) (RAC)	
EC50/48h	0.1 mg/l (daphnia magna)	
EC50/72h	0.048 mg/l (pseudokirchneriella subcapitata)	
NOEC	0.004 mg/l (daphnia magna) (OECD 211)	
ErC50	0.0049 mg/l /120h (sceletonema costatum)	
NOEC/21d	0.004 mg/l (daphnia)	
NOEC/48d	0.00064 mg/l (sceletonema costatum)	
NOEC/72h	0.0012 mg/l (pseudokirchneriella subcapitata) (OECD 201)	
NOEC/28d	0.098 mg/l (oncorhynchus mykiss) (OECD 210)	

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Additional ecological information:
- General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Smaller quantities can be disposed of with household waste.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	not regulated
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR, IMDG, IATA	not regulated
· 14.5 Environmental hazards:	Not applicable.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 2.2 (replaces version 2.1) Printing date 11.07.2023 Revision: 11.07.2023

(Contd. of page 5) · 14.6 Special precautions for user Not applicable. · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. UN "Model Regulation": not regulated

15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

Causes severe skin burns and eye damage. H314

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage

H330 Fatal if inhaled.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

- · Department issuing SDS: Product Safety Department
- Contact: B. Treiber, b.treiber@c-kreul.de
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

VPVB: Very Persistent and very Bloaccumulative
Flam. Liq. 3: Flammable liquids - Category 3
Acute Tox. 3: Acute toxicity - Category 2
Skin Corr. 1C: Skin corrosion/irritation - Category 1C
Eye Dam. 1: Serious eye damage/eye irritation - Category 1
Skin Sens. 1A: Skin sensitisation - Category 1A
STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

* Data compared to the previous version altered.