

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hesse & Voormann Color/Glitter-Hairspray

Version number: 1.0
Revision: 28.04.2015

Date of compilation: 28.04.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name **Hesse & Voormann Color/Glitter-Hairspray**
Tariff No. 33059090

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses cosmetic product
professional use
consumer use (private households)
Sector of use Hairspray Glitter / Color various colors

Details of the supplier of the safety data sheet

E. Mierau Spray-Chemie e.K.
Stolzenhagener Chaussee 12
16515 Oranienburg OT Zehlendorf

Telephone: +49 (0) 33053 898 0
Telefax: +49 (0) 33053 898 99
Website: www.mierau-spray-chemie.de

Competent person responsible for the safety data sheet Kathleen Sperling
e-mail (competent person) service@mierau-spray-chemie.de

Emergency telephone number

Emergency information service This number is only available during the following office hours:
Mo-Fr 08:00 am - 04:00 pm
+49 (0) 33053 898 0

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.3	flammable aerosols	Cat. 1	(Flam. Aerosol 1)	H222,H229

Remarks

For full text of H-phrases: see SECTION 16.

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hesse & Voormann Color/Glitter-Hairspray

Version number: 1.0
Revision: 28.04.2015

Date of compilation: 28.04.2015

Hazard statements

H222 Extremely flammable aerosol.
H229 Pressurized container: may burst if heated.

Precautionary statements

P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P305+P351+P338 IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Other hazards






Dispose only empty cans.

SECTION 3: Composition/information on ingredients

Mixtures

Description of the mixture

Gemisch aus nachfolgend angeführten Stoffen mit ungefährlichen Beimengungen.

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms
Butane	CAS No 106-97-8 EC No 203-448-7 REACH Reg. No 01-2119474691-32-xxxx	25 - < 50	Flam. Gas 1 / H220 Press. Gas L / H280	
Propan-2-ol	CAS No 67-63-0 EC No 200-661-7 REACH Reg. No 01-2119457558-25-xxxx	25 - < 50	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	
Propane	CAS No 74-98-6 EC No 200-827-9 REACH Reg. No 01-2119486944-21-xxxx	10 - < 25	Flam. Gas 1 / H220 Press. Gas L / H280	
Isobutane	CAS No 75-28-5 EC No 200-857-2 REACH Reg. No 01-2119485395-27-xxxx	1 - < 5	Flam. Gas 1 / H220 Press. Gas L / H280	
Ethanol	CAS No 64-17-5 EC No 200-578-6 REACH Reg. No 01-2119457610-43-xxxx	1 - < 5	Flam. Liq. 2 / H225	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hesse & Voormann Color/Glitter-Hairspray

Version number: 1.0
Revision: 28.04.2015

Date of compilation: 28.04.2015

For full text of abbreviations: see SECTION 16.

3.5 Ingredients / INCI declaration

BUTANE, ISOPROPYL ALCOHOL, PROPANE, ISOBUTANE, POLYETHYLENE TEREPHTHALATE, POLYBUTYLENE TEREPHTHALATE, ACRYLATES COPOLYMER, ETHYLENE/VA COPOLYMER, POLYVINYL-CAPROLACTAM, PROPYLENE GLYCOL, TRIHYDROXYSTEARIN, (+/- CI 77891, CI 47005, CI 12085, CI 42090, CI 74260, CI 45430, CI 77499, CI 77000, CI 77480, CI 19140, CI 15850, CI 15880, CI 77510).

SECTION 4: First aid measures

Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Not applicable, as aerosol.

Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, BC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture.

5.3 Advice for firefighters

Remove undamaged cans from the danger area. If necessary, cool by spraying with water because of bursting.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hesse & Voormann Color/Glitter-Hairspray

Version number: 1.0
Revision: 28.04.2015

Date of compilation: 28.04.2015

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

• Measures to prevent fire as well as aerosol and dust generation

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Prevent from heating up above 50 °C.

Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Storage class (LGK)

2B.

• Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage. Separate storage required for storage class: 4.1 A, 4.1 B, 4.2, 4.3, 5.1 A, 5.1 B, 5.2, 6.2, 7.

Consideration of other advice

• Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

No further relevant information available.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hesse & Voormann Color/Glitter-Hairspray

Version number: 1.0
Revision: 28.04.2015

Date of compilation: 28.04.2015

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Source
DE	Butane	106-97-8	AGW	1.000	2.400	4.000	9.600	TRGS 900
DE	Ethanol	64-17-5	AGW	500	960	1.000	1.920	TRGS 900
DE	Isobutane	75-28-5	AGW	1.000	2.400	4.000	9.600	TRGS 900
DE	Propane	74-98-6	AGW	1.000	1.800	4.000	7.200	TRGS 900
DE	Propan-2-ol	67-63-0	AGW	200	500	400	1.000	TRGS 900

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

Biological limit values

Country	Name of agent	Parameter	Notation	Identifier	Value	Source
DE	Propan-2-ol	Acetone		BLV	25 mg/l	TRGS 903
DE	Propan-2-ol	Acetone		BLV	25 mg/l	TRGS 903

Relevant DNELs/DMELs/PNECs and other threshold levels

• relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Propan-2-ol	67-63-0	PNEC	2.251 mg/l	Microorganisms	Sewage treatment plant (STP)	Short-term (single instance)
Propan-2-ol	67-63-0	PNEC	140,9 mg/l	Aquatic organisms	Water	Continuous
Ethanol	64-17-5	PNEC	580 mg/l	Microorganisms	Sewage treatment plant (STP)	Short-term (single instance)
Ethanol	64-17-5	PNEC	2,75 mg/l	Aquatic organisms	Water	Continuous

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

By designated use no eye protection necessary. Do not spray in eyes.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hesse & Voormann Color/Glitter-Hairspray

Version number: 1.0
Revision: 28.04.2015

Date of compilation: 28.04.2015

Skin protection

• hand protection

By designated use no hand protection necessary.

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Operate if possible out of doors or in a well-ventilated place. By designated use no protection necessary.

Environmental exposure controls

Use appropriate container to avoid environmental contamination.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state	aerosol (spray aerosol)
Colour	various
Odour	product specific

Other physical and chemical parameters

pH (value)	Not applicable *
Initial boiling point and boiling range	Not applicable, as aerosol.*
Flash point	Not applicable, as aerosol.*
Evaporation rate	not determined
Flammability (solid, gas)	Flammable aerosol in accordance with GHS criteria
Explosive limits	
• lower explosion limit (LEL)	2 vol%
• upper explosion limit (UEL)	15 vol%
Vapour pressure	3,8 bar at 20 °C 6,8 bar at 50 °C
Density	0,64 g/cm ³
Water solubility	soluble
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	287 °C
Viscosity	not relevant (aerosol)
Explosive properties	none
Oxidising properties	none

9.2 Other information

Solvent content	94,3 %
-----------------	--------

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hesse & Voormann Color/Glitter-Hairspray

Version number: 1.0
Revision: 28.04.2015

Date of compilation: 28.04.2015

* The finished mixture in an aerosol container is formed after addition of propellant. Several details are not measurable in an hermetic closed, pressurized container.

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. - Keep away from heat.

Hints to prevent fire or explosion

Protect from sunlight.

Physical stresses which might result in a hazardous situation and have to be avoided

high temperatures

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hesse & Voormann Color/Glitter-Hairspray

Version number: 1.0
Revision: 28.04.2015

Date of compilation: 28.04.2015

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.
Water hazard class - WHC (Wassergefährdungsklasse) (WGK; Germany): nwg (non-hazardous to water)

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Butane	106-97-8	LC50	27,98 mg/l	Fish	96 hours
Butane	106-97-8	EC50	7,71 mg/l	Algae	96 hours
Propan-2-ol	67-63-0	LC50	10.000 mg/l	Fish	96 hours
Propane	74-98-6	LC50	27,98 mg/l	Fish	96 hours
Propane	74-98-6	EC50	7,71 mg/l	Algae	96 hours
Isobutane	75-28-5	LC50	27,98 mg/l	Fish	96 hours
Isobutane	75-28-5	EC50	7,71 mg/l	Algae	96 hours
Ethanol	64-17-5	LC50	14,2 g/l	Fish	96 hours

Aquatic toxicity (chronic)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Propan-2-ol	67-63-0	LC50	>10.000 mg/l	Aquatic invertebrates	24 h
Ethanol	64-17-5	LC50	9.248 mg/l	Aquatic invertebrates	2 d

12.2 Process of degradability

Data are not available.

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
Propan-2-ol	67-63-0	Oxygen depletion	53 %	5 d
Ethanol	64-17-5	Oxygen depletion	74 %	5 d

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Butane	106-97-8		1,09	
Propane	74-98-6		1,09	
Isobutane	75-28-5		1,09	
Ethanol	64-17-5		-0,35	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hesse & Voormann Color/Glitter-Hairspray

Version number: 1.0
Revision: 28.04.2015

Date of compilation: 28.04.2015

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

13.2 Relevant provisions relating to waste

List of wastes

15 01 04 Metallic packaging

15 01 10 Packaging containing residues of or contaminated by dangerous substances

16 05 04 Containing hazardous gases in pressure containers (including halons)

13.3 Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	1950
14.2	UN proper shipping name	AEROSOLS
14.3	Transport hazard class(es)	
	Class	2 (gases)
	Subsidiary risk(s)	flammability
14.4	Packing group	not assigned to a packing group
14.5	Environmental hazards	none (non-environmentally hazardous acc. to the dangerous goods regulations)
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be complied within the premises.	
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
	The cargo is not intended to be carried in bulk.	
14.8	Information for each of the UN Model Regulations	
	• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)	
	UN number	1950
	Proper shipping name	AEROSOLS
	Class	2
	Classification code	5F
	Danger label(s)	2.1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hesse & Voormann Color/Glitter-Hairspray

Version number: 1.0
Revision: 28.04.2015

Date of compilation: 28.04.2015



Special provisions (SP)	190, 327, 344, 625
Excepted quantities (EQ)	E0
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D

• International Maritime Dangerous Goods Code (IMDG)

UN number	1950
Proper shipping name	AEROSOLS
Class	2.1
Danger label(s)	2.1



Special provisions (SP)	63, 190, 277, 327, 344, 959
Excepted quantities (EQ)	E0
Limited quantities (LQ)	1 L
EmS	F-D, S-U

• International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	1950
Proper shipping name	Aerosols, flammable
Class	2.1
Danger label(s)	2.1



Special provisions (SP)	A145, A167
Excepted quantities (EQ)	E0
Limited quantities (LQ)	30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

• Restrictions according to REACH, Annex XVII

None of the ingredients are listed.

• List of substances subject to authorisation (REACH, Annex XIV)

None of the ingredients are listed.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hesse & Voormann Color/Glitter-Hairspray

Version number: 1.0
Revision: 28.04.2015

Date of compilation: 28.04.2015

• Directive 75/324/EEC relating to aerosol dispensers

Classification of the gas/aerosol Extremely flammable

Labelling Pressurized container: may burst if heated
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Do not pierce or burn, even after use
Protect from sunlight. Do not expose to temperatures exceeding 50 °C

• Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOC content 93,87 %
604 g/l

• Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content 76,97 %

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

None of the ingredients are listed.

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

None of the ingredients are listed.

National regulations (Germany)

• Administrative Regulation on Substances Hazardous to Water (VwVwS)

Wassergefährdungsklasse (WGK): nwg (non-hazardous to water) - classification acc. to annex 3 (VwVwS)

• Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concentration	Notation
Acc. to 5.2.5	Organic substances		≥ 25 Gew.-%	0,5 kg/h	50 mg/m ³	3)

Notation

3) A total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)

• Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK): 2 B (aerosol dispensers and lighters)

National regulations (Switzerland)

Ordinance on the incentive tax on volatile organic compounds (VOCV)

VOC content (object of taxation):

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hesse & Voormann Color/Glitter-Hairspray

Version number: 1.0
Revision: 28.04.2015

Date of compilation: 28.04.2015

SECTION 16: Other information

Abbreviations and acronyms

ADN.	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways).
ADR.	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road).
BCF.	BioConcentration Factor.
BOD.	Biochemical Oxygen Demand.
CAS.	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances).
CLP.	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
CMR.	Carcinogenic, Mutagenic or toxic for Reproduction.
COD.	Chemical oxygen demand.
DMEL.	Derived Minimal Effect Level.
DNEL.	Derived No-Effect Level.
EC No.	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union).
EmS.	Emergency Schedule.
Eye Dam.	Seriously damaging to the eye.
Eye Irrit.	Irritant to the eye.
Flam. Gas.	Flammable gas.
Flam. Liq.	Flammable liquid.
GHS.	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations.
IATA/DGR.	Dangerous Goods Regulations (DGR) for the air transport (IATA).
ICAO.	International Civil Aviation Organization.
IMDG.	International Maritime Dangerous Goods Code.
LGK.	Lagerklasse (storage class according to TRGS 510, Germany).
Log KOW.	N-octanol/water.
MARPOL.	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant").
PBT.	Persistent, Bioaccumulative and Toxic.
PNEC.	Predicted No-Effect Concentration.
Ppm.	Parts per million.
Press. Gas.	Gas under pressure.
REACH.	Registration, Evaluation, Authorisation and Restriction of Chemicals.
RID.	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail).
STOT SE.	Specific target organ toxicity - single exposure.
TRGS.	Technische Regeln für GefahrStoffe (technical rules for hazardous substances, Germany).
TRGS 900.	Arbeitsplatzgrenzwerte (TRGS 900).
TRGS 903.	Biologische Grenzwerte (TRGS 903).
VOC.	Volatile Organic Compounds.
VPvB.	Very Persistent and very Bioaccumulative.

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 453/2010/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

H220.	Extremely flammable gas.
H222.	Extremely flammable aerosol.
H225.	Highly flammable liquid and vapour.
H229.	Pressurized container: may burst if heated.
H280.	Contains gas under pressure; may explode if heated.
H319.	Causes serious eye irritation.
H336.	May cause drowsiness or dizziness.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hesse & Voormann Color/Glitter-Hairspray

Version number: 1.0
Revision: 28.04.2015

Date of compilation: 28.04.2015

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.