

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.06.2015

Version number 93

Revision: 16.06.2015

*** SECTION 1: Identification of the substance/mixture and of the company/legal entity**

- **1.1 Product identifier**
- **Trade name** *tesa All Purpose Glue*
- **Article number:** *tesa 8652, tesa 8653, tesa 8655, tesa 8658, tesa 8659
tesa 57007, tesa 57012, tesa 57013, tesa 57015, tesa 57016
tesa 57507 tesa 57852 tesa 57586*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** *No further relevant information available.*
- **Application of the substance / the mixture** *Adhesives*
- **Manufacturer/Supplier:** *tesa SE Tel.: +49-40-4909-101
Quickbornstrasse 24
D-20253 Hamburg
Germany*
- **Informing department:** *tesa SE, quality management/environment/occupational safety, Dr. Dirk Lamm
Dirk.Lamm@tesa.com, Tel.: +49-40-4909-2977
tesa SE, quality management/environment/occupational safety, Dr. Anja Koeth
Anja.Koeth@tesa.com, Tel.: +49-40-4909-3938*
- **1.4 Emergency telephone number:** *tesa SE, Quickbornstr. 24, D-20253 Hamburg
Security Center Quickbornstr. Phone +49-40-4909-2442
or +49-40-4909-101*

*** SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
- **Hazard pictograms**

The product is classified and labelled according to the CLP regulation.



GHS02 GHS07

- **Signal word** *Danger*
- **Hazard-determining components of labelling:** *acetone*
- **Hazard statements** *H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.*

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.06.2015

Version number 93

Revision: 16.06.2015

Trade name tesa All Purpose Glue

(Contd. of page 1)




- **Precautionary statements**
 - P101 *If medical advice is needed, have product container or label at hand.*
 - P102 *Keep out of reach of children.*
 - P103 *Read label before use.*
 - P210 *Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*
 - P241 *Use explosion-proof electrical/ventilating/lighting/equipment.*
 - P303+P361+P353 *IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*
 - P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
 - P405 *Store locked up.*
 - P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **2.3 Other hazards** *The preparation contains no eluable organic halogene compounds, which increases the AOX values*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not classified*
- **vPvB:** *Not classified*

*** SECTION 3: Composition/information on ingredients**

· **3.2 Chemical characterisation: Mixtures**

- **Description:** *Solution of Polyvinylacetate in:
Solution of Polyvinylacetate*

· **Dangerous components:**

CAS: 67-64-1 EINECS: 200-662-2	acetone	 <i>Flam. Liq. 2, H225</i>  <i>Eye Irrit. 2, H319; STOT SE 3, H336</i>	< 50.0%
CAS: 64-17-5 EINECS: 200-578-6	ethanol	 <i>Flam. Liq. 2, H225</i>	< 25.0%

- **SVHC** *Free of any SVHC substances or < 0.1 %*
- **Regulation (EC) No 648/2004 on detergents / Labelling for contents** *not applicable*
- **Additional information** *For the wording of the listed risk phrases refer to section 16.*

*** SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

- **After inhalation** *Supply fresh air; consult physician in case of symptoms.*
- **After skin contact** *The product is not skin irritating.
Rinse with warm water.*
- **After eye contact** *Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.*
- **After swallowing** *In case of persistent symptoms consult physician.*
- **4.2 Most important symptoms and effects, both acute and delayed** *Dazedness*
- **Danger** *Condition may deteriorate with alcohol consumption.*
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.06.2015

Version number 93

Revision: 16.06.2015


Trade name *tesa All Purpose Glue*

(Contd. of page 2)



*** SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** *CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.*
- **5.2 Special hazards arising from the substance or mixture** *Can be released in case of fire:
Nitrogen oxide (NO_x)
Carbon monoxide (CO)*
- **5.3 Advice for firefighters**
- **Protective equipment:** *Do not inhale explosion gases or combustion gases.
Put on breathing apparatus.*

*** SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** *Ensure adequate ventilation
Wear protective equipment. Keep unprotected persons away.*
- **6.2 Environmental precautions:**  *Prevent material from reaching sewage system, holes and cellars.
Dilute with much water.*
- **6.3 Methods and material for containment and cleaning up:** *Apply absorbing material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.*
- **6.4 Reference to other sections** *See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.*

*** SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** *Ensure that suitable extractors are available on processing machines*
- **Information about protection against explosions and fires:**  *Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.*
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** *Store in cool location.*
- **Information about storage in one common storage facility:** *Not required.*
- **Further information about storage conditions:**  *Storing flammable liquids the National regulations have to be fulfilled!
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.*

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.06.2015

Version number 93

Revision: 16.06.2015

Trade name *tesa All Purpose Glue*

(Contd. of page 3)

· 7.3 *Specific end use(s)* *No further relevant information available.*

*** SECTION 8: Exposure controls/personal protection**

· *Additional information about design of technical systems:* *No further data; see item 7.*

· 8.1 *Control parameters*

· <i>Components with critical values that require monitoring at the workplace:</i>	
67-64-1 acetone	
<i>WEL</i>	<i>Short-term value: 3620 mg/m³, 1500 ppm</i> <i>Long-term value: 1210 mg/m³, 500 ppm</i>
64-17-5 ethanol	
<i>WEL</i>	<i>Long-term value: 1920 mg/m³, 1000 ppm</i>

· *Additional information:* *The lists that were valid during the compilation were used as basis.*

· 8.2 *Exposure controls*

· *Personal protective equipment*

· *General protective and hygienic measures*

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any contaminated garments.

Wash hands before breaks and at the end of the work.

Avoid contact with the eyes.

· *Breathing equipment:*

Use respiratory protection in case of insufficient ventilation.

· *Eye protection:*

Safety glasses recommended during refilling.

· *Body protection:*

Protective work clothing.

*** SECTION 9: Physical and chemical properties**

· 9.1 *Information on basic physical and chemical properties*

· *General Information*

· *Appearance:*

Form: *Liquid*

Colour: *Transparent*

· *Smell:* *Acetone-like*

· *Change in condition*

Melting point/Melting range: *Not determined*

Boiling point/Boiling range: *55 °C*

· *Flash point:* *-19 °C*

· *Ignition temperature:* *425 °C*

· *Self-inflammability:* *Product is not selfigniting.*

· *Danger of explosion:* *Product is not explosive. However, formation of explosive air/steam mixtures is possible.*

· *Critical values for explosion:*

Lower: *2.6 Vol %*

Upper: *15.0 Vol %*

· *Steam pressure at 20 °C:* *247 hPa*

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.06.2015

Version number 93

Revision: 16.06.2015

Trade name *tesa All Purpose Glue*

(Contd. of page 4)

· Density at 20 °C	0.91 g/cm ³
· Solubility in / Miscibility with Water:	Soluble
· Viscosity: dynamic at 20 °C: kinematic:	6000 mPas Not determined.
· Solvent content: Organic solvents: Water:	62.5 % 5.0 %
· Solids content:	25.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

*** SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity**
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

*** SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.06.2015

Version number 93

Revision: 16.06.2015

Trade name *tesa All Purpose Glue*

(Contd. of page 5)

· According to recipe contains the following heavy metals and compounds according to EC guideline NO. 76/464 EC:

Free of heavy metals (Pb, Cd, Hg, Cr6+)

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 12.5 Results of PBT and vPvB assessment

· PBT:

Not applicable.

· vPvB:

Not applicable.

· 12.6 Other adverse effects

No further relevant information available.

*** SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue (recommendation)	
08 04 09*	waste adhesives and sealants containing organic solvents or other dangerous substances

· Additional information about the European waste catalogue:

The assignment of a waste key number according to EC Decision 2000/532/EC in connection with EU Directive 75/442/EC has to follow specific industry requirements. The above mentioned classification is only one possible proposal.

· Uncleaned packagings:


· Recommendation:

Disposal according to official regulations.
empty bottle totaly

· Recommended cleaning agent:

Water, if necessary with cleaning agent.
Acetone
iso-Propanole
Ethanole

*** SECTION 14: Transport information**

· 14.1 UN-Number	
· ADR, IMDG, IATA	UN1133
· 14.2 UN proper shipping name	
· ADR	1133 ADHESIVES, (vapour pressure at 50 °C not more than 110 kPa)
· IMDG, IATA	ADHESIVES
· 14.3 Transport hazard class(es)	
· ADR	
	
· Class	3 (F1) Flammable liquids.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31


Printing date 16.06.2015

Version number 93

Revision: 16.06.2015

Trade name *tesa All Purpose Glue*

(Contd. of page 6)

· Label	3
· IMDG, IATA	
	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group	
· ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	
· Page:	Warning: Flammable liquids.
· EMS Number:	33
	F-E,S-D
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	
	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN1133, ADHESIVES, (vapour pressure at 50 °C not more than 110 kPa), 3, II

*** SECTION 15: Regulatory information**

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I**

None of the ingredients is listed.

· **National regulations**

· **Technical instructions (air):**

Class	Share in %
III	62.7

· **Water hazard class:**

Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.06.2015

Version number 93

Revision: 16.06.2015

Trade name tesa All Purpose Glue

(Contd. of page 7)

*** SECTION 16: Other information**

This data is based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 - H225 Highly flammable liquid and vapour.*
 - H319 Causes serious eye irritation.*
 - H336 May cause drowsiness or dizziness.*

 - **Department issuing data specification sheet:**
 - tesa SE, Quality Management/Environment/Safety*
 - **Contact:**
 - tesa SE: Dr. D. Lamm, Phone: +49-40-4909-2977, Email: dirk.lamm@tesa.com*
 - tesa SE: Dr. A. Koeth, Phone: +49-40-4909-3938, Email: anja.koeth@tesa.com*
 - **Abbreviations and acronyms:**
 - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*
 - IMDG: International Maritime Code for Dangerous Goods*
 - IATA: International Air Transport Association*
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals*
 - EINECS: European Inventory of Existing Commercial Chemical Substances*
 - ELINCS: European List of Notified Chemical Substances*
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)*
 - Flam. Liq. 2: Flammable liquids, Hazard Category 2*
 - Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2*
 - STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3*

 - *** Data compared to the previous version altered.**
-