

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.06.2015

Version number 68

Revision: 16.06.2015

*** SECTION 1: Identification of the substance/mixture and of the company/legal entity**

· 1.1 Product identifier

· Trade name *tesa 57040 instant glue liquid*
 · CAS Number: 7085-85-0
 · EC number: 230-391-5
 · Index number: 607-236-00-9

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Adhesives

· Manufacturer/Supplier:

tesa SE
 Quickbornstrasse 24
 D-20253 Hamburg
 Germany

Tel.: +49-40-4909-101

· Informing department:

tesa SE, quality management/environment/occupational safety, Dr. Dirk Lamm
 Dirk.Lamm@tesa.com, Tel.: +49-40-4909-2977
 tesa SE, quality management/environment/occupational safety, Dr. Anja Koeth
 Anja.Koeth@tesa.com, Tel.: +49-40-4909-3938

· 1.4 Emergency telephone number:

tesa SE, Quickbornstr. 24, D-20253 Hamburg
 Security Center Quickbornstr. Phone +49-40-4909-2442
 or +49-40-4909-101

*** SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008




Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



R36/37/38: Irritating to eyes, respiratory system and skin.

· Information concerning particular

hazards for human and environment: Warning! Cyanoacrylate bonds skin within seconds. This adhesive gives a virtually immediate, strong bond. Irritant to eyes and respiratory tract especially under conditions of low relative humidity (< 50% r.H.). Prolonged and repeated skin contact or inhalation of vapours may cause sensitization and allergic reactions on a small percentage of individuals.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

· Signal word

Warning

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.06.2015

Version number 68

Revision: 16.06.2015

Trade name tesa 57040 instant glue liquid

(Contd. of page 1)

- **Hazard-determining components of labelling:** ethyl 2-cyanoacrylate
- **Hazard statements**
 - H315 Causes skin irritation.
 - H319 Causes serious eye irritation.
 - H335 May cause respiratory irritation.
- **Precautionary statements**
 - P101 If medical advice is needed, have product container or label at hand.
 - P102 Keep out of reach of children.
 - P103 Read label before use.
 - P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 - P280 Wear protective gloves/protective clothing/eye protection/face protection.
 - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P321 Specific treatment (see on this label).
 - P405 Store locked up.
 - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:** Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
- **2.3 Other hazards** The preparation contains no eluable organic halogene compounds, which increases the AOX values
- **Results of PBT and vPvB assessment**
- **PBT:** Not classified
- **vPvB:** Not classified

SECTION 3: Composition/information on ingredients

- **3.1 Chemical characterisation: Substances**
- **CAS No. Designation:** 7085-85-0 ethyl 2-cyanoacrylate
- **Identification number(s):**
- **EC number:** 230-391-5
- **Index number:** 607-236-00-9

* SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** In case of bonding tissues or eyes calm affected person. Avoid any forced separation for example with a cutting knife. Don't rub bonded eyes. Even without treatment cyanoacrylate based adhesive can be peeled of from skin, eyes or mouth due to the influence of wetness, humidity of skin, sweat, tears and spittle.
- **After inhalation** At room temperature, the preparation is low volatile. The vapor pressure is < 1mbar. At normal use an exposition by inhalation is not likely. In case of unconsciousness bring patient into stable position for transport.
- **After skin contact** In case of skin contact, soak the bonded area in warm, soapy water for several minutes. Afterwards treat the skin with fatty or oily protecting cream. Cured adhesive can be removed from the skin within about one day. Bonded skin surfaces can be separated relatively easily by soaking in warm, soapy water for several minutes. Then gently try peeling the bond. Alternatively, a dull instrument such as a pencil or a dull and pointless table knife can be forced carefully through the bond. Instantly wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.06.2015

Version number 68

Revision: 16.06.2015

Trade name *tesa 57040 instant glue liquid*

(Contd. of page 2)

- **After eye contact** *Immediately flush the eyes with water and seek for medical aid.
Allow the eye to remain closed and the bond to separate naturally (supported by tear production), what generally will occurs within a few hours.
Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.*
- **After swallowing** *Unlikely, because rapid hardening (polymerisation) of the adhesive will already take place in contact with spittle in the mouth.*
- **4.2 Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **Information for occupational physician.** *In case of bonded skin, do not separate surgical.*
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

*** SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** *CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.*
- **5.2 Special hazards arising from the substance or mixture** *Can be released in case of fire:
Nitrogen oxide (NO_x)
Carbon monoxide (CO)
Hydrogen cyanide (HCN)*
- **5.3 Advice for firefighters**
- **Protective equipment:** *Put on breathing apparatus.
Do not inhale explosion gases or combustion gases.*
- **Additional information** *Collect contaminated fire fighting water separately. It must not enter drains.*

*** SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** *Not required.*
- **6.2 Environmental precautions:** *No special measures required.*
- **6.3 Methods and material for containment and cleaning up:** *Apply absorbing material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.*
- **6.4 Reference to other sections** *See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.*

*** SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** *Store in cool, dry place in tightly closed containers.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Not cured rests of the adhesive can be removed with acetone.*
- **Information about protection against explosions and fires:** *No special measures required.*

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.06.2015

Version number 68

Revision: 16.06.2015

Trade name tesa 57040 instant glue liquid

(Contd. of page 3)

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and containers:**

No special requirements.

· **Information about storage in one common storage facility:**

Store away from oxidising agents.

· **Further information about storage conditions:**

Protect from humidity and keep away from water.

Keep container tightly sealed.



Storing flammable liquids the National regulations have to be fulfilled!

· **7.3 Specific end use(s)**

No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **Additional information about design of technical systems:**

No further data; see item 7.

· **8.1 Control parameters**

· **Components with critical values that require monitoring at the workplace:**

7085-85-0 ethyl 2-cyanoacrylate

WEL Short-term value: 1.5 mg/m³, 0.3 ppm

· **Additional information:**

The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any contaminated garments.

Wash hands before breaks and at the end of the work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**



In case of short term exposure use respiratory protection. In case of intensive or longer exposure use respiratory protection equipment independent from ambient air.

· **Protection of hands:**



Protective gloves.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Eye protection:**



Safety glasses

· **Body protection:**

Void

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.06.2015

Version number 68

Revision: 16.06.2015

Trade name tesa 57040 instant glue liquid

(Contd. of page 4)

* SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties	
· General Information	
· Appearance:	
Form:	Viscous
Colour:	Clear
· Smell:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	60/3.99 mbar °C
· Flash point:	Not applicable
· Inflammability (solid, gaseous)	Not applicable.
· Ignition temperature:	
Decomposition temperature:	265 °C
· Self-inflammability:	Not determined.
· Danger of explosion:	Product is not explosive.
· Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
· Steam pressure:	Not determined.
· Density at 20 °C	1.04 g/cm ³ Not determined
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
Organic solvents:	0.0 %
Solids content:	100.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions: Exothermic polymerisation
- 10.4 Conditions to avoid: No further relevant information available.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.06.2015

Version number 68

Revision: 16.06.2015

Trade name *tesa 57040 instant glue liquid*

(Contd. of page 5)

- **10.5 Incompatible materials:** *Alkalien, Wasser*
- **10.6 Hazardous decomposition products:** *Hydrogen cyanide (prussic acid)*

SECTION 11: Toxicological information


- **11.1 Information on toxicological effects**
- **Acute toxicity**
- **Primary irritant effect:**
- **Skin corrosion/irritation** *Causes skin irritation.*
- **Serious eye damage/irritation** *Causes serious eye irritation.*
- **Respiratory or skin sensitisation** *Based on available data, the classification criteria are not met.*
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** *Based on available data, the classification criteria are not met.*
- **Carcinogenicity** *Based on available data, the classification criteria are not met.*
- **Reproductive toxicity** *Based on available data, the classification criteria are not met.*
- **STOT-single exposure** *May cause respiratory irritation.*
- **STOT-repeated exposure** *Based on available data, the classification criteria are not met.*
- **Aspiration hazard** *Based on available data, the classification criteria are not met.*

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **12.2 Persistence and degradability** *No further relevant information available.*
- **12.3 Bioaccumulative potential** *No further relevant information available.*
- **12.4 Mobility in soil** *No further relevant information available.*
- **Additional ecological information:**
- **According to recipe contains the following heavy metals and compounds according to EC guideline NO. 76/464 EC:** *Free of heavy metals (Pb, Cd, Hg, Cr6+)*
- **General notes:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.*
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **12.6 Other adverse effects** *No further relevant information available.*

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

This product can be polymerized with alkalies or water and can be disposed as an un toxic solid substance.

European waste catalogue (recommendation)

08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.06.2015

Version number 68

Revision: 16.06.2015

Trade name *tesa 57040 instant glue liquid*

(Contd. of page 6)

· **Additional information about the European waste catalogue:**

The assignment of a waste key number according to EC Decision 2000/532/EC in connection with EU Directive 75/442/EC has to follow specific industry requirements. The above mentioned classification is only one possible proposal.

· **Uncleaned packagings:**

· **Recommendation:**

Disposal according to official regulations.

*** SECTION 14: Transport information**

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	<i>Void</i>
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	<i>Void</i>
· 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class	<i>Void</i>
· 14.4 Packing group · ADR, IMDG, IATA	<i>Void</i>
· 14.5 Environmental hazards: · Marine pollutant:	<i>No</i>
· 14.6 Special precautions for user	<i>Not applicable.</i>
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	<i>Not applicable.</i>
· Transport/Additional information:	<i>Not dangerous according to the above mentioned specifications.</i>
· UN "Model Regulation":	<i>-</i>

*** SECTION 15: Regulatory information**

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I**

Substance is not listed.

· **National regulations**

· **Additional classification according to Decree on Hazardous Materials, Annex III:**

*'Cyanoacrylate! Danger!
Bonds skin and eyes in seconds
Keep out of the reach of children'.*

· **Water hazard class:**

Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

*** SECTION 16: Other information**

This data is based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing data specification sheet:**

tesa SE, Quality Management/Environment/Safety

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.06.2015

Version number 68

Revision: 16.06.2015

Trade name tesa 57040 instant glue liquid

(Contd. of page 7)

· Contact:*tesa SE: Dr. D. Lamm, Phone: +49-40-4909-2977, Email: dirk.lamm@tesa.com**tesa SE: Dr. A. Koeth, Phone: +49-40-4909-3938, Email: anja.koeth@tesa.com***· Abbreviations and acronyms:***RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)**ICAO: International Civil Aviation Organisation**ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2**Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2**STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3***· * Data compared to the previous version altered.**