

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(revised by Regulation (EC) No. 453/2010)



Print Date: 14.09.2017  
Revision: 14.09.2017  
Replaced Version: 04.05.2015

Product: **SOLO GOYA Drying paste**

---

## 1. IDENTIFICATION OF SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### 1.1 Identification of the substance/preparation

Trade name	SOLO GOYA Drying paste
Article No.	35514, 35515
Package size	55 ml, 250 ml
Substance name	-
INDEX No.	-
EG No.	-
CAS No.	-
REACH Registration No.	-

### 1.2 Use of the substance/preparation

For knife painting using artists' oil colors that you want to dry quickly and evenly. The paste accelerates the drying process. For artists and hobby user.

### 1.3 Manufacturer/Supplier

	C. Kreul GmbH & Co. KG
	Carl-Kreul-Straße 2
	D-91352 Hallerndorf
Fon	0049 9545-925-0
Fax	0049 9545-925-511
E-Mail	info@c-kreul.de
Web	<a href="http://www.c-kreul.de">www.c-kreul.de</a>

#### Information provided by

F&E	Bettina Treiber	<a href="mailto:b.treiber@c-kreul.de">b.treiber@c-kreul.de</a>
-----	-----------------	--

### 1.4 Emergency information

Fon	+49 (0) 9545 925-0
Fax	+49 (0) 9545 925-511

(Monday – Thursday 8.00 – 17.00; Friday 8.00 – 15.00)

---

## 2. HAZARD IDENTIFICATION

### 2.1 Classification of the substance/preparation

**Classification according to Regulation (EC) 1272/2008**  
Aquatic Chronic 2 H411

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(revised by Regulation (EC) No. 453/2010)



Print Date: 14.09.2017  
Revision: 14.09.2017  
Replaced Version: 04.05.2015

Product: **SOLO GOYA Drying paste**

---

## 2.2 Labelling according to Regulation (EC) 1272/2008 Hazard pictogram and signal word of the product



### Hazard-determining components of labelling

-

### Hazard statements

H411 Toxic to aquatic life with long lasting effects.

### European hazard statements

EUH208 Contains Cobalt bis(2-ethylhexanoate). May produce an allergic reaction.

### Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container to hazardous or special waste collection point.

## 2.3 Other Hazards

None.

Results of PBT and vPvB assessment: Not applicable.

---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Chemical characterization

Preparation based on linseed oil and additive.

### 3.1 Substance related information

#### Main component

-

INDEX No. -

EG No. -

CAS No. -

REACH Registration No.: -

Classification according to Regulation (EC) 1272/2008: -

#### Hazard impurities

-

INDEX No. -

EG No. -

CAS No. -

REACH Registration No.: -

Classification according to Regulation (EC) 1272/2008: -

\*minimum classification

---

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(revised by Regulation (EC) No. 453/2010)



Print Date: 14.09.2017  
Revision: 14.09.2017  
Replaced Version: 04.05.2015

Product: **SOLO GOYA Drying paste**

.....

## 3.2 Preparation/mixture related information

**5 - 10 % Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, Aromates (< 2%)**

INDEX No. 649-327-00-6  
EG No. 265-150-3  
CAS No. 64742-48-9  
REACH Registration No.: 01-2119457273-39-XXXX

Classification according to Regulation (EC) 1272/2008: Asp. Tox. 1 H304; EUH066

**< 3 % Barium bis(2-ethylhexanoate)**

INDEX No. 056-002-00-7  
EG No. 219-535-8  
CAS No. 2457-01-4  
REACH Registration No.: -

Classification according to Regulation (EC) 1272/2008: Acute Tox. 4 \* H302; Acute Tox. 4 \* H332

**< 3 % Zirconium salt of 2-ethylhexanoic acid**

INDEX No. -  
EG No. 245-018-1  
CAS No. 22464-99-9  
REACH Registration No.: 01-2119979088-21-XXXX

Classification according to Regulation (EC) 1272/2008: Repr. 2 H361d

**< 1 % Cobalt bis(2-ethylhexanoate)**

INDEX No. -  
EG No. 205-250-6  
CAS No. 136-52-7  
REACH Registration No.: 01-2119524678-29-XXXX

Classification according to Regulation (EC) 1272/2008: Repr. 2 H361f; Skin Sens. 1 H317; Eye Irrit. 2 H319; Aquatic Acute 1 H400; Aquatic Chron. 1 H410

Full text of H- and EUH-phrases: see section 16.

---

## 4. FIRST AID MEASURES

### 4.1 General information

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

#### After inhalation

Remove to fresh air, keep patient warm and at rest. In case of unwellness, seek medical advice (show directions for use or safety data sheet if possible).

.....

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(revised by Regulation (EC) No. 453/2010)



Print Date: 14.09.2017  
Revision: 14.09.2017  
Replaced Version: 04.05.2015

Product: **SOLO GOYA Drying paste**

---

## **After skin contact**

In case of skin reactions, consult a physician. After contact with skin, wash with plenty of water and soap. Do NOT use solvents or thinners.

## **After eye contact**

Remove contact lens. Irrigate copiously with clean, fresh water for at least 10 - 15 minutes, holding the eyelids apart and seek medical advice.

## **After ingestion**

If swallowed immediately drink: water. Do NOT induce vomiting. In case of unwellness, seek medical advice (show directions for use or safety data sheet if possible). During spontaneous vomiting hold the head of the casualty low with the body in a prone position in order to avoid aspiration.

## **4.2 The most important acute and delayed appearing symptoms and effects**

No known symptoms to date. See part 11.

## **4.3 References to medical emergency relief or special treatment**

Further instructions see section 4.1

---

## **5. FIRE-FIGHTING MEASURES**

### **5.1 Extinguishing media**

Suitable extinguishing media: Foam, water spray and carbon dioxide.  
Extinguishing media which must not be used for safety reasons: Full water jet.

### **5.2 Special risk posed by the substance or by the actual preparation, its combustion products or gases discharged**

When product exposed to high temperatures it may produce hazardous decomposition products such as carbon monoxide and carbon dioxide, smoke and other hazards components.

### **5.3 Special protective equipment**

In case of fire: Wear self-contained breathing apparatus. Use water spray jet to protect personnel and to cool endangered containers. Do not allow the quenching water into the sewage system. Dispose fire debris and contaminated fire fighting water in accordance with official regulations.

### **5.4 Additional information**

Self-ignition, i.e. caused by moistened cleaning-rags, is possible (auto oxidation). Controlled burning of cleaning-rags or wide spread drying. Less inflammable – avoid open fire. Compare section 3, 7, 8 and 10.

---

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(revised by Regulation (EC) No. 453/2010)



Print Date: 14.09.2017  
Revision: 14.09.2017  
Replaced Version: 04.05.2015

Product: **SOLO GOYA Drying paste**

.....

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions

Special danger of slipping by leaking/spilling product.

### 6.2 Environmental precautions

Take up with a liquid absorbing material and proceed according to the waste disposal regulations. Do not empty into drains or watercourses. Further instructions see section 6.3.

### 6.3 Methods for cleaning up/collecting

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent; avoid use of solvents. Further instructions see part 10.

### 6.4 Additional information

Further instructions see section 7, 8 and 10.

---

## 7. HANDLING AND STORAGE

### 7.1 Information for safe handling

Avoid eye contact. Avoid inhalation of vapour and spray mist. Smoking, eating and drinking should be prohibited in application area. See protective measures under point 8.

#### Precautions against fire and explosion

Self-ignition, i.e. caused by moistened cleaning-rags, is possible (auto oxidation). Controlled burning of cleaning-rags or wide spread drying. Less inflammable – avoid open fire. Further instructions see 7.1.

### 7.2 Conditions for safe storage, including incompatibilities

#### Information about storage conditions

Store between 5 and 30 °C in a dry, well-ventilated place away from sources of heat and direct sunlight. Protect against: frost.

#### Hints on joint storage

Only substances of the same storage class should be stored together. Keep away from oxidizing agents, from strongly alkaline and strongly acid materials. The substance should not be stored with substances with which hazardous chemical reactions are possible.

#### Requirement for storage rooms and vessels

Store between 5 and 30 °C in a dry, well-ventilated place away from sources of heat and direct sunlight. Keep container tightly closed. Observe label precautions.

#### Additional information

Storage class (VCI): 12 Non-combustible liquids

### 7.3 Specific uses

.....

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(revised by Regulation (EC) No. 453/2010)



Print Date: 14.09.2017  
Revision: 14.09.2017  
Replaced Version: 04.05.2015

Product: **SOLO GOYA Drying paste**

.....

See section 1.2.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Components with critical values that require monitoring at the workplace (exposure limits)

#### Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, Aromates (< 2%) ; CAS No. 64742-48-9

Specification: AGW  
Value: 100 ml/m<sup>3</sup> (ppm)  
Peak limitation: -  
Toxic to reproduction: -  
Remark: Hydrocarbon mixture

#### Barium compound; CAS No. -

Specification: AGW  
Value: 0,5 E mg/m<sup>3</sup>  
Peak limitation: 1 (I)  
Toxic to reproduction: -  
Remark: EU

#### Zirconium and aqueous compound; CAS No. 7440-67-7

Specification: AGW  
Value: 1 E mg/m<sup>3</sup>  
Peak limitation: 1 (I)  
Toxic to reproduction: -  
Remark: DFG, Sah

#### DNEL/DMEL-Values

##### Cobalt bis(2-ethylhexanoate); CAS No. 136-52-7

Oral	DNEL long-term exposure – systemic effects	55,8 mg/kg	(general population)
Inhalativ	DNEL long-term exposure – systemic effects	37 mg/m <sup>3</sup>	(general population)
		235,1 mg/m <sup>3</sup>	(worker)

##### Zirconium and aqueous compound; CAS No. 7440-67-7

Oral	DNEL long-term exposure – systemic effects	4,51 mg/kg	(general population)
Dermal	DNEL long-term exposure – systemic effects	3,25mg/kg bw/d	(general population)
		6,49 mg/kg bw/d	(worker)
Inhalativ	DNEL long-term exposure – systemic effects	8,13 mg/m <sup>3</sup>	(general population)
		32,97 mg/m <sup>3</sup>	(worker)

#### PNEC-Values

No data available.

.....

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(revised by Regulation (EC) No. 453/2010)



Print Date: 14.09.2017  
Revision: 14.09.2017  
Replaced Version: 04.05.2015

Product: **SOLO GOYA Drying paste**

---

## 8.2 Occupational exposure controls

Technical measures and the application of suitable working methods have precedence before the application of personal protective equipment. Suitable judgement methods of the examination of the effectiveness of the grievied preventive measures enclose measuring-technical and non-technical inquiry methods like they in the technical rules for danger materials (TRGS) 402.

### Personal protective equipment

Do not eat or drink during work. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Avoid contact with eyes. Remove soiled or soaked clothing immediately.

### Respiratory protection

Provide good ventilation when handling large quantities.

### Skin protection

Avoid contact with skin. Use rubber gloves.

### Eye protection

Avoid contact with eyes. Use safety glasses according to EN 166:2001.

### Body protection

No special measures necessary.

### Limitation and supervision of the environmental exposition

See section 6 and 7.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 General information

**Form:** paste  
**Colour:** white  
**Odour:** characteristic

### 9.2 Relevant safety data

<b>Flashpoint:</b>	not determined	DIN EN 22719
<b>Viscosity:</b>	not determined	
<b>Density: (20 °C)</b>	approx.. 1,04 g/cm <sup>3</sup>	DIN 53217
<b>Explosive limits:</b>		
Lower / Upper:	not applicable	
<b>Ignition temperature:</b>	not applicable	
<b>Vapour pressure:</b>	not determined	(20 °C)
<b>pH-value:</b>	not applicable	
<b>Solubility in water:</b>	insoluble	

### 9.3 Additional information

No other physical-chemical data available.

---

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(revised by Regulation (EC) No. 453/2010)



Print Date: 14.09.2017  
Revision: 14.09.2017  
Replaced Version: 04.05.2015

Product: **SOLO GOYA Drying paste**

---

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions. See section 7.

### 10.2 Chemical stability

If handled properly then product has chemical stability.

### 10.3 Possible dangerous reactions

Self-ignition, i.e. caused by moistened cleaning-rags, is possible (auto oxidation). Controlled burning of cleaning-rags or wide spread drying. Less inflammable – avoid open fire. Further instructions see section 10.1 and 10.2.

### 10.4 Conditions to avoid

Keep cool. Protect from sunlight.

### 10.5 Incompatible materials

See section 10.1.

### 10.6 Hazardous decomposition products

When product exposed to high temperatures, it may produce hazardous decomposition products such as carbon monoxide and carbon dioxide, smoke and other hazardous components.

---

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

**Linseed oil; CAS No. 8001-26-1**

LD<sub>50, oral, rat</sub> =< 4763 mg/kg (Supplier information.)

Remark: -

#### Primary irritant effect

##### after inhalation

There are no data available on the preparation itself.

##### on the skin

Frequent contact can lead to skin irritation, especially if product is allowed to dry out.

##### on the eyes

The liquid splashed in the eyes may cause irritation and reversible damage.

##### after ingestion

There are no data available on the preparation itself.

---



# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(revised by Regulation (EC) No. 453/2010)



Print Date: 14.09.2017  
Revision: 14.09.2017  
Replaced Version: 04.05.2015

Product: **SOLO GOYA Drying paste**

---

## **Sensitization**

No sensitizing effects known.

## **Chronic**

There are no data available on the preparation itself.

## **11.2 Additional toxicological information**

The product is classified according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

---

## **12. ECOLOGICAL INFORMATION**

### **12.1 Ecotoxicity**

Toxic to aquatic life with long lasting effects.

#### **Linseed oil; CAS No. 8001-26-1**

LC<sub>50, fish, 96h</sub> > 1000 mg/l (Supplier information.)

Remark: -

### **12.2 Persistence/degradability**

There are no data available.

### **12.3 Bioaccumulative potential**

There are no data available.

### **12.4 Mobility**

There are no data available.

### **12.5 Results of PBT and vPvP assessment**

There are no data available.

### **12.6 Other adverse effects**

There are no data available.

### **12.7 Further ecological information**

Do not discharge into the drains/surface waters/groundwater.

Water hazard class: WGK 2 hazardous to water (according VwVwS)

---

## **13. DISPOSAL CONSIDERATIONS**

### **13.1 Waste treatment methods**

Send to a hazardous waste incinerator facility under observation of official regulations. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

---

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(revised by Regulation (EC) No. 453/2010)



Print Date: 14.09.2017  
Revision: 14.09.2017  
Replaced Version: 04.05.2015

Product: **SOLO GOYA Drying paste**

---

## Recommendation

Disposal must be made according to official regulations.

## 13.2 European waste code number in accordance with AAV

EWC No.: 08 01 12 waste paint and varnish other than those mentioned in 08 01 11

## 13.3 Packaging

### Contaminated packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing, may be taken for reuse. Packaging that cannot be cleaned should be disposed in the same manner as the medium.

### Non-contaminated packages

EWC No.: 15 01 02 plastic packaging

EWC No.: 15 01 04 metal packaging

---

## 14. TRANSPORT INFORMATION

### 14.1 Land transport ADR/RID and GVS/GGVE



Class: 9  
Kemler-Code: 90  
UN No.: 3082  
Packaging group: III  
Label: 9  
Special marking: -  
Proper shipping name: Environmentally hazardous substance, liquid, n.o.s  
(Contains Cobalt bis(2-ethylhexanoate).)  
Classification-Code: M6  
Limit: 5L

### 14.2 Maritime transport IMDG/GGVSea



Class: 9  
UN No.: 3082  
Label: -  
Packaging group: III  
EmS-No.: F-A, S-F  
Marine pollutant: yes  
Proper shipping name: Environmentally hazardous substance, liquid, n.o.s  
(Contains Cobalt bis(2-ethylhexanoate).)

---

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(revised by Regulation (EC) No. 453/2010)



Print Date: 14.09.2017  
Revision: 14.09.2017  
Replaced Version: 04.05.2015

Product: **SOLO GOYA Drying paste**

---

## 14.3 Air transport ICAO-TI and IATA-DGR



ICAO/IATA Class: 9  
UN no.: 3082  
Label: -  
Packaging group: III  
Proper shipping name: Environmentally hazardous substance, liquid, n.o.s  
(Contains Cobalt bis(2-ethylhexanoate).)

## 14.4 Remarks

Product contains environmentally hazardous substances: Cobalt bis(2-ethylhexanoate).

---

## 15. REGULATORY INFORMATION

### 15.1 European Regulation

**Chemical Safety Assessment:** For this substance a chemical safety assessment is not required.

### 15.2 National Regulations

Statutory order on hazardous incidents (StörfallV): -  
Regulation on inflammable liquids: -  
Emission control act ("TA-Luft"): -  
Water hazard class: WGK 2 hazardous to water (according VwVwS)

### 15.3 Additional information

The product is classified according to the EEC directives and the Ordinance on Hazardous Materials (GefStoffV).

If bottle  $\leq$  125 ml then the following H- and P-phrases are not necessary: H411, P273, P501.

Please check local regulations.

Volatile organic compounds (Swiss): 5,1 %; 2,9 g/55ml; 13,25 g/250ml; 0,053 kg/l

The advertised use (section 1) is not subject of the Directive 2004/42/EC.

---

## 16. OTHER INFORMATION

### 16.1 Changes compared with the last version

The last version was all changed and revised completely. Alterations to the previous edition are marked in the right-hand margin.

### 16.2 Literature reference and data source

Regulation (EC) 1999/45, last changed by Regulation (EC) 1907/2006

Regulation (EC) 67/548, last changed by Regulation (EC) 2009/2

REACH Regulation (EC) 1907/2006, last changed by Regulation (EC) 453/2010

---

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(revised by Regulation (EC) No. 453/2010)



Print Date: 14.09.2017  
Revision: 14.09.2017  
Replaced Version: 04.05.2015

Product: **SOLO GOYA Drying paste**

---

Regulation (EC) 1272/2008, last changed by Regulation (EC) 790/2009

## Internet

<http://www.baua.de>  
<http://www.arbeitssicherheit.de>  
<http://www.gischem.de>

## 16.3 Full text of H- and R-phrases appearing in section 2 and 3:

### According to Regulation (EC) 1272/2008

Asp. Tox.1 H304	May be fatal if swallowed and enters airways.
Skin Sens. 1 H317	May cause an allergic skin reaction.
Eye Irrit. 2 H319	Causes serious eye irritation.
Acute Tox. 4* H332	Harmful if inhaled.
Repr. 2 H361d	Suspected of damaging the unborn child.
Repr. 2 H361f	Suspected of damaging fertility..
Aquatic Acute 1 H400	Very toxic to aquatic life.
Aquatic Chron. 1 H410	Very toxic to aquatic life with long lasting effects.

## EUH – statements

EUH066 Repeated exposure may cause skin dryness or cracking.

## Methods according to article 9 of the order (EC) No. 1272/2008 for the assessment of the information for the purpose of the classification were used:

Classification according to Regulation (EC) 1272/2008, Annex VII (conversion table)

## 16.4 Abbreviations and acronyms

<b>ADR:</b>	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
<b>BImSchV:</b>	Order for the realisation of the Federal Immission Protection Law
<b>CAS:</b>	Chemical Abstracts Service
<b>DIN:</b>	Norm of the German institute of standardization
<b>EC:</b>	Effective concentration
<b>EC50:</b>	Effective concentration, 50 percent
<b>EG:</b>	European Community
<b>EINECS:</b>	European Inventory of Existing Commercial Chemical Substances
<b>EN:</b>	European Standard
<b>GefStoffV:</b>	Ordinance on Hazardous Substances, Germany
<b>GHS:</b>	Globally Harmonized System of Classification and Labelling of Chemicals
<b>IATA:</b>	International Air Transport Association
<b>IMDG:</b>	International Maritime Code for Dangerous Goods
<b>LC50:</b>	Lethal concentration, 50 percent
<b>LD50:</b>	Lethal dose, 50 percent
<b>Log K<sub>ow</sub>:</b>	n-octanol-water partition coefficient
<b>OECD:</b>	Organisation for Economic Co-operation and Development
<b>PBT:</b>	Persistent, bioaccumulateable, toxically

---

# Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006  
(revised by Regulation (EC) No. 453/2010)



Print Date: 14.09.2017  
Revision: 14.09.2017  
Replaced Version: 04.05.2015

Product: **SOLO GOYA Drying paste**

---

**RID:** Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

**TRGS:** Technical rules for danger materials

**UN:** United Nations (Vereinte Nationen)

**VOC:** Volatile Organic Compounds

**vPvB:** very much persistent and very bioaccumuleable

**VwVwS:** Administrative regulation of hazardous to waters materials

**WGK:** Water hazardous class

## 16.5 Department issuing safety data sheet

Laboratory, Mrs. Dipl.-Ing. Treiber, [b.treiber@c-kreul.de](mailto:b.treiber@c-kreul.de).

## 16.6 Additional information

The data is based on our present knowledge. The data correspond to the national and EEC legislation. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

It is not permitted to use the product for any other application mentioned in chapter 1 except with a written permission. The user is responsible for the compliance with all valid legal regulation.

This safety data sheet is only valid for SOLO GOYA Drying paste. It's not valid for other products placed in the according sales displays or sets.